



# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2026 CATALOGUE

**Note:**

This catalogue is regularly updated,  
so be sure you are viewing the most  
recent version!

**(Last Version: December 11th, 2025)**

### G. HJUKSTROM LTD.



SALES@HJUKSTROM.COM



(604)882-8211



19114, 95A AVENUE, SURREY, BC



WWW.HJUKSTROM.COM

### G.H. FACTORY SALES



SALES@GHFACTORYSALES.COM



(902)468-1277




2, 71 ILSLEY AVENUE, DARTMOUTH, NS



WWW.GHFACTORYSALES.COM




# Product Categories



Automotive




Hand Tools



Striking Tools



Outdoors




Builders & Security  
Hardware



Safety Supplies



Miscellaneous



Material Handling





|                               |           |
|-------------------------------|-----------|
| 01.AUTOMOTIVE .....           | 2 - 38    |
| 02. HAND TOOLS .....          | 41 - 91   |
| 03. STRIKING TOOLS .....      | 93 - 113  |
| 04. BUILDERS & SECURITY ..... | 115 - 132 |
| 05. MATERIAL HANDLING .....   | 135 - 166 |
| 06. MISCELLANEOUS .....       | 169 - 190 |
| 07. SAFETY SUPPLIES .....     | 191 - 199 |
| 08. OUTDOORS .....            | 201 - 214 |





# Our Product Brands



And Many More ...





01

# Automotive



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling





## ► UTILITY WORK LIGHT - LED

- Suitable for farm equipment, work trucks, boats and forklifts.
- Supplied with stainless steel mounting hardware.
- Individually boxed in colourful box.
- Water resistant aluminum body.
- Powder-coat paint.
- Recessed lens.
- Polarity safe.

| ITEM NO.     | SHAPE  | DIMENSIONS<br>W x H x D | VOLTAGE<br>RANGE | BODY<br>COLOUR | BEAM<br>TYPE | NO. OF<br>LEDS | LUMEN<br>RATING | COLOUR<br>TEMP | WATTS | LENS<br>MATERIAL |
|--------------|--------|-------------------------|------------------|----------------|--------------|----------------|-----------------|----------------|-------|------------------|
| 1248-BL-8    | Rect   | 6 x 3.75 x 1.75         | 9-110VDC         | Black          | Flood        | 8              | 1200            | 5000K          | 17W   | Glass            |
| *1348-RD-BLK | Round  | 4.5 x 1.5               | 10-30VDC         | Black          | Spot         | 6              | 800             | 6000K          | 18W   | PMMA             |
| 1448-SQ-BLK  | Square | 4.5 x 4.5 x 1.5         | 10-30VDC         | Black          | Flood        | 5              | 650             | 6000K          | 15W   | PMMA             |
| 1448-RD-BLK  | Round  | 4.6 x 2.75              | 10-30VDC         | Black          | Flood        | 6              | 800             | 6000K          | 18W   | PMMA             |
| *1548-SQ-BLK | Square | 4.5 x 4.5 x 2.75        | 9-48VDC          | Black          | Spot         | 7              | 2800            | 3500K          | 35W   | PC               |
| *1548-RD-BLK | Round  | 4.6 x 2.75              | 9-48VDC          | Black          | Spot         | 7              | 2800            | 3500K          | 35W   | PC               |
| *1648-SQ-BLK | Square | 4.5 x 4.5 x 2.75        | 9-48VDC          | Black          | Flood        | 7              | 2800            | 3500K          | 35W   | PC               |
| *1648-RD-BLK | Round  | 4.6 x 2.75              | 9-48VDC          | Black          | Flood        | 7              | 2800            | 3500K          | 35W   | PC               |
| *1748-SQ-BLK | Square | 4.5 x 4.5 x 2.75        | 9-48VDC          | Black          | Spot         | 7              | 2800            | 6000K          | 35W   | PC               |
| *1748-RD-BLK | Round  | 4.6 x 2.75              | 9-48VDC          | Black          | Spot         | 7              | 2800            | 6000K          | 35W   | PC               |
| *1948-O-BLK  | Oval   | 4.75 x 3 x 3            | 9-48VDC          | Black          | Flood        | 2              | 800             | 5000K          | 20W   | PC               |
| *2048-O-BLK  | Oval   | 4.75 x 3 x 3            | 9-48VDC          | Black          | Spot         | 2              | 800             | Blue           | 6W    | PC               |

### \*TO BE DISCONTINUED

Note: 3500K colour temp=warm white, 6000K colour temp=daylight white. To calculate amp draw, divide wattage by voltage used (35W/12V = 2.91 amps).



1248-BL-8



1348-RD-BLK



1948-O-BLK  
2048-O-BLK



1548-SQ-BLK  
1648-SQ-BLK  
1748-SQ-BLK



1548-RD-BLK  
1648-RD-BLK  
1748-RD-BLK



1448-RD-BLK



1448-SQ-BLK

## ▶ LANTERN - CAMPING

CH UNEX

- 3 Long LED's which light at 50% or 100% also (total 300 lumens).
- Has 6 flashing red emergency LED's when required.
- Requires 3 AA batteries (not included).
- Stainless steel hanger hook.
- 6-1/2" overall height.
- Boxed.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                 |
|---------|-----------------|
| XG-8002 | Camping Lantern |
|---------|-----------------|

## ▶ TRACTOR (IMPLEMENT) LIGHT HALOGEN - ROUND

- Universal adjustable plated mounting bracket.
- Beam spread: horizontal 75°, vertical 70°.
- Replaceable 12V-H3-55W bulb.
- Rubber body.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                         |
|----------|-------------------------|
| *NEO-990 | 5" Rubber Tractor Light |
|----------|-------------------------|

\*TO BE DISCONTINUED



## ▶ TRACTOR LIGHT - HALOGEN

- Suitable for marine, off-road and machinery use.
- New flood and spot combination light pattern.
- Swivel rubber mount for flexible installation.
- Supplied with 12V-H3-55W bulb.
- Black ABS case with handle.
- Individually boxed.
- Size 7-1/4" x 4".

| ITEM NO. | SIZE |
|----------|------|
|----------|------|

|       |                       |
|-------|-----------------------|
| *8724 | Halogen Tractor Light |
|-------|-----------------------|

|            |                            |
|------------|----------------------------|
| *LENS-8724 | Replacement Lens For Above |
|------------|----------------------------|

\*TO BE DISCONTINUED



## ► TURN, STOP & TAIL LIGHTS - WITH REFLECTIVE OUTER RING

| ITEM NO.             | SIZE              | LENS COL. | BULB SIZE & QTY. | LENS MATERIAL        |
|----------------------|-------------------|-----------|------------------|----------------------|
| **MH-5800R           | 4" dia. x 2-1/16" | Red       | 12.8V 32/3 cp    | Polycarbonate Sealed |
| **MH-5800A (2" wire) | 4" dia. x 2-1/16" | Amber     | 12.8V 32/3 cp    | Polycarbonate Sealed |

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



## ► STOP & TURN SIGNAL LIGHTS - LED

- Sealed lens, polycarbonate body.
- 3 Wire plug-in.

| ITEM NO.   | SIZE     | COLOUR | NO. OF LED's |
|------------|----------|--------|--------------|
| **MH-5553A | 4" Round | Amber  | 10           |

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



## ► CLEARANCE & MARKER LIGHTS - LED

| ITEM NO.  | SIZE L X W X D | LENS COLOUR | NO. OF LEDS | LENS MATERIAL         |
|-----------|----------------|-------------|-------------|-----------------------|
| *MH-1277A | 2" dia.        | Amber       | 9           | Polycarbonate, Sealed |
| *MH-1277R | 2" dia.        | Red         | 9           | Polycarbonate, Sealed |

**\*TO BE DISCONTINUED**



MH-1277A

MH-1277R

**► CLEARANCE & MARKER LIGHTS**

| ITEMNO.    | SIZE L X W X D          | LENS COLOUR | BULB SIZE & QTY. | LENS MATERIAL         |
|------------|-------------------------|-------------|------------------|-----------------------|
| **MH-1258R | 2-1/2" x 1 1/4" x 3/4"  | Red         | 194 x 1          | Polycarbonate, Sealed |
| **MH-1260A | 3-3/4" x 1 3/16" x 3/4" | Amber       | 194 x 2          | Polycarbonate, Sealed |
| **MH-1288A | 2-1/2" Dia. Reflective  | Amber       | 194 x 1          | Polycarbonate, Sealed |

**\*TO BE DISCONTINUED**

**\*LIMITED QUANTITIES - NO BACK ORDERS**



MH-1258R



MH-1260A



MH-1288A

**► MARKER LIGHT - LED BAR LIGHT 12V DC**

- Stainless steel bar with 3 LED Lights (each light contains 6 LED's).
- Supplied on a card and UPC coded.
- Wires, screws and nuts supplied.
- Sealed lens, water resistant.
- Screw mounted.

| ITEM NO.   | SIZE L X W X D             | LENS COLOUR | NO. OF_LEDS | LENS MATERIAL |
|------------|----------------------------|-------------|-------------|---------------|
| *TE2-0536A | 16-3/4" x 1-3/16" x 1-1/4" | Amber       | 6 per Light | Polycarbonate |

**\*TO BE DISCONTINUED**



**► CLEARANCE & MARKER LIGHT - LED**

- Screw mounted (screws & nuts supplied).
- Sealed lens.
- Waterproof.
- Carded.

| ITEM NO.   | SIZE L X W X D         | LENS COLOUR | NO. OF_LEDS | LENS MATERIAL         |
|------------|------------------------|-------------|-------------|-----------------------|
| *TE2-0534A | 3-1/4" X 1-1/4" X 7/8" | Amber       | 6           | Polycarbonate, Sealed |

**\*TO BE DISCONTINUED**





## ▶ TURN, STOP & TAIL LIGHTS

| ITEM NO.            | SIZE L x W x D                       | LENS COLOUR | BULB SIZE AND QTY. | BODY MATERIAL                            |
|---------------------|--------------------------------------|-------------|--------------------|------------------------------------------|
| *MH-52002C          | 4-1/2" x 2-3/8", 2" wire single face | Clear       | 1 x 1157           | Black zinc diecast body, 1/2" stud mount |
| *TO BE DISCONTINUED |                                      |             |                    |                                          |



## ▶ ACCESSORIES FOR MARKER, TURN, STOP & TAIL LIGHTS

| ITEM NO.                      | DESCRIPTION            |
|-------------------------------|------------------------|
| *MH-12761                     | 2" Dia. Rubber Grommet |
| *TO BE DISCONTINUED           |                        |
| *LIMITED QUANTITIES - NO BACK |                        |



## ▶ WEATHERPROOF/SPLASHPROOF TRAILER LIGHT KIT

- Kit contains: a pair of taillights + 25' trailer harness with connectors + 48" long truck connector + License plate bracket + mounting hardware.
- Combined functions as stop/tail/turn/backup light.
- 12V DC – With replaceable bulbs (#1157).
- IP65 Standard for use in wet conditions.

| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| TE2-1610 | Trailer Light Kit |



## ▶ TRAILER LIGHTING KIT



- Kit includes 2 combination Class A stop, tail, turn signal & rectangular marker lights with license plate bracket and license plate light, 2 side marker rectangular amber lights, 20' split Y harness with 4 colour coded wires.
- Suitable for all types of trailers.
- All lights are also reflective.
- Uses standard #1157 bulb.
- OEM replacement style.
- DOT and SAE approved.
- Spare bulbs available.
- Clamshell packaged.


| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| MH-5750  | Trailer Light Kit |



► **TOWING LIGHTS LED - MAGNETIC BASE**



- Ideal to provide tail, brake and signal lights on vehicles in tow.
- Black painted metal housing ensures long life.
- Strong magnetic base holds lights in place.
- 29-1/2' long power supply wire.
- 15 Bright LED's per light.
- 68" wire between lights.
- 4-1/2" light diameter.



**ITEM NO. DESCRIPTION**

TE2-0518D LED Magnetic Tow Lights

► **EMERGENCY LIGHT - ROUND STROBE (LARGE)**

- Suitable for temperatures -30°C to 60°C (-22°F to 140°F).
- Coiled lighter plug cord, expandable to 10', 12V DC.
- Flash rate 70-110/min., operating life 300 hours.
- Amber lens, 100,000 candle power.
- Dimensions: 4-3/4" diameter x 4" H.
- Impact resistant ABS base.
- Strong magnetic base.
- Solid-state circuitry.



**ITEM NO. DESCRIPTION**

TE2-0514 Amber Strobe Light - Boxed

► **FLASHING SAFETY LIGHTS - LED DISPLAY**



- Brighter than standard bulbs.
- Long lasting battery life.
- Requires 4 AA batteries.
- Clamshell packed.

| ITEM NO. | DESCRIPTION                        | DIMENSIONS      | LENS COLOUR | NO. OF LEDS | BATTERY TYPE | NO. OF FUNCTIONS |
|----------|------------------------------------|-----------------|-------------|-------------|--------------|------------------|
| SH105    | Rectangular with Clip & HD Magnet  | 2 x 2-3/4"      | Red         | 5           | 2 x AA       | 6                |
| SH501    | Rectangular with Stand & HD Magnet | 3-3/4" x 6-1/2" | Red         | 18          | 4 x AA       | 2                |
| SH501A   | Rectangular with Stand & HD Magnet | 3-3/4" x 6-1/2" | Amber       | 18          | 4 x AA       | 2                |



SH501 & SH501A



SH105

## ► STROBE LIGHT - XENON FORKLIFT TYPE

- Conforms to CSA C22.2 and ANSI/UL requirements.
- Extra bulb included in attachment pack.
- Lens and replacement bulbs available.
- 5-1/4" High with screw down fixing.
- Suitable for 12V-80V DC.
- Flash rate 60-80/minute.
- Replaceable strobe.

| ITEM NO.   | DESCRIPTION                    |
|------------|--------------------------------|
| TE2-0527A  | Strobe Light                   |
| BULB-0527A | Replacement Bulb for TE2-0527A |
| LENS-0527A | Amber Replacement Lens         |



## ► BATTERY LOAD TESTER

- Used to test batteries (6 or 12 volts), charging systems and starter motors.
- Heavy duty colour coded copper plated clamps.
- Suitable for 500-1000 cold cranking amps.
- Ventilated, black painted steel case.
- Tests completed in 30 seconds.
- Completely portable.
- Individually boxed.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| BT-260   | Battery Tester |



## ► 0.75 AMP SMART BATTERY CHARGER/MAINTAINER



- Use with Wet/MF/Gel/AGM (6/12V), LiFePO4/Li-Ion (12V) batteries.
- Automatic shut-off when charging is complete.
- Alligator jaw and ring connectors included.
- Restores / maintains charge in idle batteries.
- Weather-resistant IP65 construction.
- 100-240V 50/60 Hz AC input.
- 6V/12V DC output.



| ITEM NO.                             | DESCRIPTION                 |
|--------------------------------------|-----------------------------|
| TE4-0237L (Replacement for TE4-0237) | 0.75 AMP Battery Maintainer |



## ► SMART BATTERY CHARGER - 6V/12V 4A

- For use with 12V lithium and 6V or 12V lead acid (including GEL & AGM) batteries.
- Fully protected against short-circuit, reverse polarity, overcharging & overheating.
- Input: 105-125V 60Hz AC, output: 6V or 12V DC (4A Max).
- Includes ring terminals and removable terminal clamps.
- Fully automatic - shuts off when battery is full.

| ITEM NO. | DESCRIPTION              |
|----------|--------------------------|
| TE4-0249 | Battery Charger 4A Smart |



► **2.0 AMP SMART BATTERY CHARGER/MAINTAINER**



- Use with Wet/MF/Gel/AGM (6/12V), LiFePO4/Li-Ion (12V) batteries.
- Automatic shut-off when charging is complete.
- Alligator jaw and ring connectors included.
- Restores/maintains charge in idle batteries.
- Weather-resistant IP65 construction.
- Desulfates weak batteries.
- 100-240V 50/60 Hz AC input.
- 6V/12V DC output.



| ITEM NO.                              | DESCRIPTION                        |
|---------------------------------------|------------------------------------|
| TE4-0307L (Replacement for TE4-0218A) | 2.0 Amp Battery Charger/Maintainer |

► **BATTERY CHARGER - 6V/12V**

- 110V AC Input with 6' 5" power cord and 6' 7" battery leads.
- Automatic 12V 2 Amp charging for small batteries.
- Automatic 12V or manual 6V 10 Amp charging settings.
- Automatically switches to "trickle" and green "Charge Complete" light comes on when battery is completely charged.
- Manual 55 Amp boost setting (after several minutes of charging).
- Reverse polarity detection warning light.
- Has short circuit, overheating and overload protection.
- cUL approved.

| ITEM NO. | DESCRIPTION                                      |
|----------|--------------------------------------------------|
| JC-S106  | 10/2/55 Amp, 6/12 Battery Charger/Engine Starter |



► **L-SHAPED MOUNTING BRACKET**

- Used for mounting car side female 7-Way connectors under bumpers or frame.
- Packaged in poly bag with hanger card.
- Black powder coat finish.

| ITEM NO. | DESCRIPTION                          |
|----------|--------------------------------------|
| SH-W9394 | Mounting Bracket For 7-Way Connector |



► **TRAILER ELECTRICAL CONNECTORS**

- Packaged in poly bag with hanger card.

| ITEM NO. | DESCRIPTION                                                                                                |
|----------|------------------------------------------------------------------------------------------------------------|
| SH-7082  | 7-Way Connector, Impact Resistant Plastic. Housing. "Rubber Seal" on Door (Car End). (Replaces #SH-C7092). |



▶ TRAILER ELECTRICAL CONNECTORS

- Packaged in poly bag with hanger card.

| ITEM NO. | DESCRIPTION                                                                |
|----------|----------------------------------------------------------------------------|
| SH-7081  | 7-way Connector, Impact Resistant Plastic Housing, Male End (Trailer End). |



| ITEM NO.            | DESCRIPTION                                                                                                                                                  |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *SH-C4013           | 4-Way Connector Set (Male/Female), Secure Locking Spring-Loaded Cover Which Locks In Male Plug, 1-3/8" OD Female Barrel 1-1/8" OD Male Barrel Chrome Plated. |
| *TO BE DISCONTINUED |                                                                                                                                                              |



| ITEM NO.            | DESCRIPTION                                          |
|---------------------|------------------------------------------------------|
| *SH-A7264           | 6-Way Round To 4 Way Flat Adaptor, ABS Construction. |
| *TO BE DISCONTINUED |                                                      |



| ITEM NO.            | DESCRIPTION                                                                                                                            |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| *SH-C7039           | 7-Way Round Pin Type, Die Cast Zinc Body, Trailer End Receiver With Spring Cable Guard, 1-1/2" Male Barrel Coated To Resist Corrosion. |
| *TO BE DISCONTINUED |                                                                                                                                        |




## ▶ TRAILER ELECTRICAL CONNECTORS

- Packaged in poly bag with hanger card.

### ITEM NO. DESCRIPTION

\*SH-D5103 5-Way Flat To 5-Way Flat Trailer Connector 18 Gauge Wire 12" Long.

\*TO BE DISCONTINUED



### ITEM NO. DESCRIPTION

SH-A7274 7 Wire Round Center Pole Trailer End Converts 7 Wire to 4 Wire Flat.



### ITEM NO. DESCRIPTION

SH-A7275 7 Wire Round Center Pole Trailer End Converts To 5 Wire Flat End.



### ITEM NO. DESCRIPTION


SH-S2102-10G 2-Way Flat Connector Loop With 12", 10 Gauge Wires.



### ITEM NO. DESCRIPTION

SH-44140 4-Way rubber coated flat type connector with 12", 18 gauge wire leads.

SH-44141 4-Way rubber coated flat type connector with 48", 18 gauge wire leads.



SH-44140  
SH-44141



## ▶ TOP POST BATTERY TERMINALS

- Heavy duty lead bodies.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |          |
|---------|----------|
| BT5A-1  | Standard |
| BT5A-2  | Standard |
| BT5A-10 | Standard |



## ▶ BATTERY TERMINAL BRUSH

- Includes brush for post and tapered brush for clamp cleaning.
- Sturdy nickel-plated metal body.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                        |
|-------|------------------------|
| BTB-1 | Battery Terminal Brush |
|-------|------------------------|



## ▶ CLAMPS FOR BATTERY BOOSTER CABLES



- Available in red and black colours.
- Vinyl coated handles.
- Chrome plated.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                           |
|----------|-------------------------------------------|
| 32-D2BL  | Black Booster Cable Parrot Jaw Clamp 500A |
| 32-D2RD  | Red Booster Cable Parrot Jaw Clamp 500A   |
| 32-800BL | Black Booster Cable Clamp 800A            |
| 32-800RD | Red Booster Cable Clamp 800A              |



32-800BL 32-800RD



32-D2RD  
32-D2BL

## ▶ SPRING CLAMPS

- Available in red and black colours.
- Vinyl coated handles.
- 7/16" jaw width.
- Chrome plated.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                   |
|-----------|-------------------|
| TT8-005BK | Black Cable Clamp |
| TT8-005RD | Red Cable Clamp   |



## ▶ BOOSTER CABLES



- Cable coatings are highly resistant to oils and chemicals.
- At -45°C remains tangle-free.
- Thermoplastic rubber.
- 100% copper strands.

| ITEM NO.  | DESCRIPTION                                       | AMP RATING | CABLE SIZE | NO. OF STRANDS | CABLE LENGTH |
|-----------|---------------------------------------------------|------------|------------|----------------|--------------|
| 32-065A-3 | Battery Booster Cable, Sleeve Packed.             | 150        | 10         | 65             | 10'          |
| 32-172D   | Battery Booster Cable W/Parrot-Jaw Clamps, Boxed. | 500        | 6          | 172            | 12'          |
| 32-259D   | Battery Booster Cable W/Parrot-Jaw Clamps, Boxed. | 500        | 4          | 259            | 16'          |
| 32-545D   | Battery Booster Cable, Boxed.                     | 800        | 2          | 413            | 25'          |



32-065A-3



32-172D  
32-259D



32-545D

## ▶ FUSES - PLUG-IN TYPE

- Supplied in multiple compartment plastic box.
- Standard size and mini.
- Suitable for up to 32V.

| ITEM NO. | DESCRIPTION                                                                    |
|----------|--------------------------------------------------------------------------------|
| TE5-0442 | 120 Piece Standard Size Plug-In Fuses, 20 Each-5A, 10A, 15A, 20A, 25A, 30A     |
| TE5-0454 | 100 Piece Mini Size Plug-In Fuses, 20 Each-5A, 10A, 15 each-15A, 20A, 25A, 30A |



TE5-0454



TE5-0442



## HEAT-SHRINK TUBING KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.
- Operating temperature -55°C to 125°C.

| ITEM NO. | DESCRIPTION                                                                                                                                                                                                                                      |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TE5-0500 | 185 Piece x 2-1/2" Heat Shrink Tubing Kit - Black<br>Kit Consists Of:<br>65 - 1/16" (2mm) - 2-1/2"<br>45 - 1/8" (3mm) - 2-1/2"<br>25 - 3/16" (5mm) - 2-1/2"<br>20 - 1/4" (6mm) - 2-1/2"<br>15 - 3/8" (9mm) - 2-1/2"<br>15 - 1/2" (13mm) - 2-1/2" |
| TE5-0501 | 120 Piece x 2-1/2" Heat-Shrink Tubing Kit - Colour Coded<br>Kit Consists Of:<br>40 - 22/18 Gauge 2-1/2" - Red<br>40 - 16/14 Gauge 2-1/2" - Blue<br>40 - 12/10 Gauge 2-1/2" - Yellow                                                              |



TE5-0501



TE5-0500

## QUICK-SPlice KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang-up hook.

| ITEM NO.  | DESCRIPTION                                                                                                                                                                                                                       |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *TE5-0506 | 70 Piece Quick-Splice Kit<br>Kit Consists Of:<br>15 - 22/18 Gauge - Red Connector<br>20 - 16/14 Gauge - Blue Connector<br>5 - 12/10 Gauge - Yellow Connector<br>15 - 16/14 Gauge - Quick Disconnects<br>15 - 16/14 Gauge - T-Taps |

\*TO BE DISCONTINUED



## CABLE CLAMP KIT

- Supplied in handy 3-1/2" x 8-1/2" plastic partitioned see-thru box with hang up hook.
- Ideal for mounting wires, cables and hoses.

| ITEM NO.  | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| *TE5-0507 | 90 Piece Cable Clamp Kit<br>Kit Consists Of:<br>2 - 1/4" Dia. Rubber Coated SS Cable Clamps<br>2 - 5/16" Dia. Rubber Coated SS Cable Clamps<br>2 - 3/8" Dia. Rubber Coated SS Cable Clamps<br>2 - 7/16" Dia. Rubber Coated SS Cable Clamps<br>22 - 1/8" Dia. Nylon Clamps - (12 Black, 10 White)<br>30 - 3/16" Dia. Nylon Clamps - (15 Black, 15 White)<br>30 - 1/4" Dia. Nylon Clamps - (15 Black, 15 White) |

\*TO BE DISCONTINUED



► **ICE SCRAPERS & SNOW BRUSHES**

**ITEM NO. DESCRIPTION**

XP-4571R 24" Heavy Duty 4" Ice Scraper & Brush.

XP-6530 Snow Brush W/Ice Scraper 25" X 5/8" X 7/8" Wood Handle. 2 Rows Of PVC Bristle With Ice Scraper On End.

XP-4528R 6' Aluminum Handle, Extendable 30" to 45" Scraper W/Adjustable Angle Brush And Squeegee.



XP-4571R



XP-6530



XP-4528R

► **SNOW BRUSH & SCRAPER**

- Handle locks from 30" to 49" (extendable) with a total of 8 positions.
- Large 15" x 5-1/2" foam pad to minimize any scraping.
- Head locks into 7 positions to give required angle.
- Designed to remove snow from cars & trucks.

**ITEM NO. DESCRIPTION**

XP-462002 Snow Brush & Scraper



## ► SQUEEGEES - AUTOMOTIVE

- Rubber wiping blade on reverse side of head.
- Threaded handles allow for easy storage.
- 10" nylon net-covered foam head.

| ITEM NO.                   | DESCRIPTION                                                                                                                               |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| CT-613                     | 10" ABS Squeegee With Telescopic Aluminum Handle Extends From 27" To 48".<br>Has Rubber Grip With Hang-Up Hole.<br>Replacement for #3940. |
| XP-390602 (Replaces #3940) | 10" Squeegee With 20" Plastic Handle.                                                                                                     |



CT-613



XP-390602

## ► WHEEL LUG NUTS

- Standard hex nut sizes 13/16" or 3/4".
- Each nut clearly identified with size.
- Chrome plated to resist corrosion.
- Right-hand thread.
- Boxed 50 per box.
- Tapered edge.

| ITEM NO.    | WRENCH SIZE | WHEEL STUD SIZE |
|-------------|-------------|-----------------|
| LM001-14150 | 13/16"      | 14mm x 1.5      |
| LM023-12125 | 3/4"        | 12mm x 1.25     |
| LM023-12150 | 3/4"        | 12mm x 1.5      |
| LM023-7-16  | 3/4"        | 7/16"           |
| LM023-1-2   | 3/4"        | 1/2"            |



## 4-WAY WHEEL WRENCH

- 11/16", 3/4", 13/16" and 7/8" wheel nut sizes.
- Chrome plated to resist rusting.
- Sizes embossed on each end.
- 20" overall width.

| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| 3-1101   | 4-Way Wheel Wrench |



## TUBELESS TIRE VALVE STEMS

- Plastic valve cap supplied.
- Sold 100/bag only.

| ITEM NO. | OVERALL LENGTH | BASE SIZE  |
|----------|----------------|------------|
| TR413    | 42.5 (1-1/16") | 11.5mm     |
| TR415    | 42.5 (1-1/16") | 15.9mm     |
| TR418    | 61.5 (2-7/16") | 12mm x 1.5 |



## MECHANIC'S CREEPER

- 6 x 2-1/2" hard plastic wheels with ball bearing swivel base.
- Full 11" x 36" padded body support with built-in pillow.
- Heavy rectangular tube frame.
- Durable powder-coat paint.

| ITEM NO. | DESCRIPTION                |
|----------|----------------------------|
| TR6451   | 6 Wheel Mechanic's Creeper |
| TR-WHEEL | Replacement Casters        |



## ► MECHANIC'S STOOL

- Handy 11-1/2" x 12-1/2" partitioned parts tray under seat.
- 14" x 8-1/2" padded seat.
- All steel construction.
- 15" overall height.
- 4 swivel casters.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                            |
|-----------|----------------------------|
| TR6100    | Mechanic's Stool           |
| TR6100-01 | Replacement Swivel Casters |



## ► HOSE CLAMPS - STAINLESS BAND

- Band and housing made of 430 stainless steel.
- Tightening screw made of zinc-plated steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

| NO. ITEM | SAE SIZE | BAND WIDTH |        | DIAMETER RANGE  |               |
|----------|----------|------------|--------|-----------------|---------------|
|          |          | INCH       | MM     | INCH            | MM            |
| HC-002   | #2       | 5/16"      | 9mm    | 1/4" - 1/2"     | 6mm - 12mm    |
| HC-004   | #4       | 5/16"      | 9mm    | 5/16" - 5/8"    | 8mm - 16mm    |
| HC-005   | #5       | 5/16"      | 9mm    | 7/16" - 3/4"    | 11mm - 20mm   |
| HC-006   | #6       | 5/16"      | 9mm    | 1/2" - 3/4"     | 12mm - 23mm   |
| HC-008   | #8       | 5/16"      | 9mm    | 1/2" - 1"       | 13mm - 25mm   |
| HC-010   | #10      | 1/2"       | 12.7mm | 9/16" - 1-1/16" | 14mm - 27mm   |
| HC-012   | #12      | 1/2"       | 12.7mm | 11/16" - 1-1/4" | 17mm - 32mm   |
| HC-016   | #16      | 1/2"       | 12.7mm | 11/16" - 1-1/2" | 17mm - 38mm   |
| HC-020   | #20      | 1/2"       | 12.7mm | 13/16" - 1-3/4" | 21mm - 44mm   |
| HC-024   | #24      | 1/2"       | 12.7mm | 1" - 2"         | 25mm - 51mm   |
| HC-028   | #28      | 1/2"       | 12.7mm | 1-1/4" - 2-1/4" | 32mm - 57mm   |
| HC-032   | #32      | 1/2"       | 12.7mm | 1-1/2" - 2-1/2" | 38mm - 63mm   |
| HC-036   | #36      | 1/2"       | 12.7mm | 1-3/4" - 2-3/4" | 44mm - 70mm   |
| HC-044   | #44      | 1/2"       | 12.7mm | 2-1/4" - 3-1/4" | 57mm - 82mm   |
| HC-052   | #52      | 1/2"       | 12.7mm | 2-3/4" - 3-3/4" | 70mm - 95mm   |
| HC-064   | #64      | 1/2"       | 12.7mm | 3-1/2" - 4-1/4" | 89mm - 114mm  |
| HC-072   | #72      | 1/2"       | 12.7mm | 4" - 5"         | 102mm - 127mm |
| HC-088   | #88      | 1/2"       | 12.7mm | 5" - 6"         | 127mm - 152mm |
| HC-104   | #104     | 1/2"       | 12.7mm | 6" - 7"         | 152mm - 178mm |



## ▶ HOSE CLAMPS - ALL STAINLESS

- Band and housing made of 304 stainless steel.
- Tightening screw made of 304 stainless steel.
- Packed 10 pieces per box.
- Sold in boxes of 10 only.

| NO. ITEM | SAE SIZE | BAND WIDTH |        | DIAMETER RANGE  |               |
|----------|----------|------------|--------|-----------------|---------------|
|          |          | INCH       | MM     | INCH            | MM            |
| 304-002  | #2       | 5/16"      | 9mm    | 1/4" - 1/2"     | 6mm - 12mm    |
| 304-004  | #4       | 5/16"      | 9mm    | 5/16" - 5/8"    | 8mm - 16mm    |
| 304-005  | #5       | 5/16"      | 9mm    | 7/16" - 3/4"    | 11mm - 20mm   |
| 304-006  | #6       | 5/16"      | 9mm    | 1/2" - 3/4"     | 12mm - 23mm   |
| 304-008  | #8       | 5/16"      | 9mm    | 1/2" - 1"       | 13mm - 25mm   |
| 304-010  | #10      | 1/2"       | 12.7mm | 9/16" - 1-1/16" | 14mm - 27mm   |
| 304-012  | #12      | 1/2"       | 12.7mm | 11/16" - 1-1/4" | 17mm - 32mm   |
| 304-016  | #16      | 1/2"       | 12.7mm | 11/16" - 1-1/2" | 17mm - 38mm   |
| 304-020  | #20      | 1/2"       | 12.7mm | 13/16" - 1-3/4" | 21mm - 44mm   |
| 304-024  | #24      | 1/2"       | 12.7mm | 1" - 2"         | 25mm - 51mm   |
| 304-028  | #28      | 1/2"       | 12.7mm | 1-1/4" - 2-1/4" | 32mm - 57mm   |
| 304-032  | #32      | 1/2"       | 12.7mm | 1-1/2" - 2-1/2" | 38mm - 63mm   |
| 304-036  | #36      | 1/2"       | 12.7mm | 1-3/4" - 2-3/4" | 44mm - 70mm   |
| 304-044  | #44      | 1/2"       | 12.7mm | 2-1/4" - 3-1/4" | 57mm - 82mm   |
| 304-052  | #52      | 1/2"       | 12.7mm | 2-3/4" - 3-3/4" | 70mm - 95mm   |
| 304-064  | #64      | 1/2"       | 12.7mm | 3-1/2" - 4-1/4" | 89mm - 114mm  |
| 304-072  | #72      | 1/2"       | 12.7mm | 4" - 5"         | 102mm - 127mm |
| 304-088  | #88      | 1/2"       | 12.7mm | 5" - 6"         | 127mm - 152mm |
| 304-104  | #104     | 1/2"       | 12.7mm | 6" - 7"         | 152mm - 178mm |



## ▶ FIX-IT KIT FOR SERVICING HI-LIFT JACKS

- Kit contains:
  - 2 CP-1 climbing pins.
  - 2 CP-2 cross pins.
  - 2 CP-3 climbing pin springs.
  - 1 SP-13 safety shear-pin.
  - 1 LT-1 lubrication tube.
  - 1 installation instructions.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|                |            |
|----------------|------------|
| *HL-484-99-FK2 | FIX-IT KIT |
|----------------|------------|


\* Other parts for HI-LIFT are available on request.



## ▶ HI-LIFT JACKS, PREMIUM CAST & STEEL JACK MEETS ANSI REQUIREMENTS MADE IN U.S.A.

- Manufactured of high stress steel and Class A Grade 1 castings.
- Safety shear-pin shears at 7000 lbs.
- Base plate of 28 square inches.
- Low pick-up of 4-1/2".

| ITEM NO.                         | DESCRIPTION      | LIFT |
|----------------------------------|------------------|------|
| *HL-484                          | 48" Premium Jack | 37"  |
| *PRICE INCLUDES TOP CLAMP CLEVIS |                  |      |



## ▶ ACCESSORIES FOR HI-LIFT


| ITEM NO.      | DESCRIPTION                               |
|---------------|-------------------------------------------|
| HL-484-99-LOC | "LOC" Rack For Locking Hi-Lift To Vehicle |



## ▶ BOAT WINCHES - GENERAL PURPOSE

- Internally lubricated drum bushing and pinion gear shaft bearing for long life and ease of operation.
- Reinforced frame gives extra strength.
- Smooth-turning roller grip handle.
- Stainless steel ratchet spring.
- Rust-resistant zinc finish.


| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| GH-1000  | 1,000 lb. Capacity |
| GH-2000  | 2,000 lb Capacity  |



## ▶ **BOAT WINCH - STRAP TYPE**

- Supplied with 2" strap and hook with safety latch.
- Rust-resistant zinc finish.
- 25' long strap.
- Single speed.

| ITEM NO. | DESCRIPTION                               |
|----------|-------------------------------------------|
| T18      | Boat Winch with Strap, 1800 lbs. Capacity |
| T18-01   | Handle for T18                            |
| T18-02   | Spring for T18                            |
| T18-03   | Pawl for T18                              |
| T18-04   | Strap/Hook Replacement for T18            |



## ▶ **TRAILER HITCH BALL BUSHINGS**

- Used to reduce diameter of hole in draw bar.

| ITEM NO. | DESCRIPTION                                              |
|----------|----------------------------------------------------------|
| 220601   | Hitch Ball Adaptor To Reduce Hole Size From 1" to 3/4"   |
| 220602   | Hitch Ball Adaptor To Reduce Hole Size From 1-1/4" to 1" |



## ▶ **BALL MOUNT - TRIPLE BALL**

- Accommodates 1-7/8" (2,000 lbs.), 2" (6,000 lbs.), 2-5/16" (10,000 lbs.) couplers.
- Solid steel 2" bar with 1-7/8", 2", 2-5/16" welded trailer balls.
- Black painted bar with chrome plated trailer balls.
- Uses 5/8" pin.

| ITEM NO.   | DESCRIPTION                       | WEIGHT  |
|------------|-----------------------------------|---------|
| 28-TRIBALL | Triple Ball Mount w/Chromed Balls | 20 lbs. |





## ▶ TRAILER HITCH BALLS - CLAMSHELL PACKED

- UPC labeled.

| ITEM NO. | BALL AND THREAD SIZE | BOLT LENGTH | LOAD RATING |
|----------|----------------------|-------------|-------------|
| 28-1B    | 1-7/8" x 3/4"        | 2"          | 2,000 lbs.  |
| 28-2B    | 1-7/8" x 1"          | 2"          | 2,000 lbs.  |
| 28-3B    | 2" x 3/4"            | 2"          | 3,500 lbs.  |
| 28-4B    | 2" x 1"              | 2"          | 6,000 lbs.  |
| 28-5B    | 2-5/16" x 1"         | 2"          | 6,000 lbs.  |



## ▶ TRAILER HITCH BALLS

- Solid steel, chrome plated.


| ITEM NO.                                      | BALL & THREAD SIZE    | LOAD RATING |
|-----------------------------------------------|-----------------------|-------------|
| <i>External Thread:</i>                       |                       |             |
| 28-1                                          | 1-7/8" x 3/4"         | 2,000 lbs.  |
| 28-2                                          | 1-7/8" x 1"           | 2,000 lbs.  |
| 28-3                                          | 2" x 3/4"             | 3,500 lbs.  |
| 28-4                                          | 2" x 1"               | 6,000 lbs.  |
| 28-4A                                         | 2 x 1-1/4"            | 8,000 lbs.  |
| 28-5                                          | 2-5/16" x 1"          | 6,000 lbs.  |
| 28-6                                          | 2-5/16" x 1-1/4"      | 12,000 lbs. |
| <i>External Thread with 2-1/2" Long Bolt:</i> |                       |             |
| 28-1L                                         | 1-7/8" x 3/4"         | 2,000 lbs.  |
| 28-3L                                         | 2" x 3/4"             | 3,500 lbs.  |
| 28-4L                                         | 2" x 1", 3" Long Bolt | 5,000 lbs.  |
| <i>Internal Thread:</i>                       |                       |             |
| 28-7                                          | 1-7/8" x 3/4"         | 2,000 lbs.  |
| 28-8                                          | 2" x 3/4"             | 3,500 lbs.  |



## ▶ HITCH BALL MOUNTS / DRAW BARS

- Black powdercoat finish.
- 5/8" lock pin required.

| ITEM NO. | BOX SIZE | BALL SHANK DIA. | A LENGTH | B DROP | C RISE | CAPACITY/TW   |
|----------|----------|-----------------|----------|--------|--------|---------------|
| BMC-3002 | 2" x 2"  | 1"              | 10-1/2"  | 2"     | 3/4"   | 5000/500 lbs. |
| BMC-3003 | 2" x 2"  | 1"              | 13"      | 3-1/4" | 2-1/4" | 5000/500 lbs. |
| BMC-3004 | 2" x 2"  | 1"              | 11-1/2"  | 6"     | 4-3/4" | 5000/500 lbs. |



BMC-3002



BMC-3003



BMC-3004

## ▶ TRAILER JACKS

| ITEM NO.   | MOUNTING BRACKET TYPE                                                                                                                                | RATED CAPACITY | LIFT | HANDLE   |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------|----------|
| *TJ-09-520 | A-Frame Jack Bolt-on Mount<br><b>Retracted Dimension (A) 7-3/4"</b><br><b>Retracted Dimension (B) 20"</b><br><i>* Wheel or Foot may be required.</i> | 2,000 lbs.     | 15"  | Top Wind |


\*TO BE DISCONTINUED



## ► CASTERS & FOOT PLATE

- For use with A-frame trailer jacks.


| ITEM NO.                                                 | LIFT CAPACITY | ADDITIONAL LIFT |
|----------------------------------------------------------|---------------|-----------------|
| TJ-701070                                                | 1,000 lbs.    | 7"              |
| ABS Caster with pin for TJ-701023, TJ-701058.            |               |                 |
| TJ-701071                                                | 1,200 lbs.    | 7"              |
| ABS Caster with pin for TJ-09-520, TJ-701057, TJ-701059. |               |                 |
| TJ-701072                                                | 2,000 lbs.    | 8-3/4"          |
| Steel drop-leg for TJ-701056, TJ-701057, TJ-701059.      |               |                 |



## ► TRAILER COUPLERS - CHANNEL TYPE

- Smooth trigger mechanism for fast release and easy hook-ups.
- Zinc-plated locking mechanism.
- May be padlocked.
- Zinc-coated body.

| ITEM NO. | BALL SIZE | CHANNEL SIZE | CLASS | LOAD RATING |
|----------|-----------|--------------|-------|-------------|
| TSZ-60A  | 1-7/8"    | 2"           | II    | 2,000 lbs.  |
| TSZ-60B  | 1-7/8"    | 2-1/2"       | II    | 2,000 lbs.  |
| TSZ-60C  | 1-7/8"    | 3"           | II    | 2,000 lbs.  |
| TSZ-60D  | 2"        | 2-1/2"       | II    | 3,500 lbs.  |
| TSZ-60E  | 2"        | 3"           | II    | 3,500 lbs.  |
| TSZ-60F  | 2"        | 2"           | II    | 3,500 lbs.  |



## ► TRAILER COUPLER LOCK

- Weather-resistant cast body and chrome-plated locking pin.
- Locks coupler locking lever to deter theft.
- Supplied with 2 keys.
- Poly-bagged.

| ITEM NO. | DESCRIPTION  |
|----------|--------------|
| TS-LOCK  | Coupler Lock |



## ▶ TRAILER HITCH RECEIVER LOCKS

- Supplied with weather-resistant protective cap.
- Chrome plated pin for weather resistance.
- Self-locking (can be locked without key).
- Supplied with 2 keys.
- Poly-bagged.



| ITEM NO.   | RECEIVERPIN DIA. | DESCRIPTION                             |
|------------|------------------|-----------------------------------------|
| 5202-272LK | 5/8"             | 2" x 2" Receiver, 3-1/2" Useable Length |

## ▶ RUBBER TIE DOWNS - SNAPPI HOOKER - MADE IN CANADA

**SnappiHookers**

- Stamped with 50 lb. SWL as required by DOT.
- Straps stretch to 2-1/2 times original length.
- 100% High Quality EPDM Rubber.
- ISO 9001:2000 Quality Standards.
- Plated hooks to resist rust.
- Black.

| ITEM NO. | SIZE |
|----------|------|
| SH09     | 9"   |
| SH15     | 15"  |
| SH20     | 20"  |
| SH30     | 30"  |



## ▶ RUBBER TIE DOWNS - BLACK ADJUSTABLE SNAPPI HOOKERS - MADE IN CANADA

- Injection-molded EPDM meaning no imperfections.
- Adjustable to allow several hook positions.
- 2-1/2 times safe stretch, non-cracking.
- Meets DOT requirements.

| ITEM NO. | SIZE | NO OF ADJUST | DESCRIPTION           |
|----------|------|--------------|-----------------------|
| SH20ADJ  | 20"  | 3            | Adjustable Tarp Strap |
| SH30ADJ  | 30"  | 4            | Adjustable Tarp Strap |



► **RUBBER TIE DOWNS - SNAPPI HOOKER COLD WEATHER MODEL - MADE IN CANADA**



- Injection molded EPDM meaning no imperfections.
- Meets DOT safe working load limit (no others do).
- Made to ISO9001/AS9100 quality certification.
- Stamped with 50 lb. SWL as required by DOT.
- 2-1/2 times safe stretch, non-cracking.
- Easily-identifiable blue colour.
- Operational to -40°C.

**ITEM NO. SIZE**

|        |     |
|--------|-----|
| SH09CO | 9"  |
| SH15CO | 15" |
| SH20CO | 20" |
| SH30CO | 30" |



► **TIE DOWNS - SHOCK CORD**

- Vinyl-dipped steel hooks.
- Fabric covered.
- Non-marking.

| ITEM NO. | SIZE | WORKING LOAD LIMIT (lbs/kg) | BREAKING LOAD (lbs/kg) |
|----------|------|-----------------------------|------------------------|
| BC-12    | 12"  | 16/7                        | 32/14                  |
| BC-18    | 18"  | 16/7                        | 32/14                  |
| BC-24    | 24"  | 16/7                        | 32/14                  |
| BC-30    | 30"  | 16/7                        | 32/14                  |
| BC-36    | 36"  | 16/7                        | 32/14                  |



► **RUBBER TIE DOWNS**

- Heavy duty EPDM to withstand ultraviolet rays.
- Complete with "S" hooks.
- Marked with WLL 45 lbs.

**ITEM NO. SIZE**


|       |     |
|-------|-----|
| PS-10 | 10" |
| PS-15 | 15" |
| PS-21 | 21" |
| PS-31 | 31" |
| PS-41 | 41" |



## ► SHOCK CORD

- Fabric covered cord stretches to 175% of cut size.
- Make your own custom length tie-downs.
- Load Limit: 16 lbs. (7.25 kg).

| ITEM NO.  | DESCRIPTION                                     |
|-----------|-------------------------------------------------|
| BC8-75M   | 5/16" (8 mm) Cord on 246' (75 m) Spool          |
| BHOOK-3.2 | Hooks for 5/16" Cord (Sold in Bags of 100 Only) |



## ► FLAT NYLON (EMERGENCY) TOW STRAP

- Ideal for emergency pulling.
- Stretches to absorb shock.
- Two drop-forged hooks.
- Strong nylon webbing.

| ITEM NO. | SIZE     | WORKING LOAD LIMIT (lbs/kg) | BREAKING LOAD (lbs/kg) |
|----------|----------|-----------------------------|------------------------|
| NS-20    | 2" X 25' | 3,300 / 1,498               | 10,000 / 4,540         |



## ► TIE DOWN - SPORT TYPE QUICK RELEASE

- Ideal for roof racks, motorcycles, etc.
- 2 PVC coated "S" hooks included.
- Heavy duty nylon web.

| ITEM NO. | DESCRIPTION | WORKING LOAD LIMIT (lbs/kg) | BREAKING LOAD (lbs/kg) |
|----------|-------------|-----------------------------|------------------------|
| PSTD-11  | 1" x 5-1/2' | 400 / 181                   | 800 / 362              |
| PSTD-12  | 1" x 10'    | 400 / 181                   | 800 / 362              |



## TIE DOWN - RATCHET TYPE

- Ideal for roof racks, motorcycles, boats.
- Heavy duty nylon web.
- Quick secure cinching.




| ITEM NO. | SIZE         | WORKING LOAD LIMIT (lbs/kg) | BREAKING LOAD (lbs/kg) |
|----------|--------------|-----------------------------|------------------------|
| PSTD-14  | 1" x 12'     | 500/227                     | 1,000/454              |
| PSTD-16  | 1" x 16'     | 1,000/450                   | 2,000/908              |
| PSTD-20  | 1-1/2" x 20' | 1,470/667                   | 4,400/2,000            |

## HEAVY DUTY CARGO LASHES

- With heavy duty webbing, made with Terylene.
- Ratchet type.
- 30' x 2".

| ITEM NO.  | TYPE      | APPROX. STRENGTH |
|-----------|-----------|------------------|
| PCL-21JHD | "J" Hook  | 10,000 lbs.      |
| PCL-21FHD | Flat Hook | 10,000 lbs.      |



PCL-21FHD



PCL-21JHD

## CARGO NET - EXPANDABLE

- Complete with 28 non-marking ABS hooks.
- Size 72" x 96". Fits standard PU truck box.
- Strong fabric-covered rubber cords.

| ITEM NO. | DESCRIPTION         |
|----------|---------------------|
| CN-7296  | 72" X 96" Cargo Net |





## ▶ PLASTIC BONDER™

- Ideal on thermoset carbon fibre composites, thermoplastics, coated metals, concrete and more.
- Quick-setting two-part urethane adhesive system.
- Sets in 15 minutes, cures in 30 minutes.
- Has tensile strength of 3770 PSI.
- Supplied in 25 ml (1 oz) syringe.
- Very useful in auto body repair.
- Carded.

| ITEM NO. | DESCRIPTION                   |
|----------|-------------------------------|
| JB50133  | Plastic Bonder™ . Dries Tan.  |
| JB50139  | Plastic Bonder™. Dries Black. |



JB50133

JB50139

## ▶ PLASTICWELD™

- Can be sawed, drilled, sanded and painted.
- Bonds instantly, sets up in 20-25 minutes.
- Suitable for auto trim and bumpers.
- Works on most major plastic types.
- Works on fibreglass & vinyl siding.
- Supplied in 52 ml (2 oz) stick.
- Carded.

| ITEM NO. | DESCRIPTION  |
|----------|--------------|
| JB8237   | PlasticWeld™ |



## ▶ PLASTICWELD™

- Ideal for plastics, ABS, glass, PVC, vinyl, metal and most composites.
- Supplied in 25 ml (1 oz) syringe.
- Quick-setting epoxy.
- Strength 3900 PSI.
- Carded.

| ITEM NO. | DESCRIPTION                    |
|----------|--------------------------------|
| JB50132  | PlasticWeld™. Dries Off White. |



## ▶ SUPERWELD™ GLUE

- Great for auto repairs, rubber, plastic, vinyl, leather, cloth.
- Dries in seconds.
- Brush-on cap.
- Carded.

| ITEM NO. | DESCRIPTION                  |
|----------|------------------------------|
| JB33106  | SuperWeld™ Glue 6 g (0.2 oz) |
| JB33120  | SuperWeld™ 20 g (0.7 oz)     |





## ► SUPERWELD EXTREME 15G

- Instant adhesive, formulated for maximum control applications.
- Great for plastics, leather, rubber, glass, metal, wood & more.
- No-drip gel formula is ideal for vertical surfaces.
- High strength, impact resistant super glue gel.
- Flexible bond for elastic applications.

### ITEM NO. DESCRIPTION

JB33400 15g (.53 oz) Tube on Card



## ► J-B KWIK™

- Great for household repairs, automotive applications, crafts and more.
- Once cured, can be shaped, filed, sanded and drilled.
- Sets in 6 minutes and cures dark grey in 4-6 hours.
- Withstands temperatures of up to 230°F.
- Fast-setting 2-part epoxy adhesive.
- Carded.

### ITEM NO. DESCRIPTION

JB8276 Kwikweld (2 oz.) Tubes



## ► KWIKWELD™

- Can be shaped, tapped, filed, sanded and drilled after curing.
- Good for house, auto, plumbing, marine & crafts.
- Quick-setting steel-reinforced epoxy.
- Sets in 6 minutes, cures in 4-6 hours.
- Strength 3127 PSI.
- Carded.

### ITEM NO. DESCRIPTION

JB50176 KwikWeld™. Dries Dark Grey, 25 ml (1 oz) Syringe

JB8271 2 X 141.8 g (2 x 5 oz) tubes PRO size



JB8271



JB50176

## ► MINUTEWELD™

- No mess, no waste cap screws on one way to eliminate accidental mixing and ensure it won't dry out.
- Clear, instant-setting two-part epoxy sets in 1 minute and cures in 1 hour.
- Tensile strength of 2300 PSI for a strong, permanent bond.
- Multi purpose plastics, ceramic, glass etc.
- Supplied in 25 ml (1 oz) syringe.
- Carded.

### ITEM NO. DESCRIPTION

JB50101 MinuteWeld™ Dries Clear



## JB WELD PRO™

- Useable on iron, steel, copper, aluminum, brass, pewter, wood, porcelain, ceramic, plastic.
- Each package includes 1 x 5 oz. tube of steel and 1 x 5 oz. tube of hardener.
- Can be drilled, machined or ground.
- Not affected by gas, oil or water.
- Repairs, fills, bonds.



### ITEM NO. DESCRIPTION

JB8281 JB Weld Pro -Blister Packed

## PERMALOCK™ - THREADLOCKER

- Choose between medium strength (removeable) or high strength (more permanent).
- Seals threads against leakage and prevents rust & corrosion.
- Temperature resistant to 300° F.
- Carded.

### ITEM NO. DESCRIPTION

JB24206 Blue Medium Strength Thread Locker 6ml (0.02 oz)  
 JB24236 Blue Medium Strength Thread Locker 36 ml (1.3 oz)  
 JB27106 Red High Strength. Permanent Thread Locker 6 ml (0.02 oz)  
 JB27136 Red High Strength. Permanent Thread Locker 36 ml (1.3 oz)



JB27106

JB27136

JB24206

JB24236

## CLEARWELD™

- Great for tile, most plastics, ceramic, glass, wood, metal and more.
- Tensile strength of 3900 PSI for a strong, permanent bond.
- Crystal clear epoxy sets in 5 minutes and cures in 1 hour.
- Suitable for tile, plastics, ceramic, glass, wood & more.
- Carded.

### ITEM NO. DESCRIPTION

JB50112 25 ml (1 oz) syringe  
 JB50114 14 ml dual syringe  
 JB50240 2 x 118 ml (4 oz) bottles



JB50112

JB50114

JB50240

## HIGHHEAT™

- Suitable for high heat areas, exhaust manifolds, mufflers, tailpipes, engine blocks up to 500°F.
- Can be drilled, tapped, machined and ground.
- Supplied in a 57 ml (2 oz) tube.
- 1 hour set time.
- Carded.

### ITEM NO. DESCRIPTION

JB8297 HighHeat™ Mastic Epoxy. Dries Grey



## ► HIGHHEAT™ EPOXY SYRINGE

- Fast-setting 2-part epoxy in a syringe.
- Sets in 1 hour and cures in 24 hours.
- Heat resistant to 550°F (288° C).
- Chemical and fuel resistant.
- Carded.



### ITEM NO. DESCRIPTION

JB50197 HighHeat™ Epoxy 25ml Syringe

## ► TANKWELD EPOXY

- Supplied in 57g (2oz) stick.
- Repairs all metals.
- Approved by NFS.
- Cures in 1 hour.
- Carded.



### ITEM NO. DESCRIPTION

JB8217 Tankweld Epoxy 57g

## ► EXTREMEHEAT™

- Ideal for holes, cracks, exhaust manifolds, mufflers, outdoor grills.
- Metallic paste, contains no solvents or VOCs.
- Supplied in a 85 g (3 oz) container.
- Withstands 1000°F.

### ITEM NO. DESCRIPTION

JB37901 ExtremeHeat™ Bonds & Fills



## ► COLD WELD COMPOUND™

- Great for household repairs, automotive, plumbing and marine.
- 28 g (1 oz) Steel, 28 g (1 oz) hardener.
- Can be drilled, machined or sanded.
- Not affected by gas, oil or water.
- Repairs, fills, bonds.
- Carded.

### ITEM NO. DESCRIPTION

JB50165 Cold Weld Compound Syringe

JB8265-S Cold Weld Compound



JB50165

JB8265-S

## ▶ WATERWELD™

- Useable on metals, wood, fiberglass, masonry, ceramics and many plastics.
- Ideal for plumbing, fuel tanks, tubs, showers, drains, pools.
- Sets in 25 minutes and cures in 1 hour.
- Works on wet or dry surfaces.



| ITEM NO. | DESCRIPTION                |
|----------|----------------------------|
| JB8277   | 56g (12 oz.) Tube - Carded |

## ▶ MARINEWELD™

- 2-part epoxy cold weld system for bonding different or similar surfaces.
- Ideal for aluminum, metal, composites, fibreglass etc.
- Sets in 4-6 hours, cures in 15-24 hours.
- Carded.

| ITEM NO. | DESCRIPTION                                                                 |
|----------|-----------------------------------------------------------------------------|
| JB8272   | MarineWeld™. 56 g (2 oz) Resin/Hardener, Strength 5020 PSI, dries dark grey |
| JB50172  | MarineWeld™ Syringe, 25ml, Strength 2350 PSI, dries white                   |



JB8272



JB50172

## ▶ SILICONE GASKET MAKERS RTV

- 1 Hour set time.
- 100% Silicone.
- 85 g (3 oz).
- Carded.

| ITEM NO. | DESCRIPTION                             |
|----------|-----------------------------------------|
| JB31310  | Clear RTV Waterproof                    |
| JB31314  | Red Hi-Temp Ideal for Engine Parts      |
| JB31316  | Blue All Purpose                        |
| JB31319  | Black For Windows Weather Strip         |
| JB32327  | Grey Ultimate, for High Torque (Import) |
| JB32329  | Black Ultimate, Resists Oil & Petroleum |



JB31310



JB31314



JB31316



JB31319



JB32327



JB32329



## ► STEELSTICK™

- Tensile strength 4000 PSI and will withstand temperatures up to 350°F.
- Can be drilled, tapped, machined, ground, filed and painted.
- Hand-mixable, steel-reinforced, non-rusting epoxy putty.
- Works on metals, masonry, ceramic, wood and more.
- Sets in 3-5 minutes and cures in 1 hour.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                      |
|----------|----------------------|
| JB8267-S | 56 g (2 oz) - Carded |
|----------|----------------------|

## ► EXHAUST SYSTEM SEALANT

- Heat-resistant paste used to seal gaps and connections within an exhaust system reassembly or repair.
- Non-shrinking, temperature resistant to 850° F.
- Used on mufflers, tailpipes, catalytic converters.
- Sets up in 30 minutes.



| ITEM NO. | LENGTH |
|----------|--------|
|----------|--------|

|         |                  |
|---------|------------------|
| JB37903 | 85g Tube on Card |
|---------|------------------|

## ► MUFFLER PATCH - TIGER PATCH KIT

- Comes with aluminum tape for long-term patch repair on mufflers & tailpipes.
- Withstands temperatures to 600°F (315°C).
- Cures with heat in 20 minutes.
- Epoxy-coated fiberglass wrap.
- Hardens strong as steel.



| ITEM NO. | LENGTH |
|----------|--------|
|----------|--------|

|         |                                                       |
|---------|-------------------------------------------------------|
| JB39205 | 2" x 24" Aluminum Tape Plus 2" x 36" Epoxy Heat Patch |
|---------|-------------------------------------------------------|

## ► MUFFLERSEAL™ MUFFLER CEMENT

- Metal-containing paste that prevents and seals leaks at seams and gaps of pipe and exhaust connection points.
- Paste dries to cement-like hardness that is heat-resistant to 850°F (454°C).
- Used on mufflers, pipe joints, exhaust systems.

| ITEM NO. | LENGTH |
|----------|--------|
|----------|--------|

|         |           |
|---------|-----------|
| JB37906 | 170g Tube |
|---------|-----------|



## FIBERWELD™ PERMANENT REPAIR CAST WRAP

- High-strength one-time use fibreglass wrap impregnated with a specially formulated resin that adheres to a variety of surfaces.
- Hardens like steel in 15 minutes with a bond strength of 1500 PSI.
- Use for furniture, tool handles, equipment, pipes and more.

### ITEM NO. LENGTH

JB38236 2" x 36" Repair Cast with Gloves & 2" x 24" Securing Bandage



## EXHAUST WELD FIBREGLASS REPAIR WRAP

- Impregnated with a specially formulated resin for high temperature resistant repairs.
- Cures with or without heat to repair, seal & insulate the exhaust system.
- Withstands temperatures up to 1100°F.
- Works on entire exhaust system.

### ITEM NO. LENGTH

JB38572 Repair Tape 2" x 72" , A Pair Of Gloves. Aluminum Tape.



## FIBERWELD™ PERMANENT REPAIR

- High strength fibreglass wrap, impregnated with a specially formulated resin to repair pipes up to 1" in diameter.
- Activated by water, forms a strong, waterproof bond that hardens like steel in 15 minutes.
- Use on copper, cast iron, PVC, ABS, galvanized steel, rubber and more.

### ITEM NO. LENGTH

JB38248 2" x 48" Kit with Gloves



## FIBERFIX® RIGID PATCH™

- Use on gutters, garbage barrels, water tanks, boats, canoes, automotive body and more.
- includes 3 patch (1 each: 3"x3", 2"x8" and 5"x5").
- Sandable and paintable after curing.
- Peel and stick application.
- Boxed with hanger.

### ITEM NO. DESCRIPTION

\*JB39000 Kit With 3 Patches

\*TO BE DISCONTINUED



## AQUASEAL - REPAIR ADHESIVE FOR NEOPRENE

- Urethane rubber compound for repair to all flexible neoprene products such as wet suits and rafts.
- Holes up to 1" can be repaired without patches.
- Unaffected by heat or solvents.

### ITEM NO. DESCRIPTION

AQUA-28 Aquaseal 28 ml Tube - Carded



## SEAL-ALL - REPAIR KIT IN A TUBE

- Bonds wood, metal, glass, plastic, rubber and fabric.
- Ideal for gas tank and plumbing repairs.
- Unaffected by gasoline, oil or alcohol.
- Seals, bonds, insulates, waterproofs.
- Dries in minutes.

### ITEM NO. DESCRIPTION

SEAL-22 29.7 ml (1 fl. oz.) Tube - Carded

SEAL-60 60 ml (2 fl. oz.) Tube - Carded



## ▶ AUTOMOTIVE GOOP

- Used to repair leather, rubber or vinyl.
- Carded 109.4 ml tube.
- Dries clear.

| ITEM NO. | DESCRIPTION     |
|----------|-----------------|
| 160034   | Automotive Goop |



## ▶ PLUMBER'S GOOP

- Can be used in place of silicone on PVC, porcelain, gutters, etc.
- Carded 109.4 ml tube.
- Dries clear.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| 150034   | Plumber's Goop |



## ▶ AMAZING GOOP

- All-round adhesive, repairs ceramics and pottery.
- Carded 29.5 ml tube.

| ITEM NO. | DESCRIPTION  |
|----------|--------------|
| 140034   | Amazing Goop |



## ▶ MARINE GOOP

- Weatherproof and UV resistant.
- Used as a sealant or adhesive.
- Carded 109.4 ml tube.
- Dries clear.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
| 170034   | Marine Goop |





## ► HOUSEHOLD GOOP



- Mends, seals and protects; creates a tough flexible waterproof bond on rainwear, shoes and plumbing.
- It can repair worn insulation, cover rust spots, lock loose nuts-bolts and adheres to brick & cement.
- Replaces all other types of glue.
- Carded 109.4 ml tube.
- Dries clear.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| 130034   | Household Goop |



## ► SHOE GOO



- Designed to repair shoes, can be used on leather, rubber, canvas and most composites.
- Carded 29.5 ml tube.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
| 110134   | Shoe Goo    |



## ► CRAFT ADHESIVE



- Available in countertop display of 24.
- Industrial strength craft adhesive.
- Washer/Dryer safe.
- Photograph safe.
- 29.5 ml Tube.
- Waterproof.
- Dries clear.
- Paintable.
- Dries clear.

| ITEM NO. | DESCRIPTION          |
|----------|----------------------|
| 230025   | E6000 Craft Adhesive |






02

# Hand Tools



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling




## BENCH VISES

**CH UNEX**

- Reliable, economical.
- Replaceable steel jaws.
- Suitable for most machine shops.


| ITEM NO. | BASE TYPE  | WIDTH OF JAW | OPENING | WEIGHT  |
|----------|------------|--------------|---------|---------|
| V-0404   | Stationary | 4"           | 4"      | 21 lbs. |
| V-0505   | Stationary | 5"           | 5-1/2"  | 37 lbs. |
| V-0606   | Stationary | 6"           | 6"      | 65 lbs. |
| V-0808   | Stationary | 8"           | 9"      | 88 lbs. |



## DRILL PRESS VISES

- Cast iron body w/plated steel screw.
- Slotted base for easy mounting.
- For general drill press drilling.
- Replaceable jaws.

| ITEM NO. | WIDTH OF JAW | OPENING | DEPTH | WEIGHT |
|----------|--------------|---------|-------|--------|
| DPV-6    | 6"           | 5-3/4"  | 1"    | 6.1 kg |



## C-CLAMPS

- Inexpensive general purpose.
- Malleable iron construction.
- Zinc plated screw.
- Swivel button.

| ITEM NO. | MAX. OPENING | WEIGHT EACH |
|----------|--------------|-------------|
| 141      | 1"           | 0.25 lb     |
| 142      | 2"           | 0.5 lb      |
| 143      | 3"           | 0.75 lb     |
| 144      | 4"           | 1.25 lbs    |
| 146      | 6"           | 2.0 lbs     |
| 148      | 8"           | 3.0 lbs     |



## C-CLAMPS - HEAVY DUTY

- Painted black, screw and handle are chrome plated.
- Replaces our CC series.
- Malleable Iron.

| ITEM NO. | DESCRIPTION         | THROAT DEPTH | WEIGHT EACH |
|----------|---------------------|--------------|-------------|
| AL302-2  | 2" Capacity C-Clamp | 1"           | 0.5 lb      |
| AL302-3  | 3" Capacity C-Clamp | 1-11/16"     | 1 lb        |
| AL302-4  | 4" Capacity C-Clamp | 1-15/16"     | 1.75 lbs    |
| AL302-6  | 6" Capacity C-Clamp | 2-7/16"      | 2.25 lbs    |
| AL302-8  | 8" Capacity C-Clamp | 2-7/8"       | 2.75 lbs    |



## BOLT CUTTER (OFFSET TYPE) - MADE IN JAPAN

**MCC**

- 30 degree offset to allow flush cut and allow visual of item to cut.
- Angular jaws made of heat treated carbon steel.
- For use on soft-medium metals.
- Parts available.

| ITEM NO.                                 | DESCRIPTION            |
|------------------------------------------|------------------------|
| *AC-0060                                 | 24" Offset Bolt Cutter |
| *ACE-0060                                | Replacement Jaws       |
| *Not for Use on Grade 70 Transport Chain |                        |



## BOLT CUTTERS - MADE IN JAPAN

**MCC**

- Jaws carefully heat treated for maximum strength and wear resistance.
- Drop-forged jaws made from carbon tool steel.
- 12" - 18" clipper cut: 24" - 42" center-cut jaws.
- High strength tubular handles with rubber grips.
- All purpose high quality bolt cutters.
- Replacement jaws available.
- Adjustable jaw.

| ITEM NO.                     | LENGTH | CAPACITY      | WEIGHT EACH |
|------------------------------|--------|---------------|-------------|
| *BC-0735 (Previously HP-002) | 14"    | 1/4" (6mm)    | 2.25 lbs.   |
| *BC-0745 (Previously HP-003) | 18"    | 5/16" (8mm)   | 3.75 lbs.   |
| *BC-0760 (Previously HP-004) | 24"    | 3/8" (10mm)   | 6.0 lbs.    |
| *BC-0775 (Previously HP-005) | 30"    | 1/2" (13mm)   | 9.25 lbs.   |
| *BC-0790 (Previously HP-006) | 36"    | 11/16" (14mm) | 14.0 lbs.   |
| *BC-0710 (Previously HP-007) | 42"    | 5/8" (16mm)   |             |

\*Not for Use on Grade 70 Transport Chain



## ► MCC BOLT CUTTER (RATCHET TYPE) - MADE IN JAPAN

MCC®

- High strength tubular handles with rubber grip.
- Ratchet action allows using in restricted space.
- Cutting capacity 1/2" (19 HRC), 7/16" (36 HRC).
- Drop-forged jaws.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                         |
|-----------|-------------------------|
| RBC-3213  | 31" Ratchet Bolt Cutter |
| RBCE-3213 | Replacement Jaws        |


## ► MINI BOLT CUTTERS - MADE IN JAPAN

MCC®

- All purpose high quality bolt cutters.
- PVC-covered handles.
- Spring return handle.
- Heat treated jaws.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|                     |                                                                         |
|---------------------|-------------------------------------------------------------------------|
| MC-0020             | Standard mini bolt cutter, capacity 4 mm soft steel (Previously HP-014) |
| *ME-0020            | End cutter design, capacity 3.5mm soft steel, 2mm HRC 20                |
| *MN-0022            | 40° Angle cutter, capacity 3.5mm maximum diameter or HRC 20             |
| *TO BE DISCONTINUED |                                                                         |



MC-0020



ME-0020



MN-0022

## ► MCC WIRE ROPE CUTTERS - MADE IN JAPAN

MCC®

- Jaws designed specially for cutting wire rope.
- Same quality features as "MCC" Bolt Cutters.
- Bypass-style cutting jaws.

| ITEM NO. | LENGTH | CAPACITY | WEIGHT EACH |
|----------|--------|----------|-------------|
|----------|--------|----------|-------------|

|                             |     |      |           |
|-----------------------------|-----|------|-----------|
| WC-0260 (Previously HP-023) | 24" | 3/8" | 5.0 lbs.  |
| WC-0290 (Previously HP-025) | 36" | 5/8" | 13.5 lbs. |



## ► ALL PURPOSE SNIPS - MADE IN JAPAN

MCC®

- Can be used for cutting steel strapping, light gauge electrical wire and cable, light gauge wire fencing, rope and string, plastic or rubber hose and tubing, trimming small branches and opening cartons and boxes.
- Easy one-hand cutting with superior performance.
- Blade opening is adjustable.
- Anti-slip vinyl grip.

| ITEM NO. | LENGTH |
|----------|--------|
|----------|--------|

|         |            |
|---------|------------|
| MU-0020 | 8" (210mm) |
|---------|------------|



## ► STEEL STRAP CUTTER - MADE IN JAPAN

**MCC**

- Specially designed to slip under and hold tight steel or plastic strapping and reduce spring action of cut strapping.

| ITEM NO.                    | DESCRIPTION      | CAPACITY      |
|-----------------------------|------------------|---------------|
| SC-0200 (Previously HP-030) | 9" Strap Cutter  | .035" (.9mm)  |
| SC-0201 (Previously HP-031) | 18" Strap Cutter | .047" (1.2mm) |



## ► MCC HYDRAULIC HOSE CUTTER & CABLE CUTTER - MADE IN JAPAN

**MCC**

- Designed to cut aluminum or soft copper strands as well as reinforced hydraulic hose.
- By-pass blades create clean cuts and hook blade draws material into cutting area.
- Replacement jaws available.

| ITEM NO. | LENGTH | CAPACITY | WEIGHT EACH |
|----------|--------|----------|-------------|
| CC-0302  | 30"    | 1-3/16"  | 8.0 lbs.    |



## ► MCC REBAR CUTTER & BENDER - MADE IN JAPAN

**MCC**

- Quality tool specially designed for cutting and bending rebar and other soft steels.
- Maximum capacity 5/8" (13mm - 16mm).
- No adjustments required for rebar sizes.
- Suitable to cut Grade 40 and Grade 60.
- Replacement cutter jaws available.
- New heavier construction.

| ITEM NO. | DESCRIPTION                                 | WEIGHT EACH |
|----------|---------------------------------------------|-------------|
| SCB-16   | Rebar Cutter Bender                         | 38 lbs.     |
| SCBE-16  | Replacement Jaws                            |             |
| CBE-0213 | Replacement Jaws For CB-0213, (3/8" - 1/2") |             |



## ► MCC THREADED ROD CUTTER - MADE IN JAPAN


**MCC**

- Dies can be flipped over to allow double the usage.
- Does not damage threads (no thread repair).
- Designed to cut threaded mild steel.

| ITEM NO. | DESCRIPTION                             | WEIGHT |
|----------|-----------------------------------------|--------|
| *AB-3U   | 3/8" UNC Threaded Rod Cutter            | 8 lbs  |
| *ABE-3U  | 3/8" Replacement Dies for AB-3U, AB-43U |        |
| *AB-43U  | 3/8", 1/2" Threaded Rod Cutter          | 15 lbs |
| *ABE-4U  | 1/2" Replacement Dies                   |        |

**\*TO BE DISCONTINUED**

**(METRIC SIZES AVAILABLE)**



## ► BOLT CUTTERS

- Comfortable cushion-grip handles.
- Drop-forged high alloy steel jaws.
- Replaceable jaws.
- Adjustable jaws.

| ITEM NO. | LENGTH | CAPACITY    | WEIGHT EACH |
|----------|--------|-------------|-------------|
| *C11-18  | 18"    | 5/16" (8mm) | 3.3 lbs.    |
| *C11-24  | 24"    | 3/8" (10mm) | 5.28 lbs.   |
| *C11-36  | 36"    | 5/8" (16mm) | 11.60 lbs.  |

**\*Not for Use on Grade 70 Transport Chain**



## ► PVC PIPE CUTTER - MADE IN JAPAN

**MCC**

- Suitable for PVC pipe, anti-shock PVC, PVC conduit & polyethylene gas pipe.
- V-groove shaped jaw holds pipe in place.
- Suitable for 1/4" - 1-5/8" PVC pipe.
- Replacement blades available.
- Alloy body saves weight.

| ITEM NO. | DESCRIPTION                                                |
|----------|------------------------------------------------------------|
| VC-0334  | 1-1/3" (34 mm) Cutting Capacity Ratcheting PVC Pipe Cutter |
| VCE-0334 | Replacement Blade                                          |
| VC-0342A | 1-5/8" (42 mm) Cutting Capacity Ratcheting Pipe Cutter     |
| VCE-0342 | Replacement Blade                                          |
| VC-0363  | 2-1/2" (63 mm) Cutting Capacity Ratcheting Pipe Cutter     |
| VCE-0363 | Replacement Blade                                          |






## ▶ SPARE JAWS FOR MCC TOOLS - MADE IN JAPAN

| ITEM NO.                     | DESCRIPTION                                               | WEIGHT EACH |
|------------------------------|-----------------------------------------------------------|-------------|
| BCE-0035 (Previously HE-124) | 14" Bolt Cutter Jaws                                      | 1.0 lbs.    |
| BCE-0045 (Previously HE-125) | 18" Bolt Cutter Jaws                                      | 1.5 lbs.    |
| BCE-0060 (Previously HE-126) | 24" Bolt Cutter Jaws                                      | 2.25 lbs.   |
| BCE-0075 (Previously HE-127) | 30" Bolt Cutter Jaws                                      | 3.5 lbs.    |
| BCE-0090 (Previously HE-128) | 36" Bolt Cutter Jaws                                      | 5.0 lbs.    |
| BCE-0010 (Previously HE-129) | 42" Bolt Cutter Jaws                                      | 7.0 lbs.    |
| WCE-0260 (Previously HE-138) | 24" - 3/8" Wire Rope Cutter Jaws                          | 2.0 lbs.    |
| WCE-0290 (Previously HE-140) | 36" - 5/8" Wire Rope Cutter Jaws                          | 4.0 lbs.    |
| CBE-0216 (Previously HE-149) | 5/8" Cap. Rod Cutter/ Bender Jaws for Model CB-16, HP-131 | 6.5 lbs.    |
| CCE-0302                     | 30" Hose Cutter Replacement Jaws                          | 3.0 lbs.    |



HOSE CUTTER



ROD CUTTER



BOLT CUTTER

## ▶ ADJUSTABLE CORNER WRENCH

- 90° offset handle with compact head design for tight spaces.
- Spring loaded jaw frame for quicker operation.
- Size adjustment by turning a worm gear.

| ITEM NO.  | DESCRIPTION                  |
|-----------|------------------------------|
| CWALAD-35 | 14" Adjustable Corner Wrench |



## ▶ SWAGER & CABLE CUTTER

- For crimping soft metal (aluminum, copper) sleeves and stops.
- Crimping capacity 1/16" to 3/16" diameter.
- Heat-treated alloy joints.
- Length: 25-1/2".

| ITEM NO. | DESCRIPTION             |
|----------|-------------------------|
| HWP-24   | Swager and Cable Cutter |



## ► HEAVY DUTY STEEL PIPE WRENCHES

- Forged carbon steel jaws, ductile steel housing.
- Precision milled teeth.

| ITEM NO. | SIZE | DESCRIPTION            |
|----------|------|------------------------|
| 111-12   | 12"  | Heavy Duty Pipe Wrench |
| 111-14   | 14"  | Heavy Duty Pipe Wrench |
| 111-18   | 18"  | Heavy Duty Pipe Wrench |
| 111-24   | 24"  | Heavy Duty Pipe Wrench |



## ► HEAVY DUTY ALUMINUM PIPE WRENCHES

- Lightweight and strong.

| ITEM NO. | SIZE | DESCRIPTION                 |
|----------|------|-----------------------------|
| 113-18   | 18"  | Aluminum Handle Pipe Wrench |
| 113-24   | 24"  | Aluminum Handle Pipe Wrench |



## ► ALUMINUM PIPE WRENCHES

**SUPER•EGO**  
HEAVY DUTY TOOLS

- Manufactured to U.S. Specifications GGG-W-651 E Type II Class C.
- Monoblock handle in light aluminum alloy.

| ITEM NO. | LENGTH | MAX PIPE SIZE |
|----------|--------|---------------|
| 104-1000 | 10"    | 1-1/2"        |
| 104-1400 | 14"    | 2"            |
| 104-1800 | 18"    | 2-1/2"        |
| 104-2400 | 24"    | 3"            |
| 104-3600 | 36"    | 5"            |
| 104-4800 | 48"    | 6"            |



## ► HEAVY DUTY STEEL PIPE WRENCHES



- Lower jaw (heel jaw) forged and tempered, properly seated so as to prevent load on pin.
- Manufactured to U.S. Specifications GGG-W-651 E Type II Class A.
- Upper jaw (hook jaw) forged and dual heat-treated.
- Monoblock cast iron handle.

| ITEM NO. | LENGTH | MAX PIPE SIZE |
|----------|--------|---------------|
| 102-0800 | 8"     | 1"            |
| 102-1000 | 10"    | 1-1/2"        |
| 102-1200 | 12"    | 2"            |
| 102-1400 | 14"    | 2"            |
| 102-1800 | 18"    | 2-1/2"        |
| 102-2400 | 24"    | 3"            |
| 102-3600 | 36"    | 5"            |
| 102-4800 | 48"    | 6"            |



## ► OFFSET ALUMINUM PIPE WRENCHES



- Physical shape allows operation in narrow quarters where pipe is close to the wall and where small turning angle is available.
- Manufactured to US specifications GGG-W-651E Type II Class C.
- Monoblock handle of heat-treated light aluminum alloy.

| ITEM NO. | LENGTH | MAX PIPE SIZE |
|----------|--------|---------------|
| 105-1400 | 14"    | 2"            |
| 105-1800 | 18"    | 2-1/2"        |

\*Please note that SUPER-EGO 102, 104 and 105 Series jaws may be interchangeable with Ridgid (TM).



## ► CONCRETE WIRE NIPPER



- Long handles provide added leverage.
- Heat-treated cutting edges.
- PVC-coated handles.
- Drop-forged steel.

| ITEM NO. | DESCRIPTION          | LENGTH |
|----------|----------------------|--------|
| 507-0900 | Concrete Wire Nipper | 9"     |



## ► STRAP WRENCH - NYLON STRAP




- The ideal wrench for working on chrome-plated and plastic pipes.
- Commonly used in garages to remove oil filters, spindles, etc.

| ITEM NO. | HANDLE LENGTH | MAX PIPE SIZE | STRAP LENGTH |
|----------|---------------|---------------|--------------|
| 108-12LO | 12"           | 8"            | 35"          |



▶ **BOX JOINT PLIERS****SUPER•EGO**  
HEAVY DUTY TOOLS

- Drop-forged from chrome vanadium steel.
- Handle design prevents finger pinch.
- Excellent ability for gripping pipe.
- Jaws remain parallel at all times.
- Can be operated with one hand.
- PVC-coated handles for comfort.
- Double-hardened jaws.
- Countertop display.



| ITEM NO. | DESCRIPTION          | CAPACITY |
|----------|----------------------|----------|
| 522-1000 | 10" Box Joint Pliers | 1-1/4"   |

▶ **UTILITY CHAIN WRENCH - REVERSIBLE****SUPER•EGO**  
HEAVY DUTY TOOLS

- Due to the special design of the teeth, allows the pipe to be tightened or released alternately without changing the position of the wrench.
- Specially designed for easy operation in tight corners where other wrenches cannot be used.
- Totally forged, with dual heat treatment.

| ITEM NO. | HANDLE LENGTH | MAX PIPE SIZE | CHAIN   |
|----------|---------------|---------------|---------|
| 107-1200 | 12"           | 4"            | 17-1/2" |

▶ **TONGUE CHAIN WRENCHES****SUPER•EGO**  
HEAVY DUTY TOOLS

- Manufactured to U.S. Specifications GGG-W-651 E Type III Class A.

| ITEM NO.  | OVERALL HANDLE LENGTH INCLUDING JAW | PIPE SIZE CAPACITY | CHAIN LENGTH INCL. LINK |
|-----------|-------------------------------------|--------------------|-------------------------|
| *103-3200 | 37"                                 | 4"                 | 23"                     |
| *103-3300 | 44"                                 | 6"                 | 32"                     |
| *103-3400 | 50-1/2"                             | 8"                 | 40-1/2"                 |

\*FOB SURREY, BC ONLY



## TUBING CUTTERS - FOR COPPER, STAINLESS STEEL & PLASTIC

**SUPER•EGO**  
HEAVY DUTY TOOLS

- Industrial quality.

| ITEM NO. | DESCRIPTION   | MIN. CAP. | MAX CAP. |
|----------|---------------|-----------|----------|
| 722      | Mini          | 1/4"      | 7/8"     |
| 725      | Standard      | 1/8"      | 1-1/8"   |
| 726      | Standard      | 1/2"      | 2"       |
| 728      | Mini-Max      | 1/8"      | 1-1/8"   |
| 735      | Telescopic.   | 1/4"      | 1-3/8"   |
| 750      | Quick Action  | 1/4"      | 2-5/8"   |
| 751      | Quick Action. | 2"        | 5"       |

### Note:

- Copper and plastic wheels are available for all tubing cutters (Please see page 53).
- Item numbers 725, 726, 735, 750 include 2 cutters for copper.
- Item numbers 751, 722, 728 include 1 cutter for copper.



## PIPE CUTTERS

**SUPER•EGO**  
HEAVY DUTY TOOLS

- To cut steel and cast iron pipes.

| ITEM NO. | MINIMUM CAPACITY | MAXIMUM CAPACITY |
|----------|------------------|------------------|
| 701-0100 | 1/8"             | 1-1/4"           |
| 701-0200 | 1/8"             | 2"               |
| 710-0400 | 2"               | 4"               |



## PIPE VISES

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO. | DESCRIPTION          | CAPACITY  |
|----------|----------------------|-----------|
| 404-0600 | Top Screw Chain Vise | 1/4" - 6" |
| 450-0200 | Bench Yoke Vise      | 1/8" - 2" |



## ► ENCLOSED RATCHET THREADER KITS

**SUPER•EGO**  
 HEAVY DUTY TOOLS

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                                                                     |
|----------|-------------------------------------------------------------------------------------|
| 600-2236 | Enclosed Ratchet. 4 Threader Heads - 1/2", 3/4", 1", 1-1/4" N.P.T. Molded ABS Case. |
|----------|-------------------------------------------------------------------------------------|

|          |                                                                                                                 |
|----------|-----------------------------------------------------------------------------------------------------------------|
| 600-2331 | Enclosed Ratchet. 7 Threader Heads - 3/8", 1/2", 3/4", 1", 1-1/4", 1 1/2", 2" NPT with Adaptor Molded ABS Case. |
|----------|-----------------------------------------------------------------------------------------------------------------|

\* Custom Kits Available From Open Stock.



## ► SERIES 600 - ENCLOSED RATCHET THREADER - REPLACEMENT DIES & DROP HEADS WITH DIES

**SUPER•EGO**  
 HEAVY DUTY TOOLS

### DROP HEAD WITH DIES

| ITEM NO. | SIZE   |
|----------|--------|
| 6002-N   | 1/4"   |
| 6003-N   | 3/8"   |
| 6004-N   | 1/2"   |
| 6005-N   | 3/4"   |
| 6006-N   | 1"     |
| 6007-N   | 1-1/4" |
| 6008-N   | 1-1/2" |
| 6009-N   | 2"     |

### REPLACEMENT DIES ONLY

| ITEM NO. | SIZE   |
|----------|--------|
| 6002-N40 | 1/4"   |
| 6003-N40 | 3/8"   |
| 6004-N40 | 1/2"   |
| 6005-N40 | 3/4"   |
| 6006-N40 | 1"     |
| 6007-N40 | 1-1/4" |
| 6008-N40 | 1-1/2" |
| 6009-N40 | 2"     |



## ► RATCHET HANDLES & ADAPTORS - FOR SERIES 600 ENCLOSED RATCHET

**SUPER•EGO**  
 HEAVY DUTY TOOLS

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                       |
|----------|-----------------------|
| 600-0000 | 1/4" - 1-1/4" Ratchet |
|----------|-----------------------|

|          |                   |
|----------|-------------------|
| 600-0100 | 1/4" - 2" Ratchet |
|----------|-------------------|

|          |                                                                         |
|----------|-------------------------------------------------------------------------|
| 600-0115 | Reduction Adaptor Used With 600-0100 Ratchet Suitable For 1/4" - 1-1/4" |
|----------|-------------------------------------------------------------------------|



## ► DEBURRING TOOL - MADE IN SPAIN



- 3-1/4" overall length (includes 2-1/4" plastic handle).
- Full 360° rotation of deburring blade.
- Replacement blade available.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                    |
|----------|--------------------|
| 750-0041 | 2 PC Deburring Set |
|----------|--------------------|




## ► HEEL JAWS & PINS



| ITEM NO. | FITS |
|----------|------|
|----------|------|

|          |           |
|----------|-----------|
| 102-0815 | 8"        |
| 102-1015 | 10"       |
| 102-1215 | 12" & 14" |
| 102-1815 | 18"       |
| 102-2415 | 24"       |
| 102-3615 | 36"       |
| 104-4815 | 48"       |



## ► HOOK JAWS (MOVING JAWS)



| ITEM NO. | FITS |
|----------|------|
|----------|------|

|          |               |
|----------|---------------|
| 102-0802 | 8"            |
| 102-1002 | 10"           |
| 102-1202 | 12"           |
| 102-1402 | 14"           |
| 102-1802 | 18"           |
| 102-2402 | 24"           |
| 102-3602 | 36"           |
| 104-4802 | 48"           |
| 105-1402 | 14" #105-1400 |
| 105-1802 | 18" #105-1800 |



\* Note: Series 102, 104, 112 Hook & Heel. Jaw & Nut are interchangeable with RIDGID™ Pipe Wrenches.

## ► KNURL NUTS



| ITEM NO. | FITS | ITEM NO. | FITS |
|----------|------|----------|------|
|----------|------|----------|------|

|          |     |          |     |
|----------|-----|----------|-----|
| 102-0804 | 8"  | 102-1804 | 18" |
| 102-1004 | 10" | 102-2404 | 24" |
| 102-1204 | 12" | 102-3604 | 36" |
| 102-1404 | 14" | 104-4804 | 48" |





## ▶ SETS OF SPRINGS - FLAT & COIL

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO. | FITS       | ITEM NO. | FITS |
|----------|------------|----------|------|
| 102-0813 | 8"         | 102-1813 | 18"  |
| 102-1013 | 10"        | 102-2413 | 24"  |
| 102-1213 | 12"        | 102-3613 | 36"  |
| 102-1413 | 14"        | 104-4813 | 48"  |
| 105-1405 | 14" Offset |          |      |
| 105-1805 | 18" Offset |          |      |



## ▶ CUTTER WHEELS FOR TUBING CUTTERS

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO. | FITS                                          |
|----------|-----------------------------------------------|
| 735-0005 | 716, 722, 725, 726, 728, 735 & 750 for Copper |
| 735-0015 | 716, 722, 725, 726, 728 & 735 for Stainless   |
| 763-0122 | 725, 726, 735, 750 for Plastic                |
| 737-0005 | 751, 752 for Copper                           |
| 737-0122 | 751, 752 for Plastic                          |



## ▶ REPLACEMENT CUTTER BLADE

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO.            | DESCRIPTION      |
|---------------------|------------------|
| *568-0224           | Fit For 568-0200 |
| *568-6324           | Fit For 568-6300 |
| *TO BE DISCONTINUED |                  |



568-0224



568-6324

## ▶ CUTTER WHEELS FOR PIPE CUTTERS FOR STEEL PIPE

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO. | FITS         |
|----------|--------------|
| 701-0105 | 701 - 1-1/4" |
| 710-0205 | 701 - 2"     |
| 710-0405 | 710 - 4"     |



## ▶ DEBURRING BLADE FOR COPPER

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO. | FITS            |
|----------|-----------------|
| 735-0014 | 735 Tube Cutter |



## CUTTER WHEEL PINS



| ITEM NO.  | FITS          | ITEM NO.  | FITS                       |
|-----------|---------------|-----------|----------------------------|
| *701-0115 | 701-0100      | *725-0006 | 725                        |
| *710-0215 | 701-0200      | *735-0007 | 735, Old Style             |
| *710-0415 | 710-0400      | *735-0048 | 716, 722, 728, 735         |
| *716-0014 | 716, 722, 726 | *751-0007 | 750 (With Screw) Old Style |
| *751-0042 | 750 New Style |           |                            |

\*FOB SURREY, BC ONLY




## ROLLERS FOR TUBING CUTTERS & PIPE CUTTERS



| ITEM NO.  | FITS              | ITEM NO.  | FITS      |
|-----------|-------------------|-----------|-----------|
| *701-0106 | 701-0100 - 1-1/4" | *750-0005 | 750 Large |
| *710-0206 | 701-0200 - 2"     | *750-0006 | 750 Small |
| *710-0406 | 710-0400 - 4"     | *751-0006 | 751       |
| *735-0006 | 735               |           |           |

\*FOB SURREY, BC ONLY



## ROLLER PINS FOR TUBING CUTTERS & PIPE CUTTERS



| ITEM NO.  | FITS              |
|-----------|-------------------|
| *701-0116 | 701-0100 - 1-1/4" |
| *710-0216 | 701-0200 - 2"     |
| *710-0416 | 710-0400 - 4"     |
| *725-0007 | 725               |
| *735-0009 | 735               |
| *750-0009 | 750               |
| *751-0009 | 751               |

\*FOB SURREY, BC ONLY



## REPLACEMENT PARTS FOR CHAIN VISE



| ITEM NO. | DESCRIPTION                 |
|----------|-----------------------------|
| 404-0620 | Chain Only - Fits: 404-0600 |
| 404-0602 | Jaws Only - Fits: 404-0600  |



## ► REPLACEMENT PARTS FOR CHAIN WRENCH & STRAP WRENCH

**SUPER•EGO**  
HEAVY DUTY TOOLS

| ITEM NO.  | DESCRIPTION                             |
|-----------|-----------------------------------------|
| *103-3213 | Chain Only - Fits 103-3200              |
| *103-3314 | Chain Only - Fits 103-3300              |
| *103-3414 | Chain Only - Fits 103-3400              |
| 106-1211  | Chain Only - Fits: 107-1200             |
| 108-02L4  | 8" Capacity Strap Only - Fits: 108-12L0 |

\*FOB SURREY, BC ONLY



## ► CHANNELLOCK - MADE IN U.S.A

**CHAN NEL LOCK**

- All cutter jaws are perfectly mated and heat treated to hold their edge.
- All tongue and groove pliers are undercut to prevent slippage.

## ► TONGUE & GROOVE PLIERS

| ITEM NO. | LENGTH | DESCRIPTION             |
|----------|--------|-------------------------|
| *CH-424  | 4 1/2" | 3 Adjustments, 1/2" Cap |

\*TO BE DISCONTINUED



## ► NUTBUSTER PLIERS

| ITEM NO. | LENGTH | DESCRIPTION           |
|----------|--------|-----------------------|
| *CH-414  | 14"    | 4 Adjustments, 2" Cap |

\*TO BE DISCONTINUED



## REPLACEMENT TIP KIT

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                                |
|----------|------------------------------------------------|
| *CH-927T | Replacement Tip Kit For CH-927 Snap Ring Plier |
|----------|------------------------------------------------|

\*TO BE DISCONTINUED



## RESCUE TOOLS

- Designed to shut off gas valves, pry windows and doors, tighten & loosen up to 5" hose couplings.
- Laser heat-treated cutting edges to cut hard and soft wire.
- One hand usage, spring loaded handle.
- Made in the USA.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                            |
|--------|----------------------------|
| *CH-86 | 9" Rescue Tool Multi-plier |
|--------|----------------------------|

\*TO BE DISCONTINUED



## FENCE PLIER

- Made of drop-forged alloy steel.
- Packed in plastic pouch.
- PVC coated handles.
- Polished head.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                  |
|---------|------------------|
| FP-1000 | 10" Fence Pliers |
|---------|------------------|



▶ **REVOLVING PUNCH PLIER - MADE IN ENGLAND**

- Used for leather, gaskets and other composite materials.
- 6 Punch sizes: 2.0, 2.5, 3.5, 3.9, 4.0, 4.5mm.
- Nickel-plated, knurled handles.
- Spring-loaded handles.
- Attractively carded.
- Brass anvil.

| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| 2230-200 | 8" Revolving Punch |

▶ **ADJUSTABLE WRENCHES**

- Jaw hardness up to HRC 45° - 50°.
- Chrome plated & heat-treated.
- Polished head.

| ITEM NO.                      | OVERALL LENGTH | MAX OPENING |
|-------------------------------|----------------|-------------|
| <b>Chrome Vanadium Steel:</b> |                |             |
| 91-06                         | 6"             | 3/4"        |
| 91-08                         | 8"             | 15/16"      |
| 91-10                         | 10"            | 1-3/16"     |
| 91-12                         | 12"            | 1-7/16"     |
| 91-15                         | 15"            | 1-3/4"      |
| 91-18                         | 18"            | 2-1/8"      |
| <b>Alloy Steel:</b>           |                |             |
| 91-24                         | 24"            | 2-3/8"      |



## COMBINATION WRENCHES - OPEN STOCK - SAE & METRIC



- Raised panel long handle design (Indicated asterisk).
- Supplied with convenient hanger tag.
- Drop forged and hardened.
- Chrome vanadium steel.
- Chrome plated.
- Fully polished.

| ITEM NO. | SIZE METRIC |
|----------|-------------|
| *CW-06MM | 6mm         |
| *CW-07MM | 7mm         |
| CWM08    | 8mm         |
| *CW-09MM | 9mm         |
| CWM10    | 10mm        |
| *CW-11MM | 11mm        |
| CWM12    | 12mm        |
| CWM13    | 13mm        |
| CWM14    | 14mm        |
| CWM15    | 15mm        |
| CWM17    | 17mm        |
| CWM18    | 18mm        |
| CWM19    | 19mm        |
| CWM20    | 20mm        |
| CWM22    | 22mm        |
| CWM24    | 24mm        |
| CWM26    | 26mm        |
| CWM27    | 27mm        |
| CWM30    | 30mm        |
| CWM32    | 32mm        |

| ITEM NO. | SIZE SAE |
|----------|----------|
| *CW-1-4  | 1/4"     |
| *CW-5-16 | 5/16"    |
| *CW-3-8  | 3/8"     |
| CWS07    | 7/16"    |
| CWS08    | 1/2"     |
| CWS09    | 9/16"    |
| *CW-5-8  | 5/8"     |
| CWS11    | 11/16"   |
| CWS12    | 3/4"     |
| CWS13    | 13/16"   |
| CWS14    | 7/8"     |
| CWS15    | 15/16"   |
| CWS16    | 1"       |
| CWS17    | 1-1/16"  |
| CWS18    | 1-1/8"   |
| CWS20    | 1-1/4"   |



Note: Old versions



Note: Fully polished versions



## ► COMBINATION WRENCH SET - 14 PIECES



- Professional mechanics' quality.
- Heavy duty nylon pouch.
- Fully polished.
- Drop-forged.
- Heat treated.

| ITEM NO.                        | DESCRIPTION                                                                                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| CWP14S (Replacement for CW-14S) | <b>Standard set containS:</b><br>3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" & 1-1/4" |
| CWP14M (Replacement for CW-14M) | <b>Metric set contains:</b> 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 20mm, 22mm, 24mm                      |



## ► JUMBO COMBINATION WRENCH SET - 6 &amp; 10 PIECES



- Chrome vanadium steel.
- Long handle design.
- Chrome-plated.

| ITEM NO.             | SIZES                                                                                                  |
|----------------------|--------------------------------------------------------------------------------------------------------|
| CW-6J (6 pc. set)    | 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2" Supplied in plastic carry case                              |
| CW-10J (10 Pc. Set)  | 1-3/8", 1-5/16, 1-1/2", 1-7/16", 1-5/8", 1-11/16", 1-13/16", 1-3/4", 1-7/8", 2" Supplied in vinyl roll |
| CW-10JM (10 Pc. Set) | 33mm, 34mm, 36mm, 38mm, 41mm, 42mm, 44mm, 46mm, 48mm, 50mm Supplied in vinyl roll                      |





## ► FLARE NUT WRENCH SET



- Supplied in handy plastic rack with handle.
- Chrome vanadium steel.
- Polished finish.
- Drop forged.

| ITEM NO.            | DESCRIPTION                                                                                           |
|---------------------|-------------------------------------------------------------------------------------------------------|
| *FN-5S              | 5 Piece Flare Nut Wrench Set: 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16". |
| *TO BE DISCONTINUED |                                                                                                       |



## ► JUMBO WRENCHES (METRIC) - OPEN STOCK

- Raised panel style and long handle design.
- Chrome vanadium steel.
- Chrome-plated.

| ITEM NO. | SIZE    | ITEM NO. | SIZE     | ITEM NO.   | SIZE | ITEM NO.   | SIZE |
|----------|---------|----------|----------|------------|------|------------|------|
| CW-6J-1  | 1-3/8"  | CW-6J-35 | 1-11/16" | CW-6J-33MM | 33mm | CW-6J-42MM | 42mm |
| CW-6J-05 | 1-5/16" | CW-6J-4  | 1-3/4"   | CW-6J-34MM | 34mm | CW-6J-44MM | 44mm |
| CW-6J-2  | 1-1/2"  | CW-6J-45 | 1-13/16" | CW-6J-36MM | 36mm | CW-6J-46MM | 46mm |
| CW-6J-15 | 1-7/16" | CW-6J-5  | 1-7/8"   | CW-6J-38MM | 38mm | CW-6J-48MM | 48mm |
| CW-6J-3  | 1-5/8"  | CW-6J-6  | 2"       | CW-6J-41MM | 41mm | CW-6J-50MM | 50mm |



## ► 21 PC SAE SOCKET SET - 7/8" TO 2" SOCKETS - 3/4" DRIVE

- Carbon steel sockets, ratchet, and extensions.
- 12 point sockets, 7/8" to 2".
- Set includes:
  - 16 sockets
  - 20" ratchet handle
  - 15" sliding "T" handle
  - 4" & 8" extension bars
  - Packed in metal case with handle.


| ITEM NO. | DESCRIPTION                 |
|----------|-----------------------------|
| CS-3421  | 3/4" Drive 21 Pc Socket Set |



## ► 25 PC SAE/METRIC - 3/8" DRIVE SOCKET SET

- 6-Point sockets made from hardened and heat-treated chrome-vanadium steel with chamfered corners to reduce nut and bolt-head rounding.
- 45 Tooth ratchet and flex-handle made from 40CR tool steel and knurled for grip.
- Includes 10" ratchet handle, 10" flex handle, U-joint, 3" extension bar, 10" extension bar, 5/8" (16mm) spark plug socket and 13/16" (21mm) spark plug socket.
- Metal case with polystyrene insert to keep tools organized.
- Polished chrome finish for easy cleaning.

| ITEM NO. | DESCRIPTION                                                                                                                            |
|----------|----------------------------------------------------------------------------------------------------------------------------------------|
| TK3825   | 3/8" Drive Socket Set, SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16" and Metric Sockets: 10 to 17mm. |



## PUNCH & CHISEL SET

- High carbon steel, hardened & tempered.
- 12 pcs. in a vinyl roll.

### ITEM NO. INCLUDES

|       |                                           |
|-------|-------------------------------------------|
| PC-12 | 4 - Flat Chisels - 1/2", 5/8", 3/4", 7/8" |
|       | 2 - Taper Punches - 1/4", 3/16"           |
|       | 1 - Long Taper Punch - 3/16"              |
|       | 2 - Pin Punches - 1/4", 5/32"             |
|       | 1 - Center Punch - 3/8"                   |
|       | 1 - Cape Chisel - 3/16"                   |
|       | 1 - Concrete Chisel - 9/16"               |



## WAD PUNCHES - MADE IN ENGLAND



- Punches are heat treated and ground to a fine cutting edge.

### ITEM NO. REPLACEMENT PUNCH SIZES

|           |                                    |
|-----------|------------------------------------|
| *1000-04  | Spare Handle For The Wad Punch Kit |
| *1000-006 | 1/4"                               |
| *1000-008 | 5/16"                              |
| *1000-438 | 7/16"                              |
| *1000-500 | 1/2"                               |
| *1000-750 | 3/4"                               |
| *1000-875 | 7/8"                               |
| *1000-100 | 1"                                 |

\*TO BE DISCONTINUED



## RATCHETING COMBINATION WRENCH SET - 7 PIECES



- Heat treated 31CrV3 tool steel.
- Heavy duty nylon pouch.
- 72 Tooth ratchet.
- Fully polished.

| ITEM NO. | PIECE       | DESCRIPTION                                    |
|----------|-------------|------------------------------------------------|
| RW7S     | 7 PC SAE    | 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"    |
| RW7M     | 7 PC METRIC | 8 mm, 10 mm, 11 mm, 13 mm, 16 mm, 17 mm, 18 mm |



RW7S

RW7M

## ▶ NUMBER & LETTER STAMP SETS


- Dimension represents height of digit.
- Supplied in a plastic box.
- High carbon steel.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                |
|----------|--------------------------------|
| *NUM-1-8 | 1/8" Number Set, 9 Piece 1 - 0 |
|----------|--------------------------------|

|           |                                     |
|-----------|-------------------------------------|
| *LET-3-16 | 3/16" Letter Set, 27 Piece A-Z Plus |
|-----------|-------------------------------------|

**\*TO BE DISCONTINUED**



## ▶ DRYWALL SCREW BIT

- For use with variable speed power drills.
- #2 Phillips bit fits most drywall screws.
- Sets screws at proper depth.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                            |
|--------|----------------------------|
| *DSA-1 | Drywall Screw Bit - Carded |
|--------|----------------------------|

**\*TO BE DISCONTINUED**



## ▶ SCREWDRIVERS - OPEN STOCK

- Hex shaped bolster for wrench assisted turning power.
- Classic black ABS plastic handle.
- Chrome vanadium steel.
- Bulk.



| ITEM NO.   | TIP                | SIZE                 |
|------------|--------------------|----------------------|
| **SD-S-001 | Slot               | 3/8" x 8"            |
| **SD-S-005 | Slot               | 1/4" x 1 1/2" Stubby |
| **SD-S-007 | Phillips           | 3/16" x 3"           |
| **SD-S-008 | Phillips           | 1/4" x 1 1/2" Stubby |
| **SD-S-S2  | Robertson          | #2 x 4" Red Handle   |
| **SD-S-S3  | Robertson          | #3 x 4" Black Handle |
| **SD-S-T10 | Torx <sup>TM</sup> | T10 x 4"             |
| **SD-S-T15 | Torx <sup>TM</sup> | T15 x 4"             |
| **SD-S-T20 | Torx <sup>TM</sup> | T20 x 4"             |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**

## ► CAULKING GUN

- Accepts all standard cartridges.
- Extra long trigger leverage.
- Smooth rod action.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

*Requires trigger release to stop caulk flow:*

|        |                                                                   |
|--------|-------------------------------------------------------------------|
| SM-900 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Smooth Rod Type" |
| SM-690 | Half-Open Type Cap. 1/10 Gallon (9" Cartridge.) "Ratchet Type"    |



## ► CAULKING GUN

- Revolving barrel 1/4 gallon half-open type caulking gun.
- Heavy duty cast handle and mechanism.
- Ladder hook type plunger handle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                                                        |
|-----------|--------------------------------------------------------|
| WT-215JBR | Revolving 1/4 Gallon Half-Open Smooth Rod Caulking Gun |
|-----------|--------------------------------------------------------|



## ► CAULKING GUN

- Open end cartridge holder can be used with wide nozzle.
- 1/4 gallon half-open type caulking gun.
- Spout cutter included.
- No-pinch finger guard.
- Puncture tool included.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|                      |                                        |
|----------------------|----------------------------------------|
| *WT-230JBH (#315)    | 1/4 Gallon Half-open Type Caulking Gun |
| *FOB SURREY, BC ONLY |                                        |



## ► CAULKING GUN

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

*Automatic pressure release stops caulk flow immediately:*

|                                   |                                                          |
|-----------------------------------|----------------------------------------------------------|
| SK-200                            | Frame Type (Dripless) Cap. 1/10 Gallon (9" Cartridge)    |
| SK-800HD (Replacement for SK-800) | Frame Type (Dripless) Cap. HD 1/4 Gallon (13" Cartridge) |



► CAULKING GUN

- 1/10 gallon (9" cartridge) skeleton type frame.
- Trigger release to relieve pressure.
- Hex rod for positive grip.
- Riveted construction.
- Cast handle.



| ITEM NO. | DESCRIPTION                            |
|----------|----------------------------------------|
| CG-800   | 1/10 Gallon Skeleton Type Caulking Gun |

► CAULKING GUN


- Heavy duty cast handle and smooth rod for smooth operation.
- Open end cartridge holder can be used with wide nozzle.
- Revolving parallel frame 1/10 gallon (9" cartridge).
- Thumb release to release pressure.



| ITEM NO.        | DESCRIPTION                                        |
|-----------------|----------------------------------------------------|
| WT-215IH (#250) | 1/10 Gallon Parallel Frame Caulking Gun Heavy Duty |

► CAULKING GUN

- Parallel frame dual 1/10 gallon (9") cartridge caulking gun.
- Heavy duty cast handle and mechanism.
- Smooth rod mechanism.



| ITEM NO.  | DESCRIPTION                        |
|-----------|------------------------------------|
| WT-296CT9 | Dual 9" Cartridge Pro Caulking Gun |

► CAULKING GUN

- Supplied with plastic nozzle and plastic plunger for use when used without cartridge.
- Can be used with 600ml cartridge or can be filled.
- 15" enclosed type w/smooth rod operation.
- Revolving Anodized aluminum body.



| ITEM NO.    | DESCRIPTION                      |
|-------------|----------------------------------|
| WT-250XL    | 15" Aluminum 2 Way Caulking Gun  |
| WT-250TN    | Plastic Cone Nozzle For WT-250XL |
| WT-250XL-07 | Threaded Collar For WT-250XL     |
| WT-250PD2   | Push Disc For WT-250XL           |





▶ **ELECTRICIAN'S KNIFE - MADE BY MORA IN SWEDEN****MORAKNIV**

- Blade is hardened to 57HRC for max sharpness & sharpness retention.
- Blade made of 12C27 Sandvik stainless steel.
- Plastic handle with non slip rubber grip.
- Supplied with belt clip sheath.

**ITEM NO. DESCRIPTION**

\*12201-BK 1-1/4" Blade Electricians Knife with Double Ground Stripping Blade Allows RH and LH

\*12798-BK 1-3/4" Blade Without Stripping Groove

\*TO BE DISCONTINUED

▶ **UTILITY KNIFE - PLASTIC HANDLE & BLADES**

- Rubber insert on handle assures positive grip.
- Positive thumb-screw blade lock.
- Snap-off blade design.
- Blister carded.

**ITEM NO. DESCRIPTION REPLACEMENT BLADES**

TH-2001BC Standard Design 6-3/4" x 1-3/4 x 3/4" LCB-50



## ► UTILITY KNIFE - (PLASTIC HANDLE & BLADES)

- Plastic handle with push-button blade advance and safety lock.
- Individually sleeved.
- Snap-off blade design.

| ITEM NO. | DESCRIPTION                                                            | REPLACEMENT BLADES |
|----------|------------------------------------------------------------------------|--------------------|
| LC-499   | Slim Design 5" X 5/8"                                                  |                    |
| LC-500   | Standard Design 6" X 1-1/4" X 3/4"                                     | LCB-50             |
| LC-501   | Standard Design 6" X 1-1/4" X 3/4" With Metal Chamber For Extra Blades | LCB-50             |
| LC-502   | Heavy Duty Design 6-1/4" X 1-1/2" X 3/4". Automatic Locking Blade      | LCB-50             |



LC-499



LC-500

LC-501



LC-502

## ► REPLACEMENT BLADES

| ITEM NO. | DESCRIPTION                                                                                                      |
|----------|------------------------------------------------------------------------------------------------------------------|
| LCB-50   | Replacement Blades (10 Blades Per Pack, 24 Packs Per Inner & 288 Packs Per Master) To Fit LC-500, LC-501, LC-502 |





**UTILITY KNIFE BLADE REPLACEMENT - HOOK TYPE**


- Can be used to cut flooring or strapping.
- Fits all standard size utility knives.
- 10 blades per tube.

**ITEM NO. DESCRIPTION**

**\*\*SK5-10** Replacement Hook Blade

**\*TO BE DISCONTINUED**

**\*FOB DARTMOUTH, NS ONLY**

**MAGNETIC SWEEPER - ROLLER TYPE**

- Quick release drops picked up items in one pull.
- Supplied with 1-1/2" x 6" rubber tread-wheels.
- Extendable handle from 31-1/2" to 44-1/2".
- Ideal for parking lots and construction sites.
- With hanger hole.
- Pull force 35 lbs.
- Boxed.

**ITEM NO. DESCRIPTION**

**QJ8012-24** 24" Magnetic Sweeper



## ▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL SAE



- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° "C" scale.
- Combination NC, NF and NPT.
- Round dies.
- One tap and one die of the following sizes:

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                            |
|-------|----------------------------|
| TD-40 | SAE 40 Pc. Tap And Die Set |
|-------|----------------------------|

| NOM. SIZE | T.P.I. | NOM. SIZE | T.P.I. |
|-----------|--------|-----------|--------|
| #4        | - 40   | 5/16"     | - 18   |
| #6        | - 32   | 5/16"     | - 24   |
| #8        | - 32   | 3/8"      | - 16   |
| #10       | - 32   | 3/8"      | - 24   |
| #10       | - 24   | 7/16"     | - 14   |
| #12       | - 24   | 7/16"     | - 20   |
| 1/4"      | - 20   | 1/2"      | - 13   |
| 1/4"      | - 28   | 1/2"      | - 20   |
|           |        | 1/8"      | NPT    |



**Note:** Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.

## ▶ 40 PC. TAP & DIE SET - TUNGSTEN STEEL METRIC



- Same as TD40 but with the following metric sizes for each tap & die:

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                               |
|--------|-------------------------------|
| TD-40M | Metric 40 Pc. Tap And Die Set |
|--------|-------------------------------|

| NOM SIZE | T.P.MM.  | NOM. SIZE | T.P.MM.  |
|----------|----------|-----------|----------|
| M3       | - 0.5mm  | M7        | - 1.0mm  |
| M3       | - 0.6mm  | M8        | - 1.0mm  |
| M4       | - 0.7mm  | M8        | - 1.25mm |
| M4       | - 0.75mm | M10       | - 1.25mm |
| M5       | - 0.8mm  | M10       | - 1.5mm  |
| M5       | - 0.9mm  | M12       | - 1.5mm  |
| M6       | - 0.75mm | M12       | - 1.75mm |
| M6       | - 1.0mm  | 1/8"      | - NPT    |
| M7       | - 0.75mm |           |          |



**Note:** Also contains: 1 long-handle adjustable tap wrench, 1 "T" handle, 1 die handle, 1 screwdriver, 1 screw pitch gauge, 1 handy molded carry case.



## ▶ 41 PC. TAP & DIE SET - SAE - MADE IN JAPAN BY SKC

- High quality tungsten steel, heat treated and tempered for Rockwell hardness 58° - 61° C scale.
- Combination NC, NF and NPT.
- 1" Round dies.

### ITEM NO. DESCRIPTION

850R SAE 41 Pc. Tap And Die Set

- One tap and one die of the following sizes:

| NOM. SIZE | T.P.I. | NOM. SIZE | T.P.I. |
|-----------|--------|-----------|--------|
| #4        | - 40   | 5/16"     | - 18   |
| #6        | - 32   | 5/16"     | - 24   |
| #8        | - 32   | 3/8"      | - 16   |
| #10       | - 32   | 3/8"      | - 24   |
| #10       | - 24   | 7/16"     | - 20   |
| #12       | - 24   | 7/16"     | - 14   |
| 1/4"      | - 20   | 1/2"      | - 20   |
| 1/4"      | - 28   | 1/2"      | - 13   |
|           |        | 1/8"      | - NPT  |

**Note:** Also contains; 2 tap wrenches, 1 long handle tap wrench, 1 die handle, 1 screwdriver & 1 screw pitch gauge. Packed in sturdy, molded, plastic case.



## ▶ 41 PC. TAP & DIE SET - METRIC - MADE IN JAPAN BY SKC



- 1" Round dies.

### ITEM NO. DESCRIPTION

851M Metric 41 Pc. Tap And Die Set

- Same as 850R but with the following metric sizes for each tap & die:

| NOM. SIZE | T.P. (MM) | NOM. SIZE | T.P. (MM) |
|-----------|-----------|-----------|-----------|
| M3        | - 0.6     | M3        | - 0.5     |
| M4        | - 0.75    | M4        | - 0.7     |
| M5        | - 0.9     | M5        | - 0.8     |
| M6        | - 1.0     | M6        | - 0.75    |
| M7        | - 1.0     | M7        | - 0.75    |
| M8        | - 1.25    | M8        | - 1.0     |
| M10       | - 1.5     | M10       | - 1.25    |
| M12       | - 1.75    | 1/8"      | - NPT     |





## ► 45 PC. TAP & DIE SET - SAE & METRIC - MADE IN JAPAN BY SKC

- Tungsten steel heat treated & tempered to RHC 58° - 61°.
- Contains 2 tap wrenches, 2 die stocks and 1 screwdriver.
- Set designed with sizes that are most commonly used.
- Packaged in metal case with ABS plastic tray.
- Includes a mix of 1-1/2" and 2" round dies.

### ITEM NO. DESCRIPTION

|      |                                                                |
|------|----------------------------------------------------------------|
| 895  | SAE 45 Pc. Tap & Die Set, Combination NC and NF.               |
| 895M | METRIC 45 Pc. Tap & Die Set, Combination Metric Coarse & Fine. |

- One tap and one die of the following sizes:

| NOM. SIZE | NC T.P.I. | NOM. SIZE | NF T.P.I. | METRIC COARSE & FINE |             |
|-----------|-----------|-----------|-----------|----------------------|-------------|
| 1/4"      | - 20      | 1/4"      | - 28      | M 6 x 1.0            | M 6 x 0.75  |
| 5/16"     | - 18      | 5/16"     | - 24      | M 8 x 1.25           | M 8 x 1.0   |
| 3/8"      | - 16      | 3/8"      | - 24      | M 10 x 1.50          | M 10 x 1.25 |
| 7/16"     | - 14      | 7/16"     | - 20      | M 12 x 1.75          | M 12 x 1.5  |
| 1/2"      | - 13      | 1/2"      | - 20      | M 14 x 2.0           | M 14 x 1.5  |
| 9/16"     | - 12      | 9/16"     | - 18      | M 16 x 2.0           | M 16 x 1.5  |
| 5/8"      | - 11      | 5/8"      | - 18      | M 18 x 2.5           | M 18 x 1.5  |
| 3/4"      | - 10      | 3/4"      | - 16      | M 20 x 2.5           | M 20 x 1.5  |
| 7/8"      | - 9       | 7/8"      | - 14      | M 22 x 2.5           | M 22 x 1.5  |
| 1"        | - 8       | 1"        | - 14      | M 24 x 3.0           | M 24 x 1.5  |



## ► 110 PC. TAP & DIE SET - METRIC & SAE - MADE IN JAPAN BY SKC



- High quality tungsten steel, heat treated & tempered to RHC 58° - 61°.
- Combination of NC and NF, and metric coarse and fine.
- 3 different tap wrenches & 2 die wrenches.
- Includes a mix of 1" and 1-1/2" round dies.
- Packed in metal case with

### ITEM NO. DESCRIPTION

|         |                                     |
|---------|-------------------------------------|
| 110-CFM | SAE & Metric 110 Pc Tap And Die Set |
|---------|-------------------------------------|

- Contains one taper tap, one bottoming tap, and one die of the following sizes:

| NOM. SIZE | T.P.I. | NOM. SIZE | T.P.I. | METRIC & NPT | T.P (MM) |
|-----------|--------|-----------|--------|--------------|----------|
| #4        | 40     | 3/8"      | 16     | M6           | 1.0      |
| #6        | 32     | 3/8"      | 24     | M8           | 1.25     |
| #8        | 32     | 7/16"     | 14     | M10          | 1.5      |
| #10       | 24     | 7/16"     | 20     | M10          | 1.0      |
| #12       | 24     | 1/2"      | 13     | M11          | 1.5      |
| #10       | 32     | 1/2"      | 20     | M12          | 1.25     |
| 1/4"      | 20     | 9/16"     | 12     | M12          | 1.75     |
| 1/4"      | 28     | 9/16"     | 18     | M14          | 1.25     |
| 1/4"      | 24     | 5/8"      | 11     | M18          | 1.5      |
| 1/4"      | 18     | 5/8"      | 18     | 1/8"         | NPT      |
| 5/16"     | 18     | 3/4"      | 10     | 1/4"         | NPT      |
| 5/16"     | 24     | 3/4"      | 16     |              |          |





## ► SCREW EXTRACTOR SETS - MADE IN JAPAN BY SKC

- 5 pcs. in plastic case:
  - #1 - for 1/8" - 1/4" screw.
  - #2 - for 1/4" - 5/16" screw.
  - #3 - for 5/16" - 7/16" screw.
  - #4 - for 7/16" - 9/16" screw.
  - #5 - for 9/16" - 3/4" screw.
- High carbon steel.

| ITEM NO. | DESCRIPTION  |
|----------|--------------|
| 1815     | Spiral Flute |
| 1815-SQ  | Square Flute |



## ► TWIST DRILL SETS

| ITEM NO. | DESCRIPTION                                                                                |
|----------|--------------------------------------------------------------------------------------------|
| D-290    | - 29 Pc TiN coated HSS Jobber drill set in metal drill index.<br>- 1/16" to 1/2" in 64ths. |



## ► TWIST DRILLS

- Excellent cutting performance and high durability.
- Fine heat treated cutting edge.
- **Minimum order per pack.**
- High speed steel.
- Jobber length.
- Straight shank.

| ITEM NO. | SIZE   | QTY PER PACK |
|----------|--------|--------------|
| 800-01   | 1/16"  | 10           |
| 800-02   | 5/64"  | 10           |
| 800-03   | 3/32"  | 10           |
| 800-04   | 7/64"  | 10           |
| 800-05   | 1/8"   | 10           |
| 800-06   | 9/64"  | 10           |
| 800-07   | 5/32"  | 10           |
| 800-08   | 11/64" | 10           |
| 800-09   | 3/16"  | 10           |
| 800-10   | 13/64" | 10           |
| 800-11   | 7/32"  | 10           |
| 800-12   | 15/64" | 10           |
| 800-13   | 1/4"   | 10           |
| 800-14   | 17/64" | 5            |

| ITEM NO. | SIZE   | QTY PER PACK |
|----------|--------|--------------|
| 800-15   | 9/32"  | 5            |
| 800-16   | 19/64" | 5            |
| 800-17   | 5/16"  | 5            |
| 800-18   | 21/64" | 5            |
| 800-19   | 11/32" | 5            |
| 800-20   | 23/64" | 5            |
| 800-21   | 3/8"   | 5            |
| 800-22   | 25/64" | 5            |
| 800-23   | 13/32" | 5            |
| 800-24   | 27/64" | 5            |
| 800-25   | 7/16"  | 5            |
| 800-26   | 29/64" | 5            |
| 800-27   | 15/32" | 5            |
| 800-28   | 31/64" | 5            |
| 800-29   | 1/2"   | 5            |



## SILVER & DEMING (PRENTICE) DRILLS - 1/2" SHANK

- High speed steel.

| ITEM NO. | SIZE   | ITEM NO. | SIZE   |
|----------|--------|----------|--------|
| 958      | 25/32" | 950      | 17/32" |
| 959      | 13/16" | 951      | 9/16"  |
| 960      | 27/32" | 952      | 19/32" |
| 961      | 7/8"   | 953      | 5/8"   |
| 962      | 29/32" | 954      | 21/32" |
| 963      | 15/16" | 955      | 11/16" |
| 964      | 31/32" | 956      | 23/32" |
| 965      | 1"     | 957      | 3/4"   |



## SILVER & DEMING (PRENTICE) 5 PC. DRILL SET

- Set includes 9/16", 5/8", 3/4", 7/8", 1".
- Packed in wooden box.
- High speed steel.
- 6" Overall length.

| ITEM NO. | DESCRIPTION              |
|----------|--------------------------|
| PD-5     | 5 Pc. Prentice Drill Set |



## STUB DRILL - DOUBLE END

- High speed steel, nitrate finish.
- Packed in 10's.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
| 804-125  | 1/8" x 2"   |



## FILE HANDLES

- Durable plastic handles to fit chain saw files and most tanged files.

| ITEM NO.            | TANG SIZE | LENGTH     |
|---------------------|-----------|------------|
| *908-S              | Small     | 4" - 102mm |
| *TO BE DISCONTINUED |           |            |



908-S





## FILE HANDLE

- Includes 5 different inserts to accept a variety of file tangs.
- Durable plastic handle.

### ITEM NO. LENGTH

JKMFH-51 File Handle Kit



## FILES - BY JK FILES

- Measurement of a file is from end on file to shoulder not including tang.
- Bastard cut used where aggressive removal of material is required.
- Smooth cut used for a more finished or polished effect.

### FLAT FILES - BOXED

- Machinist's file (tapered sides, 2 cut edges).

| ITEM NO. | LENGTH | SHAPE | CUT     | BOX PACK |
|----------|--------|-------|---------|----------|
| JK100-01 | 8"     | Flat  | Bastard | 12       |
| JK100-02 | 10"    | Flat  | Bastard | 12       |
| JK100-03 | 12"    | Flat  | Bastard | 6        |
| JK100-05 | 8"     | Flat  | Smooth  | 12       |
| JK100-06 | 10"    | Flat  | Smooth  | 12       |



### HALF ROUND FILES - BOXED

- Machinist's file.

| ITEM NO. | LENGTH | SHAPE      | CUT     | BOX PACK |
|----------|--------|------------|---------|----------|
| JK100-08 | 8"     | Half Round | Bastard | 12       |
| JK100-09 | 10"    | Half Round | Bastard | 12       |
| JK100-10 | 12"    | Half Round | Bastard | 6        |



### ROUND FILES - BOXED

- Machinist's file.

| ITEM NO. | LENGTH | SHAPE | CUT     | BOX PACK |
|----------|--------|-------|---------|----------|
| JK100-12 | 8"     | Round | Bastard | 12       |
| JK100-13 | 10"    | Round | Bastard | 12       |





## ▶ TRIANGULAR FILES - BOXED

- Machinist's file.

| ITEM NO. | LENGTH | SHAPE      | CUT    | BOX PACK |
|----------|--------|------------|--------|----------|
| JK100-15 | 6"     | Triangular | Smooth | 12       |



## ▶ SAW FILES - BOXED

- Mill saw file (parallel sided 2 cut edges).

| ITEM NO. | LENGTH | SHAPE | CUT     | BOX PACK |
|----------|--------|-------|---------|----------|
| JK100-17 | 6"     | Flat  | Bastard | 12       |
| JK100-18 | 8"     | Flat  | Bastard | 12       |
| JK100-19 | 10"    | Flat  | Bastard | 12       |
| JK100-20 | 12"    | Flat  | Bastard | 6        |



## ▶ FILES - HANDI-FILE

- 1 side single, 1 side double cut, 1 edge cut, 1 edge uncut.
- 8" File with handle 11-1/2" overall.
- Rectangle shape.

| ITEM NO. | LENGTH | SHAPE | CUT           | BOX PACK |
|----------|--------|-------|---------------|----------|
| JK100-21 | 8"     | Flat  | Single Double | 12       |



## ▶ MOWER FILES - BOXED

- Mower (axe) file (parallel sided 2 cut edges).

| ITEM NO. | LENGTH | SHAPE | CUT    | BOX PACK |
|----------|--------|-------|--------|----------|
| JK100-22 | 8"     | Flat  | Second | 12       |



## ▶ FARMERS OWN (AXE) FILES - BOXED

- File with uncut edges.

| ITEM NO. | LENGTH | SHAPE | CUT    | BOX PACK |
|----------|--------|-------|--------|----------|
| JK100-23 | 8"     | Flat  | Second | 12       |



## ▶ CHAINSAW FILES - BOXED

- Chainsaw files (round).
- Minimum order: 6 PCS.



| ITEM NO. | LENGTH | DIA.   | SHAPE | CUT    | BOX PACK |
|----------|--------|--------|-------|--------|----------|
| JK100-24 | 6"     | 1/8"   | Round | Double | 12       |
| JK100-25 | 8"     | 5/32"  | Round | Double | 12       |
| JK100-26 | 8"     | 11/64" | Round | Double | 12       |
| JK100-27 | 8"     | 3/16"  | Round | Double | 12       |
| JK100-28 | 8"     | 13/64" | Round | Double | 12       |
| JK100-29 | 8"     | 7/32"  | Round | Double | 12       |
| JK100-30 | 8"     | 1/4"   | Round | Double | 12       |

## ▶ FLAT CHAINSAW FILES - BOXED

- Chainsaw file (rounded uncut edges).
- Minimum order: 12 PCS.
- Files are 6" cut area.



| ITEM NO. | OVERALL LENGTH | SHAPE | EDGES   | BOX PACK |
|----------|----------------|-------|---------|----------|
| JK100-32 | 8" Reg Duty    | Flat  | Rounded | 12       |

## ▶ HORSESHOE RASPS - TANGED

- 17" overall length including tang.
- Both edges cut.

| ITEM NO.            | DESCRIPTION | BOX PACK |
|---------------------|-------------|----------|
| *JK100-40           | Horse Rasp  | 6        |
| *TO BE DISCONTINUED |             |          |



## ▶ SHOE RASPS

- Two-cut edges.
- 6 Per box.

| ITEM NO.            | DESCRIPTION             | BOX PACK |
|---------------------|-------------------------|----------|
| *JK100-41           | 14" Multi-Cut Shoe Rasp | 6        |
| *TO BE DISCONTINUED |                         |          |



## WIRE WHEEL BRUSHES - DISPLAY BOX

- 6 each 2" plus 3" cup brushes and 6 each 1-1/2" plus 3" wire wheel brushes.
- All brushes are brass-coated steel wire.
- Includes 24 pieces with 1/4" shank.

| ITEM NO. | DESCRIPTION                    |
|----------|--------------------------------|
| WW-24    | 24 Piece Wire Brush Assortment |



## WIRE WHEEL BRUSH SETS

- Used for removal of rust, paint or dirt build-up.
- 1/4" drill arbor, to be used with all hand drills.
- Brass-coated crimped steel wire.
- Attractively blister carded.

| ITEM NO. | DESCRIPTION                                                       |
|----------|-------------------------------------------------------------------|
| WW-03    | Consists Of One Each: 2" Wheel, 2" Cup and 1" End Brush           |
| WW-05    | Consists Of One Each: 2" & 3" Wheel, 2" & 3" Cup and 1" End Brush |



WW-03



WW-05

## CIRCULAR SAW BLADES



- Plastic tooth protector on each blade.
- Individual cello-wrapped in bulk box.
- Carbide tip.

| ITEM NO.   | BLADE DIA. | BLADE THICKNESS | NO. TEETH | ARBOR SIZE | MAX. MAT. RPM |
|------------|------------|-----------------|-----------|------------|---------------|
| TCT725-24  | 7-1/4"     | 1.5mm           | 24T       | 5/8"       | 8000          |
| TCT725-40  | 7-1/4"     | 1.5mm           | 40T       | 5/8"       | 8000          |
| TCT725-60  | 7-1/4"     | 1.5mm           | 60T       | 5/8"       | 8000          |
| *TCT800-24 | 8"         | 1.5mm           | 24T       | 5/8"       | 7000          |
| TCT825-24  | 8-1/4"     | 1.5mm           | 24T       | 5/8"       | 7000          |
| TCT825-40  | 8-1/4"     | 1.5mm           | 40T       | 5/8"       | 7000          |
| TCT1000-28 | 10"        | 1.8mm           | 28T       | 5/8"       | 5000          |
| TCT1000-40 | 10"        | 1.8mm           | 40T       | 5/8"       | 5000          |
| TCT1000-60 | 10"        | 1.8mm           | 60T       | 5/8"       | 5000          |
| TCT1000-80 | 10"        | 1.8mm           | 80T       | 5/8"       | 5000          |
| TCT1200-80 | 12"        | 1.8mm           | 80T       | 1"         | 6500          |

\*TO BE DISCONTINUED



### ► CUP BRUSHES - CRIMPED WIRE TYPE

- Crimped brushes are less aggressive offering more flexibility.
- For light or medium rust removal and deburring.
- For angle grinders.
- Blister carded.

| ITEM NO.     | DIA. | THREAD SIZE | WIRE SIZE | WIRE TYPE          | LIST TRIM LENGTH | LIST MAX. RPM |
|--------------|------|-------------|-----------|--------------------|------------------|---------------|
| *CC075-10125 | 3"   | M10 x 1.25  | 0.012"    | Brass Coated Steel | 1-1/6"           | 12,500        |
| *CC075-10150 | 3"   | M10 x 1.50  | 0.012"    | Brass Coated Steel | 1-1/16"          | 12,500        |
| CC075-5811   | 3"   | 5/8" - 11NC | 0.012"    | Brass Coated Steel | 1-1/16"          | 12,500        |
| CC100-5811   | 4"   | 5/8" - 11NC | 0.012"    | Brass Coated Steel | 1-1/8"           | 8,500         |
| CC125-5811   | 5"   | 5/8" - 11NC | 0.012"    | Brass Coated Steel | 1-5/16"          | 6,500         |
| CC150-5811   | 6"   | 5/8" - 11NC | 0.012"    | Brass Coated Steel | 1-5/16"          | 4,500         |

\*TO BE DISCONTINUED



### ► CUP BRUSHES - KNOTTED WIRE TYPE

- More aggressive to remove rust, scale and other contaminants.
- For heavy duty cleaning and resurfacing.
- For angle grinders.
- Blister carded.

| ITEM NO.     | DIA.   | BANDED | ARBOR THREAD SIZE | WIRE SIZE | WIRE TYPE      | TRIM LTH. | MAX RPM. |
|--------------|--------|--------|-------------------|-----------|----------------|-----------|----------|
| *KC065-10125 | 2-1/2" | NO     | M10 x 1.25        | 0.020"    | Tempered Steel | 3/4"      | 12,500   |
| *KC065-10150 | 2-1/2" | NO     | M10 x 1.50        | 0.020"    | Tempered Steel | 3/4"      | 12,500   |
| *KC080-14200 | 3-1/2" | YES    | M14 x 2.00        | 0.020"    | Tempered Steel | 1"        | 8,500    |
| KC065-5811   | 2-1/2" | NO     | 5/8" - 11NC       | 0.020"    | Tempered Steel | 3/4"      | 12,500   |
| KC080-5811   | 3-1/2" | YES    | 5/8" - 11NC       | 0.020"    | Tempered Steel | 1"        | 8,500    |
| KC100-5811   | 4"     | YES    | 5/8" - 11NC       | 0.020"    | Tempered Steel | 1"        | 8,500    |
| KC125-5811   | 5"     | YES    | 5/8" - 11NC       | 0.020"    | Tempered Steel | 1"        | 6,500    |

\*TO BE DISCONTINUED



### ► WIRE WHEEL BRUSHES - KNOTTED WIRE TYPE

- For heavy duty work in corners and angles.
- For angle grinders.


| ITEM NO.   | DIA. | ARBOR THREAD SIZE | FACE WTH. | WIRE SIZE | WIRE TYPE | TRIM LTH. | MAX. RPM. |
|------------|------|-------------------|-----------|-----------|-----------|-----------|-----------|
| KW100-5811 | 4"   | 5/8" - 11NC       | 1/2"      | 0.020"    | Tempered  | 3/4"      | 11,000    |
| KW125-5811 | 5"   | 5/8" - 11NC       | 9/16"     | 0.020"    | Tempered  | 1-1/8"    | 10,000    |
| KW150-5811 | 6"   | 5/8" x 11NC       | 9/16"     | 0.020"    | Tempered  | 1-7/16"   | 9,000     |



## ► WIRE WHEEL BRUSHES - CRIMPED WIRE TYPE

- Supplied with plastic adaptors to convert arbor hole size to 1/2", 5/8", 3/4", 7/8", 1".
- Medium to heavy duty brush applications.
- For bench grinders.
- Blister carded.

| ITEM NO. | DIA. | ARBOR THREAD SIZE | FACE WTH. | WIRE SIZE | WIRE TYPE          | TRIM LTH. | MAX.RPM. |
|----------|------|-------------------|-----------|-----------|--------------------|-----------|----------|
| CW150-18 | 6"   | 1/2" - 1-1/4"     | 3/4"      | 0.012"    | Brass Coated Steel | 1-1/8"    | 6,000    |
| CW150-25 | 6"   | 1/2" - 1-1/4"     | 1"        | 0.012"    | Brass Coated Steel | 1-1/8"    | 6,000    |
| CW200-20 | 8"   | 1/2" - 1-1/4"     | 13/16"    | 0.012"    | Brass Coated Steel | 1-5/16"   | 4,500    |
| CW200-25 | 8"   | 1/2" - 1-1/4"     | 1"        | 0.012"    | Brass Coated Steel | 1-5/16"   | 3,000    |



## ► TAPERED BRUSHES - CRIMPED WIRE TYPE

- Best for medium to heavy duty work in corners and angles.
- For angle grinders.

| ITEM NO.            | DIA. | ARBOR THREAD SIZE | FACE WTH. | WIRE SIZE | WIRE TYPE          | TRIM LTH. | MAX RPM. |
|---------------------|------|-------------------|-----------|-----------|--------------------|-----------|----------|
| *TCW10-10125        | 4"   | M10 x 1.25        | 3/8"      | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TCW10-10150        | 4"   | M10 x 1.50        | 3/8"      | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TCW10-14200        | 4"   | M10 x 2.00        | 3/8"      | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TCW20-10125        | 4"   | M10 x 1.25        | 13/16"    | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TCW20-10150        | 4"   | M10 x 1.50        | 13/16"    | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TCW20-14200        | 4"   | M10 x 2.00        | 13/16"    | 0.012"    | Brass Coated Steel | 13/16"    | 12,500   |
| *TO BE DISCONTINUED |      |                   |           |           |                    |           |          |




## ► DISK CLEANERS - KNOTTED WIRE TYPE

- For heavy duty work in corners and angles.
- For angle grinders.

| ITEM NO.   | DIA. | ARBOR THREAD SIZE | FACE WTH. | WIRE SIZE | WIRE TYPE      | TRIM LTH. | MAX. RPM. |
|------------|------|-------------------|-----------|-----------|----------------|-----------|-----------|
| TKW-5811   | 4"   | 5/8" x 11NC       | 1/2"      | 0.020"    | Tempered Steel | 7/8"      | 12,000    |
| *TKW-10125 | 4"   | M10 x 1.25        | 1/2"      | 0.020"    | Tempered Steel | 7/8"      | 12,000    |
| *TKW-10150 | 4"   | M10 x 1.50        | 1/2"      | 0.020"    | Tempered Steel | 7/8"      | 12,000    |
| *TKW-14200 | 4"   | M10 x 2.00        | 1/2"      | 0.020"    | Tempered Steel | 7/8"      | 12,000    |

\*TO BE DISCONTINUED



## CUT-OFF WHEELS - DEPRESSED CENTRE


- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- WA36SBF Specification.



| ITEM NO. | DIA.   | THICKNESS | ARBOR | GRIT | USE      | MAX. RPM |
|----------|--------|-----------|-------|------|----------|----------|
| 14056458 | 4"     | 3/32"     | 5/8"  | 36   | Steel/SS | 15,000   |
| 14556478 | 4-1/2" | 3/32"     | 7/8"  | 36   | Steel/SS | 13,300   |
| 15056478 | 5"     | 3/32"     | 7/8"  | 36   | Steel/SS | 12,200   |

## CUT-OFF WHEELS - FLAT

- White aluminum oxide abrasive with resinoid bond.
- Used for cutting steel and stainless steel.
- Reinforced to handle extra stress.
- T41 WA60SBF specification.



| ITEM NO. | DIA.   | THICKNESS | ARBOR | GRIT | USE      | MAX. RPM |
|----------|--------|-----------|-------|------|----------|----------|
| 34536478 | 4-1/2" | 3/64"     | 7/8"  | 60   | Steel/SS | 13,300   |
| 35036478 | 5"     | 3/64"     | 7/8"  | 60   | Steel/SS | 12,200   |

## FOLDING CAMP/PRUNING SAW - MADE IN SWEDEN



- Large threaded knob for locking & unlocking blade position.
- Can be used with most recip blades with universal shank.
- Positive lock in folded and unfolded position.
- Aggressive teething for fast clear-cutting.
- Lanyard provided for easy hanging.
- Ideal for camping or backpacking.
- Plastic handle with rubber grip.
- Easy blade replacement.
- 8" Overall blade length.
- Carded.



| ITEM NO.  | DESCRIPTION      |
|-----------|------------------|
| 138-34    | Folding Saw      |
| 1034-2006 | Blade for 138-24 |

## 12" HACKSAW/BOWSAW - MADE IN EUROPE



- Blades can be adjusted at any angle to allow cutting in tight spaces.
- Supplied with wood blade and 24T bi-metal hacksaw blade.
- Combination saw for wood and metal.

| ITEM NO. | DESCRIPTION                    |
|----------|--------------------------------|
| G-12     | 12" Combination Hacksaw/Bowsaw |
| G10H12   | Replacement Blade              |





## ► BOW SAWS - MADE IN EUROPE



- Supplied with 3/4" hard point long-lasting raker tooth blade made from Swedish Steel.
- Painted with orange stove enamel to prevent rusting.
- Oval, high frequency welded tube construction.



| ITEM NO.                     | LENGTH |
|------------------------------|--------|
| 14730SH21 (Previously 40021) | 21"    |
| 14030BH24 (Previously 40024) | 24"    |
| 14030BH30 (Previously 40030) | 30"    |
| 14030BH36 (Previously 40036) | 36"    |

## ► REPLACEMENT BLADES

- 3/4" raker tooth bow saw blades made from Swedish Steel.
- Induction hardened to provide long lasting sharpness.



| ITEM NO.                   | LENGTH     |
|----------------------------|------------|
| G30SH21 (Previously 41021) | 21" x 3/4" |
| G30BH24 (Previously 41024) | 24" x 3/4" |
| G30BH30 (Previously 41030) | 30" x 3/4" |
| G30BH36 (Previously 41036) | 36" x 3/4" |
| G30BH42 (Previously 41042) | 42" x 3/4" |

## ► PULL SAW



- Blade thickness: 0.6 mm, approx. 13.5 TPI.
- Blade length: 10.5" (265 mm).
- Rubber grip for secure grip.
- Cuts on pull stroke.



| ITEM NO. | DESCRIPTION      |
|----------|------------------|
| 265      | 10-1/2" Pull Saw |



### ▶ PRUNING SAW WITH HOLSTER



- Professional curved 14" blade.
- Extremely sharp 3-edge teeth.
- Two component handle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                              |
|----------|------------------------------|
| 232H14PS | 14" Pruning Saw with Holster |
|----------|------------------------------|



### ▶ PRUNING SAW WITH TUBULAR HANDLE



- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.
- Professional curved 14" blade.
- Extremely sharp 3-edge teeth

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                                     |
|--------|-------------------------------------|
| 233H14 | 14" Pruning Saw with Tubular Handle |
|--------|-------------------------------------|



### ▶ FOLDABLE PRUNING SAW



- Hollow-ground blade ejects sawdust plus reduces friction.
- Blade can be fixed in 3 different angles.
- 6 TPI hardpoint blade, 10" long.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                          |
|--------|--------------------------|
| 345-34 | 10" Foldable Pruning Saw |
|--------|--------------------------|



### ▶ 10" PRUNING SAW WITH HOLSTER



- Specially developed with extra-thin 0.8 mm blade.
- Extra fine 8TPI 3-edge teeth.
- Two component handle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                              |
|----------|------------------------------|
| 344H10PS | 10" Pruning Saw with Holster |
|----------|------------------------------|



## ▶ 12" PRUNING SAW WITH HOLSTER

- Hollow-ground blade ejects sawdust & reduces friction.
- Rounded nose helps to get into tight spaces.
- Precision ground 3-edge teeth.
- Two-component handle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                              |
|----------|------------------------------|
| 343H12PS | 12" Pruning Saw with Holster |
|----------|------------------------------|



## ▶ 14" SAMURAI PRUNING SAW



- Tubular handle can be hand-held or mounted to 400EX or 550EX extension pole.
- Hook at front end to prevent blade from sliding out of cut.
- Handle also has push knife to clear small branches.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                         |
|-------|-------------------------|
| 350LH | 14" Samurai Pruning Saw |
|-------|-------------------------|



## ▶ PRUNING SAW EXTENSION POLES



- Low weight facilitates handling and reduces fatigue.
- Oval aluminum tube with patented locking device.
- Fits models with tubular handle.
- Available in two lengths.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                                 |
|-------|---------------------------------|
| 400EX | Aluminum Extension Pole 2 m-4 m |
|-------|---------------------------------|

|       |                                   |
|-------|-----------------------------------|
| 550EX | Aluminum Extension Pole 2 m-5.5 m |
|-------|-----------------------------------|



## ▶ HACKSAW FRAME - MADE IN EUROPE



- 16 x 10 mm rectangular steel frame with aluminum handle.
- Compact frame fits in any toolbox.
- Includes 24T bi-metal blade.
- 90° Blade mounting option.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                        |
|--------|------------------------|
| 10BI24 | 12" Adjustable Hacksaw |
|--------|------------------------|



## HACKSAW FRAME - ECONOMY

- Tubular oval steel frame construction blade included.

| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| 614      | Adjustable 10"-12" |



## HANDSAWS - MADE IN SWEDEN

- Universal toothing (U7) for both cross-cutting and rip-cutting.
- Durable, long lasting electronically hardened teeth.
- Handle made from strong, long lasting ABS.
- Each blade protected by vinyl blade guard.
- Blades made from Swedish steel.

| ITEM NO. | DESCRIPTION                                                     |
|----------|-----------------------------------------------------------------|
| G-319H   | 22" X 8 TPI Handsaw With Teflon-coated Blade To Reduce Friction |
| G-325H   | 22" X 8 TPI Handsaw With 45° - 90° Angles Indicated On Handle   |



## MEAT SAW

- HD plated rectangular frame.
- 4-3/4 " tension handle.

| ITEM NO.     | DESCRIPTION                                    |
|--------------|------------------------------------------------|
| TOP-N001-19  | Meat Saw w/StainlessSteel Blade                |
| TOP-N001-19B | 19-1/2" x 5/8" Stainless Steel Blade For Above |



## MEAT SAW BLADE

- Fits any 21" Bow Saw.
- Hardened teeth.
- Stainless steel.

| ITEM NO. | DESCRIPTION                        |
|----------|------------------------------------|
| G5021    | 21" Stainless Steel Meat Saw Blade |



## ► STARRETT BIMETAL DUAL PITCH HOLESAWS (DEEP CUT)

- Dual-pitch high speed steel teeth welded to tough alloy body and cap.
- Design allows huge improvements in chip flow.
- New box pack has viewing window in corner.
- Suitable for cutting wood, metal and steel.
- 8% cobalt for greater performance.
- Display available for all blades.
- 2" cutting depth.

| ITEM NO. | SIZE     | ITEM NO. | SIZE    | ITEM NO. | SIZE     |
|----------|----------|----------|---------|----------|----------|
| FCH0058  | 5/8"     | DCH0200  | 2"      | DCH0414  | 4-1/4"   |
| DCH0034  | 3/4"     | DCH0216  | 2-1/16" | DCH0438  | 4-3/8"   |
| DCH2532  | 25/32"   | DCH0218  | 2-1/8"  | DCH0412  | 4-1/2"   |
| DCH1036  | 13/16"   | DCH0214  | 2-1/4"  | DCH0434  | 4-3/4"   |
| DCH0078  | 7/8"     | DCH0256  | 2-5/16" | DCH0500  | 5"       |
| DCH1056  | 15/16"   | DCH0238  | 2-3/8"  | DCH0514  | 5-1/4"   |
| DCH0100  | 1"       | DCH0212  | 2-1/2"  | DCH0512  | 5-1/2"   |
| DCH0116  | 1-1/16"  | DCH0296  | 2-9/16" | DCH0600  | 6"       |
| DCH0118  | 1-1/8"   | DCH0258  | 2-5/8"  | DCH160M  | 6-5/16"  |
| DCH0136  | 1-3/16"  | DCH0234  | 2-3/4"  | DCH168M  | 6-5/8"   |
| DCH0114  | 1-1/4"   | DCH0278  | 2-7/8"  | DCH177M  | 6-31/32" |
| DCH0156  | 1-5/16"  | DCH0300  | 3"      | DCH210M  | 8-9/32"  |
| DCH0138  | 1-3/8"   | DCH0318  | 3-1/8"  |          |          |
| DCH0176  | 1-7/16"  | DCH0314  | 3-1/4"  |          |          |
| DCH0112  | 1-1/2"   | DCH0338  | 3-3/8"  |          |          |
| DCH0196  | 1-9/16"  | DCH0312  | 3-1/2"  |          |          |
| DCH0158  | 1-5/8"   | DCH0358  | 3-5/8"  |          |          |
| DCH1116  | 1-11/16" | DCH0334  | 3-3/4"  |          |          |
| DCH0134  | 1-3/4"   | DCH0378  | 3-7/8"  |          |          |
| DCH1136  | 1-13/16" | DCH0400  | 4"      |          |          |
| DCH0178  | 1-7/8"   | DCH0418  | 4-1/8"  |          |          |



## ► PILOT DRILLS

- Clamshell packed.

| ITEM NO.                   | DESCRIPTION                                  |
|----------------------------|----------------------------------------------|
| KA014CE                    | For All Arbours, 4" Long HSS                 |
| *KXA014C                   | For All diamond Grit Arbours, 4" Carbide Tip |
| <b>*TO BE DISCONTINUED</b> |                                              |



KA014CE



KA014

## ► DISPLAY COMPONENTS

**Starrett®**

- Designed to be used with hooks to hang product.
- Available at no charge with Starrett stock order.

| ITEM NO. | DESCRIPTION                          |
|----------|--------------------------------------|
| PKG5519  | 12" X 24" Display Board with Backing |
| PKG5522  | 24" Header with Graphics             |
| PKG5523  | 24" Graphics Sign Only               |
| PKG5524  | 12" Header with Hardware             |
| PKG5525  | 12" Graphics                         |
| PKG5526  | Brochure Holder                      |
| PKG5529  | 7" Hook To Be Used on PKG5519        |



## ► HOLESAW KITS - BI-METAL DUAL PITCH

**Starrett®**

- Supplied in blown plastic case.

| ITEM NO. | DESCRIPTION                                                                                                                                                                               |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KDC06034 | Locksmith Kit Contains 1 each: 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8" A1E and A10E Arbors, A12 Arbors, Adaptor Pilot Drill                                                              |
| KDC09051 | Maintenance Kit Contains 1 each:<br>3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"<br>A1E, A2E Adaptors,<br>A15-12" Extension,<br>A12 Arbor Adaptor<br>A014CE Pilot Drill |



## ▶ ARBOURS - PARTS

**Starrett®**

- Arbours supplied with pilot drill.

| ITEM NO. | CLAM OR BOXED | DESCRIPTION                                                              | EQUIV MORSE #'S |
|----------|---------------|--------------------------------------------------------------------------|-----------------|
| A4-E     | B             | Fits 9/16" - 1-3/16" 1/4" Hex Shank                                      | M34, M44        |
| A1-E     | C             | Fits 9/16" - 1-3/16 11/32" Hex Shank                                     | MK24K           |
| A10-E    | C             | Fits 1-1/4" - 8-9/32" 11/32" Hex Shank Quick Hitch                       | M55P            |
| A2-E     | C             | Fits 1-1/4" - 8-9/32" 7/16" Hex Shank Quick Hitch                        | M35PS           |
| KA19     | C             | Oops Arbour 13/16" - 1-3/16" for Hole Enlargement                        |                 |
| *XA1     | B             | Arbour with Carbide Tipped Pilot Drill 11/32" Shank Fits 9/16" - 1-3/16" |                 |
| KA15     | C             | Fits 3/8" Chuck 12" Extension                                            |                 |
| KA5      | C             | Fits 1/2" Chuck 12" Extension                                            |                 |
| KA7      | C             | Ejector Spring                                                           |                 |
| KA12     | C             | Arbor Adaptor-To Create Larger Thread                                    |                 |

**\*TO BE DISCONTINUED**



A1-E



A4-E



A10-E, A2-E



KA7



KA12



KA15, KA5



KA19

## ▶ HACKSAW BLADES

**Starrett®**

- Bimetal blade and carbon steel blades are suitable for mild steel, copper, brass, aluminum and like materials.
- All hacksaw blades packed in tubes of 10 blades.

| ITEM NO.            | DESCRIPTION                  |
|---------------------|------------------------------|
| <b>Bimetal</b>      |                              |
| KBS1218-10          | 12" X 18T 10 Blades per Tube |
| KBS1224-10          | 12" X 24T 10 Blades per Tube |
| KBS1232-10          | 12" X 32T 10 Blades per Tube |
| <b>Carbon Steel</b> |                              |
| KGF1218-10          | 12" x 18T 10 Blades per Tube |
| KGF1224-10          | 12" X 24T 10 Blades per Tube |
| KGF1232-10          | 12" X 32T 10 Blades per Tube |



▶ **BI-METAL RECIPROCATING SAW BLADES**

Starrett®

- Packed 5 blades per pack.

| ITEM NO.    | DESCRIPTION         | TPI                                 | APPLICATION             |
|-------------|---------------------|-------------------------------------|-------------------------|
| B66-5       | 6" X 3/4" X 0.035"  | 6                                   | General Power           |
| B618-5      | 6" X 3/4" X 0.035"  | 18                                  | General Power           |
| BT123-5     | 12" x 3/4" x 0.050" | 3                                   | Tapered General Purpose |
| BT12610-5   | 12" x 1" x 0.063"   | 6-10                                | Tapered General Purpose |
| BTR91014-5  | 9" x 1" x 0.063"    | 10-14                               | King Cut Fire, Rescue   |
| BTR121014-5 | 12" x 1" x 0.063"   | 10-14                               | King Cut Fire, Rescue   |
| SB6-A       | 6" x 3/4" x .035"   | 5 piece set (6, 10, 14, 18, 24 TPI) |                         |

▶ **BI-METAL HACKSAW BLADES**G-MAN®  
The Swedish Saw Expert

- Cobalt alloy high speed steel cutting edge with flexible steel back.
- Exceptional cutting performance and wear resistance.
- Sold in bundles of 10, packed 10 bundles per pack.
- Made in Sweden.

| ITEM NO.    | SIZE      | DIMENSIONS (MM)  | PACK                         |
|-------------|-----------|------------------|------------------------------|
| GM3003-3018 | 12" x 18T | 300 x 12,5 x 0,6 | 10 per bundle / 100 per pack |
| GM3003-3024 | 12" x 24T | 300 x 12,5 x 0,6 | 10 per bundle / 100 per pack |
| GM3003-3032 | 12" x 32T | 300 x 12,5 x 0,6 | 10 per bundle / 100 per pack |

▶ **CHALK REFILLS**

Starrett®

- Bottle supplied with easy handling no-spill cap.

| ITEM NO.            | DESCRIPTION                          |
|---------------------|--------------------------------------|
| *SC4RED             | 4 LB. Bottle Removable, Red Colour   |
| *SUC4BLK            | 4 LB. Bottle Removable, Black Colour |
| *TO BE DISCONTINUED |                                      |

▶ **PORTABLE BANDSAW BLADES**

Starrett®

- Uses triple-tempered M-42 cobalt high speed steel with fatigue-resistant back.
- Fits B & D, Greenlee, Milwaukee, Ridgid, Rockwell, Portor Cable, Skill, Unitec.
- Twin tooth design allows better cutting and longer lasting.
- Uses Starrett's bimetal unique technology.
- Sold in 3 blades per pack.

| ITEM NO.            | DESCRIPTION             | TPI    |
|---------------------|-------------------------|--------|
| *BM14               | 1/2" x 0.020" x 44-7/8" | 14S    |
| *BM1014             | 1/2" x 0.020" x 44-7/8" | 10-14P |
| *TO BE DISCONTINUED |                         |        |





## ▶ KEY CADDY

**Starrett®**

- Supplied with 21" stainless steel chain and key ring.
- Heavy duty diecast case.
- Belt clip fastener.

| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| SK1      | Starrett Key Caddy |



## ▶ POWER RETURN MEASURING TAPE - ISO 9002 CERTIFIED

- Easy to find fluorescent orange ABS case.
- Includes wrist lanyard and belt clip.
- 16" markings indicated.
- Triple-riveted end hook.
- Individually carded.

| ITEM NO. | LENGTH     | MARKINGS       | WIDTH |
|----------|------------|----------------|-------|
| MT-16ME  | 16' (5 M)  | English/Metric | 3/4"  |
| MT-25ME  | 25' (7.5M) | English/Metric | 1"    |
| MT-25EE  | 25'        | English Only   | 1"    |



## ▶ FIBREGLASS MEASURING TAPE - OPEN REEL

- Markings in 1/8" THS (Standard) and 2mm (Metric).
- One side metric, one side standard measure.
- Large strong steel claw for positive fastening.
- Durable plastic body with folding handle.

| ITEM NO.  | LENGTH        | WIDTH |
|-----------|---------------|-------|
| JGWF-303  | 100 ft (30 M) | 1/2"  |
| JGWF-1003 | 330ft (100 M) | 1/2"  |



## ▶ VERNIER CALIPERS - STEEL

**CH UNEX**

- Surfaces are ground and lapped to promote smooth slide operation.
- Easy to read black numbers on satin chrome surface.
- Inside, outside & depth measurements.
- High quality steel, chrome hardened.
- 6" (150mm) metric and inch scale.
- Supplied with case.
- Screw lock.

| ITEM NO. | DESCRIPTION                    |
|----------|--------------------------------|
| 7910     | 0.05mm - 1/128" Vernier Scale  |
| 7912     | 0.02mm - 1/1000" Vernier Scale |



## ▶ ELECTRONIC DIGITAL CALIPER

- Data output capability for interface with host computer or printer.
- Pushbutton control to convert metric to inches.
- Inside, outside & depth measurements.
- 1.5 V long-life battery included.
- "0" reset in any position.
- Supplied with case.
- 0" - 6" or 150mm.
- Graduated slide.
- LCD readout.
- Large display.
- Auto off.



| ITEM NO. | DESCRIPTION             |
|----------|-------------------------|
| M-4306YF | 0" - 6" Digital Caliper |

## ▶ OUTSIDE MICROMETERS

- Locking screw included.
- Supplied with case.
- Precision ground.

| ITEM NO.            | DESCRIPTION                                |
|---------------------|--------------------------------------------|
| *MC-01              | 0" - 1" Cap. 0.0005" Graduation            |
| *MC-01M             | (METRIC) 0-25mm Capacity 0.01mm Graduation |
| *TO BE DISCONTINUED |                                            |



## ▶ MAGNETIC BASE

- Specially designed base with "V" groove, has two machined surfaces to allow clamping to straight and round surfaces.
- Designed to support dial indicators, and other precision measuring devices.
- Powerful alnico permanent magnet.
- Lever type on/off switch.
- 60 kg. holding strength.

| ITEM NO. | DESCRIPTION   |
|----------|---------------|
| MB-B     | Magnetic Base |



## ▶ DIAL GAUGE

- Precision ground hand chrome plated stem, and contact point.
- Satin chrome-plated case, back mounting.
- Easy to read face.

| ITEM NO. | DESCRIPTION              |
|----------|--------------------------|
| 200-111  | 1" Travel 0.001" Reading |



## RIVETS

- Coated steel mandrels.
- Dome head type.

| ITEM NO. | DESCRIPTION          | RIVET BODY SIZE | GRIP RANGE | RIVET MAT. | MANDREL MAT. | DRILL SIZE    | PKG.         |
|----------|----------------------|-----------------|------------|------------|--------------|---------------|--------------|
| SRAS42   | Aluminum Steel Rivet | 1/8" (3.2mm)    | 1/16"-1/8" | Aluminum   | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRAS43   | Aluminum Steel Rivet | 1/8" (3.2mm)    | 1/8"-3/16" | Aluminum   | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRAS44   | Aluminum Steel Rivet | 1/8" (3.2mm)    | 3/16"-1/4" | Aluminum   | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRAS46   | Aluminum Steel Rivet | 1/8" (3.2mm)    | 5/16"-3/8" | Aluminum   | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRSS42   | Steel/Steel Rivet    | 1/8" (3.2mm)    | 1/16"-1/8" | Steel      | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRSS43   | Steel/Steel Rivet    | 1/8" (3.2mm)    | 1/8"-3/16" | Steel      | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRSS44   | Steel/Steel Rivet    | 1/8" (3.2mm)    | 3/16"-1/4" | Steel      | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRSS46   | Steel/Steel Rivet    | 1/8" (3.2mm)    | 5/16"-3/8" | Steel      | Coated Steel | .129-.133 #30 | Poly bag 100 |
| SRSS62   | Steel/Steel Rivet    | 3/16" (4.8mm)   | 1/16"-1/8" | Steel      | Coated Steel | .192-.196 #11 | Poly bag 100 |
| SRSS64   | Steel/Steel Rivet    | 3/16" (4.8mm)   | 3/16"-1/4" | Steel      | Coated Steel | .192-.196 #11 | Poly bag 100 |
| SRSS66   | Steel/Steel Rivet    | 3/16" (4.8mm)   | 1/4"-3/8"  | Steel      | Coated Steel | .192-.196 #11 | Poly bag 100 |
| SRSS68   | Steel/Steel Rivet    | 3/16" (4.8mm)   | 3/8"-1/2"  | Steel      | Coated Steel | .192-.196 #11 | Poly bag 100 |
| SRSS66LF | Steel/Steel Rivet    | 3/16" (4.8mm)   | 1/4"-3/8"  | Steel      | Coated Steel | .192-.196 #11 | Boxed 250    |

SRHR-705KIT: REPLACEMENT JAW SET



SS & AS SERIES



SS42



AS44



SRSS66LF



SRSS66 LARGE FLANGE

## RIVET GUN

- Packaged in display card hang pack.
- Perfect for DIY market.
- Wrench included.
- 2-jaw design.

| ITEM NO. | WEIGHT | LENGTH | DESCRIPTION     | CAPACITY      |              |               |               |
|----------|--------|--------|-----------------|---------------|--------------|---------------|---------------|
|          |        |        |                 | 2.4mm (3/32") | 3.2mm (1/8") | 4.0mm (5/32") | 4.8mm (3/16") |
| SRHR-702 | 530 g  | 255mm  | Aluminum        | ✓             | ✓            | ✓             | ✓             |
|          |        |        | Steel           | ✓             | ✓            | ✓             | ✗             |
|          |        |        | Stainless Steel | ✓             | ✓            | ✓             | ✗             |
| SRHR-705 | 525 g  | 255mm  | Aluminum        | ✓             | ✓            | ✓             | ✓             |
|          |        |        | Steel           | ✓             | ✓            | ✓             | ✓             |
|          |        |        | Stainless Steel | ✓             | ✓            | ✓             | ✓             |



SRHR-702



SRHR-705





03


# Striking Tools



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling



## HATCHETS & AXES - PREMIUM AXES BY HULTAFORS - MADE IN SWEDEN

- Each box has a sleeve with history, facts and warranty information.
- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- All axe heads have a curved back for holding when carving.
- Handles are made of American hickory with linseed oil treatment.
- Each axe includes a treated leather sheath.
- Each axe packed in an individual box.
- Heads are hand-forged.

| ITEM NO.  | DESCRIPTION                | NAME                   | HEAD WEIGHT (G.) | HEAD WEIGHT (LBS.) | HANDLE LENGTH |
|-----------|----------------------------|------------------------|------------------|--------------------|---------------|
| HF841760  | Mini Hatchet               | Agelsjon               | 500              | 1.10               | 9"            |
| HF842760H | Replacement Hickory Handle | Fits Agelsjon          |                  |                    | 9"            |
| HF841701  | Hatchet                    | Hultan                 | 500              | 1.10               | 15"           |
| HF842701H | Replacement Hickory Handle | Fits Hultan            |                  |                    | 15"           |
| HF840766S | Spare Sheath               | Fits Hultan & Agelsjon |                  |                    |               |
| HF841770  | Forest Axe                 | Aby                    | 700              | 1.54               | 24"           |
| HF842770H | Replacement Hickory Handle | Fits Aby               |                  |                    | 24"           |
| HF841780  | Forest Axe                 | Dvardala               | 700              | 1.54               | 17.5"         |
| HF842771H | Replacement Hickory Handle | Fits Dvardala          |                  |                    | 17.5"         |
| HF840776S | Spare Sheath               | Fits Dvardala & Aby    |                  |                    |               |
| HF841710  | Hunting Axe                | Ekelund                | 850              | 1.87               | 20"           |
| HF842710H | Replacement Hickory Handle | Fits Ekelund           |                  |                    | 20"           |
| HF840716S | Spare Sheath               | Fits Ekelund & Quarfot |                  |                    |               |
| HF841720  | Felling Axe                | Quarfot                | 850              | 1.87               | 26"           |
| HF842720H | Replacement Hickory Handle | Fits Quarfot           |                  |                    | 26"           |



Aby



Dvardala



Hultan Ekelund Quarfot



Agelsjon

## PREMIUM CARPENTER AXE "STALBERG" - MADE IN SWEDEN

- Handles are fastened with 1 wood wedge and 1 round metal wedge.
- Each box has a sleeve with history, facts and warranty information.
- All axe heads have a curved back for holding when carving.
- Handles are made of American hickory with linseed oil treatment.
- Each axe includes a treated leather sheath.
- Each axe packed in an individual box.
- Heads are hand-forged.

| ITEM NO.  | DESCRIPTION                | HEAD WEIGHT (G.) | HEAD WEIGHT (LBS.) | HANDLE LENGTH |
|-----------|----------------------------|------------------|--------------------|---------------|
| HF841730  | Premium Carpenter's Axe    | 850              | 1.87               | 20"           |
| HF842730H | Replacement Hickory Handle |                  |                    | 20"           |
| HF840736S | Spare Sheath               |                  |                    |               |





## ► PREMIUM SPLITTING AXE “HULT” - MADE IN SWEDEN



- Each axe includes treated leather sheath, packed in individual box and has sleeve with history, facts and warranty information.
- 30” long straight handle made from American hickory with linseed oil treatment.
- Handles are wedged with 1 wood wedge and 1 round metal wedge.
- All axe heads have curved back for holding when carving.
- Specially shaped head is hand forged.
- 3.3 lbs (1.5kg).



| ITEM NO.  | DESCRIPTION                | HEAD WEIGHT (G) | HEAD WEIGHT (LBS.) | HANDLE LENGTH |
|-----------|----------------------------|-----------------|--------------------|---------------|
| HF841740  | Premium Splitting Axe      | 1500            | 3.31               | 29.5”         |
| HF842740H | Replacement Hickory Handle |                 |                    | 30”           |
| HF840746S | Spare Sheath               |                 |                    |               |

## ► PREMIUM COMPETITION - DB THROWING AXE - WETTERHALL - MADE IN SWEDEN



- Supplied with 30” total length hickory handle and leather sheath.
- 8” Tip-to-tip cutting edge to cutting edge.
- Hand forged 3.5 lb/1600 gram/DB head.
- 6” Polished cutting edges.



| ITEM NO.  | DESCRIPTION                       | HEAD WEIGHT (G) | HEAD WEIGHT (LBS.) | HANDLE LENGTH |
|-----------|-----------------------------------|-----------------|--------------------|---------------|
| HF841750  | Double Bit Throwing Axe           | 1600            | 3.53               | 30”           |
| HF842750H | Replacement Hickory Handle        |                 |                    | 30”           |
| HF840756S | Sheath for Double Bit Axe (2 Pce) |                 |                    |               |

## ► ARVIKA BRAND AXES - BY HULTAFORS RACING AXE - MADE IN SWEDEN



- Commonly used in competition and shake splitting.
- Complete with a 32” hickory handle.
- Arvika - highly polished head.

| ITEM NO.                             | DESCRIPTION                     | HEAD WEIGHT (G) | HEAD WEIGHT (LBS.) | HANDLE LENGTH | REPL. HANDLE |
|--------------------------------------|---------------------------------|-----------------|--------------------|---------------|--------------|
| *HF840511 (Replacement for 40-32REG) | Arivka Axe w/32” Hickory Handle | 200             | 4-1/2              | 31.5”         | 204-40       |

\*LIMITED AVAILABILITY



## ► SHARPENING STONE - MADE IN SWEDEN



- To be used with water for best results.
- Offers 2 grits; 180 grit and 600 grit.
- Instruction book included.
- 3” diameter x 1” thick.
- Leather case.



| ITEM NO. | DESCRIPTION      |
|----------|------------------|
| HF840792 | Sharpening Stone |



## ► RACING AXE - MADE IN SWEDEN

- Tasmanian - painted head.
- Complete with smooth or rough grip hickory handle.
- Commonly used in competition and shake splitting.

| ITEM NO.     | HEAD WEIGHT | DESCRIPTION                      | REPL. HANDLE |
|--------------|-------------|----------------------------------|--------------|
| HF840500     | 4-1/2 lb.   | Tasmanian Axe w/Rough Grip Hdle  | 205-RGT      |
| HF840500-REG | 4-1/2 lb.   | Tasmanian Axe w/Smooth Grip Hdle | 204-40       |

*Please specify "\*\*GRIP" for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.*  
*\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".*



**OCHSENKOPF**  
BY GEDORE

## ► ILTIS OX-HEAD BRAND AXES - MADE IN GERMANY

- Special analysis axe steel, hardened from blade edge to the axe eye by newly developed treatment, guarantees longest durability and excellent cutting effect.
- The blade, which is scientifically designed, extraordinarily thin & almost parallel, reduces the weight but doubles the performance.
- The blade of Iltis axes, however, being more flexible, reduces the danger of breaking considerably, compared to so-called rigid axes.
- Easier renewal of the edge due to the favourable cross-cut, based on the almost parallel blade.
- Sharpening before chopping is eliminated, because Iltis axes are shipped drawn, ready for use.
- Science proves that the blade of axe is distorted with each stroke.
- American hickory handles.



**OCHSENKOPF**  
BY GEDORE

## ► YANKEE PATTERN - SINGLE BIT

- Complete with Vinyl Sheath (OX15H-0807)

| ITEM NO.   | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|------------|-------------|---------------|-------------|
| OX15H-0807 | 1-3/4 lbs.  | 28"           | 302         |



OX15H-0807



**OCHSENKOPF**  
BY GEDORE

## ► OX HEAD COMPETITION AXE - DOUBLE BIT THROWING AXE - MADE IN GERMANY

- 6" width double blade tip to blade tip, 10-3/4" blade centre to blade centre.
- Tempered to maximum hardness without becoming too hard.
- **Supplied with leather blade protectors.**
- Satin brushed finish.

| ITEM NO.  | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|-----------|-------------|---------------|-------------|
| OX18-1200 | 3 lbs.      | 28" Hickory   | 208         |



## SPLITTING MAULS

- Special blade shape for high splitting performance.
- Laquered ashwood handle.
- Made in Germany.



| ITEM NO. | WEIGHT    | HANDLE LENGTH | REPL. HANDLE      |
|----------|-----------|---------------|-------------------|
| BW006040 | 2.75 lbs. | 20"           | HDL-1250/BW001106 |
| BW006057 | 5.5 lbs.  | 31"           | HDL-5000/BW105262 |



BW006040



BW006057

## CURVED DRAW KNIFE

- 10" (250mm) high carbon C60 oil-hardened steel blade.
- Painted European hardwood handles.
- Made in Europe.



| ITEM NO. | DESCRIPTION           |
|----------|-----------------------|
| BW006033 | 10" Curved Draw Knife |



## CARPENTER'S ADZES - HEAD ONLY - MADE IN GERMANY



| ITEM NO. | HEAD WEIGHT |
|----------|-------------|
|----------|-------------|

### Straight Pattern:

\*H56-51 2-2/3 lbs.


\*Requires #215, 32" (800mm) Ash Handle



## ► DRAW KNIVES - MADE IN GERMANY

- Forged steel with wood handles.

| ITEM NO. | DESCRIPTION                                     |
|----------|-------------------------------------------------|
| P-7      | 4-1/2" Handles, 10" Cutting Edge, Straight Edge |
| P-7CB    | 3-1/2" Handles, 9" Cutting Edge, Curved Blade   |



## ► BEAVER BRAND HATCHET

- Head fastened with round steel wedge and wood wedge.
- Popular throwing axe hatchets.
- Hickory handles.

| ITEM NO | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|---------|-------------|---------------|-------------|
| 90-150  | 1-1/2 lbs.  | 15"           | 212         |



## ► BEAVER BRAND AXES

- Head fastened with round steel wedge and wood wedge.
- Supplied with hickory handles.

| ITEM NO | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|---------|-------------|---------------|-------------|
| 91-175  | 1-3/4 lbs.  | 26"           | 200-SG      |
| 93-250  | 2-1/2 lbs.  | 28"           | 302         |



Please specify **"\*GRIP"** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC warehouse only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

▶ **SINGLE BIT "MINERS" - RAFTING AXE, STRAIGHT HANDLE**

CH UNEX

- Straight high-grade American hickory handle.
- Yankee pattern.

| ITEM NO.             | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|----------------------|-------------|---------------|-------------|
| *16-350              | 3-1/2 lbs.  | 28"           | 206         |
| *FOB SURREY, BC ONLY |             |               |             |

▶ **SINGLE BIT AXES - FACTORY INSTALLED FIBREGLOSS HANDLES**

CH UNEX

- Strong Fibreglass core with polypropylene outer housing.
- Rubber hand-grip for comfort and safety.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH |
|----------|-------------|---------------|
| FA-25    | 2-1/2 lbs.  | 28"           |
| FA-35    | 3-1/2 lbs.  | 36"           |

▶ **HATCHETS, CAMPING AXES**

CH UNEX

- Strong Fibreglass core with polypropylene outer housing.
- Rubber handgrip for comfort and safety.
- Fibreglass handle.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH |
|----------|-------------|---------------|
| FA-15    | 1-1/2 lbs.  | 15"           |

▶ **HATCHETS, CAMPING AXES**

CH UNEX

- Hardwood handle.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH |
|----------|-------------|---------------|
| 2015     | 1-1/4 lbs.  | 14"           |

▶ **PULASKI FIRE AXES**

CH UNEX

- Straight high-grade American hickory handle.
- Yankee pattern.

| ITEM NO.                       | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|--------------------------------|-------------|---------------|-------------|
| <b>With Wood Handle:</b>       |             |               |             |
| 100-350                        | 3-1/2 lbs.  | 36"           | 402         |
| <b>With Fibreglass Handle:</b> |             |               |             |
| 100-350FG                      | 3-1/2 lbs.  | 34"           | N/A         |



## ► FIRE AXES WITH SPIKE

**CH UNEX**

- Yankee pattern.
- Wood handle.

| ITEM NO.                      | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|-------------------------------|-------------|---------------|-------------|
| 97-450                        | 4-1/2 lbs.  | 36"           | 304         |
| 98-600                        | 6 lbs.      | 36"           | 305A        |
| <b>With Fibreglass Handle</b> |             |               |             |
| 98-600FG                      | 6 lbs.      | 36"           |             |



## ► HOOKAROO

**CH UNEX**

- Heads drilled for pin.

| ITEM NO.                    | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|-----------------------------|-------------|---------------|-------------|
| <b>With Hickory Handle:</b> |             |               |             |
| 15-36                       | 2 lbs.      | 36"           | 304         |



## ► SINGLE BIT YANKEE PATTERN WIDE MAUL HEAD

**CH UNEX**

- All 3-1/2 lb Unex brand axes are pinned.
- Wide maul head.
- Yankee Pattern.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|----------|-------------|---------------|-------------|
| *10-250  | 2-1/2 lbs.  | 21"           | 301         |
| 11-250   | 2-1/2 lbs.  | 28"           | 302         |
| *10-350  | 3-1/2 lbs.  | 21"           | 301         |
| *11-350  | 3-1/2 lbs.  | 28"           | 302         |
| *12-350  | 3-1/2 lbs.  | 24"           | 303         |
| *22-350  | 3-1/2 lbs.  | 32"           | 204         |
| 23-350   | 3-1/2 lbs.  | 36"           | 304         |

**\*FOB SURREY, BC ONLY**



Please specify **"\*GRIP"** for Yellow safety grip - available on all hickory handles for an additional charge. Surrey BC warehouse only. Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ► SPLITTING MAULS FOR WOOD SPLITTING

**CH UNEX**

- Standard axe eye and with Hickory handles.
- Oregon pattern.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH | REPLACEMENT HANDLE |
|----------|-------------|---------------|--------------------|
| 4806     | 6 lbs.      | 36"           | 236                |
| 4808     | 8 lbs.      | 36"           | 236                |



## ▶ WOODSPLITTING FROE

- 15" x 2" x 1/4" Thick manganese steel blade, quenched and hardened.
- Used for controlled splitting for shakes, saplings.
- 18" Hardwood handle.

| ITEM NO. | DESCRIPTION                  |
|----------|------------------------------|
| 2060     | 15" Splitting Froe           |
| HDL-2060 | 18" Hardwood Handle For Froe |



## ▶ AXE PROTECTORS & HOLDERS

**AXE MATE™**

- Bright orange velcro strap allows secure holding power yet quick release of axe.
- Durable one-piece polypropylene construction resists cold and heat.
- Pre-drilled for easy fastening to ATV, snow mobile, truck or wall.
- Drain holes are built into **AXE MATE** to allow drainage of water.
- Axe handle fastens into flexible tab to secure handle.

Manufactured and Registered Trademark by  
G Hjukstrom Ltd

| ITEM NO. | DESCRIPTION                                             |
|----------|---------------------------------------------------------|
| AM-250   | For Most Axes up to 2-1/2 lbs. Supplied with Belt Loop. |
| AM-350   | For Most Axes up to 3-1/2 lbs.                          |



## ▶ AXE SHEATHS

- Made with belt loops to fasten onto belt.
- Constructed of durable split leather.
- Reinforced with rivets.
- Snap-down flap.
- Header card.

| ITEM NO. | DESCRIPTION                                                            |
|----------|------------------------------------------------------------------------|
| S-3000   | Designed To Fit Most 2-1/2 Lb. Axes                                    |
| S-3901   | Designed To Fit Most 1-1/4 To 1-1/2 Lb. Hatchets                       |
| S-1002   | Designed To Fit Ox-1002 (Wide Blade). Most 3-1/2 Lb. Axes, And Arvika. |



## ▶ FELLING & BUCKING WEDGE

- Made of tough polypropylene.
- Packed 10 per carton.
- Double taper design.

| ITEM NO. | DESCRIPTION                       |
|----------|-----------------------------------|
| 46378    | 7" Long x 3" Wide Wedge (yellow)  |
| 46386    | 10" Long x 3" Wide Wedge (yellow) |





## ► SCRAPER - STEEL

- Ideal for scraping ice or removing roofing material.
- Handle socket accepts standard shovel handle.
- Large 4" blade with single bevel.
- 14" overall length.



| ITEM NO. | DESCRIPTION             | HANDLE REQUIRED |
|----------|-------------------------|-----------------|
| SC-HDL   | Scraper w/48" Handle    | HDL-04          |
| SC-04    | Steel Scraper Head Only |                 |
| HDL-04   | Handle for SC-04        |                 |

## ► SLEDGE HAMMERS WITH AMERICAN HICKORY HANDLES



- Assembled in our warehouse.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH | REPL. HANDLE |
|----------|-------------|---------------|--------------|
|----------|-------------|---------------|--------------|

### *Standard Sledge Hammers:*

|           |         |     |        |
|-----------|---------|-----|--------|
| *1060-041 | 4 lbs.  | 18" | 224-55 |
| *1060-042 | 4 lbs.  | 28" | 226    |
| *1060-06  | 6 lbs.  | 32" | 227-SR |
| *1060-08  | 8 lbs.  | 36" | 229    |
| *1060-10  | 10 lbs. | 36" | 229    |
| *1060-12  | 12 lbs. | 36" | 229    |
| *1060-16  | 16 lbs. | 36" | 232    |
| *1060-20  | 20 lbs. | 36" | 232    |

\*FOB SURREY, BC ONLY



## ► SOFT FACE SLEDGE HAMMERS

- Made of softer grade steel as required by Workers Compensation Board for certain applications.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH | REPL HANDLE |
|----------|-------------|---------------|-------------|
|----------|-------------|---------------|-------------|

|           |        |     |        |
|-----------|--------|-----|--------|
| *1065-041 | 4 lbs. | 18" | 224-55 |
| *1065-042 | 4 lbs. | 28" | 226    |

\*FOB SURREY, BC ONLY



## ► SLEDGE HAMMERS - FACTORY INSTALLED FIBREGLASS HANDLE



- Unaffected by moisture and temperature, will not shrink or swell.
- Strong plastic-coated fibreglass core.
- Will not be harmed by chemicals.
- Will not conduct electricity.
- Stronger than wood.
- Homeowner grade.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH |
|----------|-------------|---------------|
|----------|-------------|---------------|

|         |        |     |
|---------|--------|-----|
| FSH-041 | 4 lbs  | 15" |
| FSH-042 | 4 lbs  | 24" |
| FSH-06  | 6 lbs  | 36" |
| FSH-08  | 8 lbs  | 36" |
| FSH-10  | 10 lbs | 36" |



## ► CLUB HAMMER

- Quality steel head.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH |
|----------|-------------|---------------|
|----------|-------------|---------------|

**Hardwood Handle:**

|         |            |     |
|---------|------------|-----|
| 799-250 | 2 1/2 lbs. | 12" |
|---------|------------|-----|

**Factory Installed Fibreglass Handle:**

|          |            |     |
|----------|------------|-----|
| FST-1250 | 2 1/2 lbs. | 10" |
|----------|------------|-----|



799-250



FST-1250

## ► BLACKSMITH HAMMERS



- Head of high quality steel.
- Professional.

| ITEM NO. | HEAD WEIGHT | REPL HANDLE |
|----------|-------------|-------------|
|----------|-------------|-------------|

**With 18" American Hickory Handle:**

|        |        |        |
|--------|--------|--------|
| 3500-3 | 3 lbs. | 224-53 |
|--------|--------|--------|

**With 16" Fibreglass Handle:**

|          |        |  |
|----------|--------|--|
| FMH-1500 | 3 lbs. |  |
|----------|--------|--|



3500-3



FMH-1500

## ► SPLITTING MAULS - FIBREGLASS HANDLE



- Supplied with 36" epoxy fastened handle.
- Rubber grip handle for more secure grip.
- Poly-coated Fibreglass core.
- Stronger than wood.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                             |
|--------|-----------------------------|
| FSM-06 | 6 lb Fibreglass Handle Maul |
|--------|-----------------------------|

|        |                             |
|--------|-----------------------------|
| FSM-08 | 8 lb Fibreglass Handle Maul |
|--------|-----------------------------|



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ BALL PEIN MACHINIST'S HAMMERS - AMERICAN HICKORY HANDLES



- Complete with UNEX hickory handles.
- Polished sides.

| ITEM NO. | HEAD WEIGHT | HANDLE LENGTH | REPL. HANDLE |
|----------|-------------|---------------|--------------|
| *HJ-3008 | 1/2 lbs.    | 12"           | 217          |
| *HJ-3012 | 3/4 lbs.    | 12"           | 217          |
| *HJ-3016 | 1 lbs.      | 14"           | 218          |
| *HJ-3024 | 1-1/2 lbs.  | 16"           | 275          |
| *HJ-3032 | 2 lbs.      | 16"           | 275          |
| *HJ-3040 | 2-1/2 lbs.  | 18"           | 224-53       |

\*FOB SURREY, BC ONLY



## ▶ BALL PEIN MACHINIST'S HAMMERS - FIBREGLASS HANDLE



- Polished surfaces.
- Rubber grip.

| ITEM NO. | HEAD WEIGHT         | HANDLE LENGTH |
|----------|---------------------|---------------|
| 4016-FG  | 1 lbs. (16 oz.)     | 13"           |
| 4024-FG  | 1-1/2 lbs. (24 oz.) | 14"           |
| 4032-FG  | 2 lbs. (32 oz.)     | 15 1/2"       |
| 4040-FG  | 2-1/2 lbs. (40 oz.) | 16 1/2"       |



## ▶ HAMMERS - BRASS (NON-SPARKING) - HEADS BY ABC HAMMERS

- Ideal for mining, gas plants, maintenance, tool & die makers and many other areas where non-sparking is required.
- American hickory handles wedged with specially made brass wedges.
- Yellow brass - 406 heads made in USA.

| ITEM NO. | HEAD & HANDLE WEIGHT | HEAD DIAMETER | HANDLE LENGTH | HANDLE | DESCRIPTION                                        |
|----------|----------------------|---------------|---------------|--------|----------------------------------------------------|
| **BRH-05 | 5 lbs                | 1 7/8"        | 18"           | 224-55 | Same As Above                                      |
| **BRH-10 | 10 lbs               | 2 1/2"        | 36"           | 229    | Brass Hammer W/Hickory Handle And Rectangular Head |

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



## ▶ HAMMERS - BRASS (NON-SPARKING) - FIBREGLASS HANDLES

| ITEM NO.   | HEAD & HANDLE WEIGHT | HEAD DIAMETER | HANDLE LENGTH | DESCRIPTION                                         |
|------------|----------------------|---------------|---------------|-----------------------------------------------------|
| **BRH-10FG | 10 lbs               | 2 1/2"        | 34"           | Brass Hammer W/Fiberglass Handle & Rectangular Head |

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ CARPENTER'S CLAW HAMMERS



| ITEM NO. | DESCRIPTION                                       |
|----------|---------------------------------------------------|
| 6720T    | 16 oz. Tubular Steel Handle with Rubber Grip.     |
| 6722F    | 16 oz. Fibreglass Handle with Rubber Grip.        |
| 6722W    | 16 oz. Hardwood Handle (Replacement Handle #221). |



6720T



6722F



6722W

## ▶ DEADBLOW HAMMERS



- Head is loaded with shot to eliminate rebound and increase strike force.
- Shockless, non-sparking and non-marring face.
- Strong unicast urethane construction.

| ITEM NO. | DESCRIPTION     | WEIGHT |
|----------|-----------------|--------|
| DB-200   | Deadblow Hammer | 2 lbs. |
| DB-300   | Deadblow Hammer | 3 lbs. |



## ▶ RUBBER MALLET - WHITE RUBBER



- Hardwood handle.
- Non-marking.

| ITEM NO. | DESCRIPTION                | HANDLE LENGTH |
|----------|----------------------------|---------------|
| WM-16    | 16 oz. White Rubber Mallet | 11-1/2"       |
| WM-24    | 24 oz. White Rubber Mallet | 12"           |



## ▶ RUBBER MALLET - BLACK RUBBER

- 12" hardwood handle.

| ITEM NO. | DESCRIPTION          | HANDLE LENGTH |
|----------|----------------------|---------------|
| C-001    | 16 oz. Rubber Mallet | 12"           |



\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ DOUBLE BIT AXE HANDLES



- Items 208 and 209 are made of American hickory.
- Items HDL-1250 and HDL-5000 are made of ash-wood.



| ITEM NO.             | LENGTH | GAUGED TO FIT                       |
|----------------------|--------|-------------------------------------|
| 208                  | 28"    | OX18-1200, 18-350, OX-1200, OX-3000 |
| 209                  | 36"    | 18-350, 100-350                     |
| OX-Head Maul Handles |        |                                     |
| HDL-1250             | 20"    | OX-1250                             |
| HDL-5000             | 32"    | OX-5000                             |

## ▶ SINGLE BIT AXE HANDLES



- American hickory.



| ITEM NO. | LIST LENGTH                        | GAUGED TO FIT                    |
|----------|------------------------------------|----------------------------------|
| 200-SG   | 26" - Boy's Axe                    | 91-175                           |
| 204      | 32"                                | 22-350                           |
| 204-40   | 32"                                | 40-32 (HF840500-REG)             |
| *205-RGT | 32" - Rough Grip (Serrated) Handle | 40-32 (HF840500)                 |
| *205-33  | 36" Handle                         | 33-28                            |
| *206     | 28" - Miners Straight Std. Eye     | 48-28, 16-350                    |
| 212      | 15" Handle                         | 90-150                           |
| 301      | 21" - Std. Eye                     | 10-250, 10-350                   |
| 302      | 28" - Std. Eye                     | OX-2001, OX-2002, 11-250, 11-350 |
| 302-1002 | 28" - Euro Eye                     | OX-1002 (H10-1200)               |
| 303      | 24" - Std. Eye                     | OX-1001                          |
| 304      | 36" - Std. Eye                     | 23-350, 97-450, 98-600, 15-36    |
| 305A     | 36" Std. Eye, Ash-wood             | 98-600                           |
| HDL-440  | 32" Replacement Hickory Handle     | OX440-H2708                      |

**\*FOB SURREY, BC ONLY**

## ▶ HICKORY SLEDGE HAMMER HANDLES



- American hickory replacement handles for Sledges, gauged to fit our heads.



| ITEM NO. | DESCRIPTION & EYE SIZE       | GAUGED TO FIT |
|----------|------------------------------|---------------|
| 224-55   | 18" Sledge - 7/8" x 1-1/8"   | 4 lbs.        |
| 226      | 28" Sledge - 7/8" - 1-1/8"   | 4 lbs.        |
| 227-SE   | 32" Sledge - 1" x 1-1/4"     | 6 lbs.        |
| 229      | 36" Sledge - 1" x 1-1/4"     | 8 - 10 lbs.   |
| 232      | 36" Sledge - 1 1/4" x 1-1/2" | 16 - 20 lbs.  |

*Please specify **\*\*GRIP** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey BC only.*

*\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".*

*\*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1-1/4".*

## ► PULASKI AXE HANDLES



| ITEM NO. | DESCRIPTION         |
|----------|---------------------|
| 402      | 36" Hardwood Handle |



## ► HAMMER HANDLES

- American hickory replacement handles for Standard American Eye.

**Machinist's - Ball Pein:**

| ITEM NO. | DESCRIPTION & EYE SIZE | GAUGED TO FIT |
|----------|------------------------|---------------|
| 217      | 12" - 3/4" x 7/16"     | 8 - 12 oz.    |
| 218      | 14" - 29/32" x 17/32"  | 16 - 20 oz.   |
| 275      | 16" - 1-3/16" x 19/32" | 24 - 32 oz.   |
| 224-53   | 18" - 1-3/16" x 11/16" | 32 - 48 oz.   |

**Carpenter's Hammer and Club Hammer Handles - Adze Eye:**

|     |                               |       |
|-----|-------------------------------|-------|
| 221 | 14" - 9/16 x 1-1/16" Eye Size | 6722W |
|-----|-------------------------------|-------|

## ► BLACKSMITH'S HAMMER HANDLES



- American hickory.



| ITEM NO. | DESCRIPTION | GAUGED TO OUR HEAD NO. |
|----------|-------------|------------------------|
| 224-53   | 18" Handle  | 3500-3, 3500-4         |

## ► HOOKAROO HANDLE

- American hickory.



| ITEM NO. | DESCRIPTION | GAUGED TO OUR HEAD NO. |
|----------|-------------|------------------------|
| 304      | 36" Handle  | 15-36, 23-350          |

## ► ADZE HANDLE



- Top grade ash.

| ITEM NO. | LENGTH     | GAUGED TO OUR HEAD NO. |
|----------|------------|------------------------|
| 215      | 32" Handle | H56-51, H56-52         |



Please specify **"\*GRIP"** for Yellow safety grip - available on all hickory handles at an additional charge. Surrey, BC only.  
 \*Handle lengths are measured prior to assembly. Finished length may vary 3/4" - 1 1/4".

## ▶ POST MAUL HANDLE



- American hickory.



| ITEM NO. | LENGTH | GAUGED TO OUR HEAD NO. |
|----------|--------|------------------------|
|----------|--------|------------------------|

|      |                 |           |
|------|-----------------|-----------|
| *238 | 36" - Round Eye | #14 (H14) |
|------|-----------------|-----------|

\*TO BE DISCONTINUED

## ▶ SPLITTING MAUL HANDLES

- American hickory.

| ITEM NO. | DESCRIPTION | GAUGED TO OUR HEAD NO. |
|----------|-------------|------------------------|
|----------|-------------|------------------------|

|     |                        |            |
|-----|------------------------|------------|
| 229 | 36" - Sledge, Std. Eye | 6216, 6218 |
|-----|------------------------|------------|

|     |                               |            |
|-----|-------------------------------|------------|
| 236 | 36" - Straight Handle Axe Eye | 4806, 4808 |
|-----|-------------------------------|------------|



## ▶ PICK HANDLES

- American hickory.

| ITEM NO. | DESCRIPTION | GAUGED TO FIT OUR HEAD NO. |
|----------|-------------|----------------------------|
|----------|-------------|----------------------------|

|     |                                                   |          |
|-----|---------------------------------------------------|----------|
| 242 | 36" - Clay, Rock, Cutter, Pick, Railroad, # 6 Eye | 2004-600 |
|-----|---------------------------------------------------|----------|

2004-500

2005-600

2037-500

2045-500

|      |                             |          |
|------|-----------------------------|----------|
| *244 | 36" - Pick Mattock, #10 Eye | 2045-250 |
|------|-----------------------------|----------|

\*FOB SURREY, BC ONLY



## ▶ SHOVEL HANDLES - ASH

- Top grade Ash.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                            |
|-------|----------------------------|
| HDL-Y | 28" - D-Grip Shovel Handle |
|-------|----------------------------|

|     |                     |
|-----|---------------------|
| 246 | 48" - Shovel Handle |
|-----|---------------------|





▶ **WOOD WEDGES FOR AXES AND SLEDGES**

- For assembly of axes and hammers.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                                     |
|-------|-------------------------------------|
| 449-D | 66mm - 2-5/8" W x 1/2" H x 2-7/8" L |
|-------|-------------------------------------|

▶ **METAL WEDGES - TRIANGULAR**

- For assembly of hammers and axes.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                                           |
|-------|-------------------------------------------|
| 450-3 | 1/2" x 1-1/4" (for Small Hammers)         |
| 450-4 | 3/4" x 1-1/4" (for Axes & Medium Sledges) |
| 450-5 | 1" x 1-1/4" (for Large Sledges)           |



450-3



450-4



450-5

▶ **METAL WEDGES - ROUND**

- For assembly of hammers and wedges.
- Reduces risk of splitting.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                                                             |
|--------|-------------------------------------------------------------|
| *451-0 | 15/32" Diameter x 1/2" Long - for Smaller Hammers and Axes  |
| 451-1  | 19/32" Diameter x 19/32" Long - for Larger Hammers and Axes |

\*FOB SURREY, BC ONLY



451-0



451-1

▶ **FORKS & RAKES**

- Steel heads.

| ITEM NO. | HEAD MATERIAL | TYPE | HANDLE LENGTH/TYPE |
|----------|---------------|------|--------------------|
|----------|---------------|------|--------------------|

|             |       |                                              |                       |
|-------------|-------|----------------------------------------------|-----------------------|
| F-017L      | Steel | 5 Forged Tine Fork, Tines 13", Fork width 8" | 48" Ash               |
| F-018Y      | Steel | 4 Forged Tine Fork                           | 28" Ash, D-Grip       |
| R002-14-2FL | Steel | 14 Tine Bow Rake                             | 60" Fibreglass Pinned |



R002-14-2FL



F-018Y



F-017L

## SHOVELS - ASH WOOD HANDLES



- Supplied with ash-wood handles.

| ITEM NO. | BLADE MAT.        | TYPE         | BLADE LENGTH     | HANDLE LENGTH | STEP POSITION |
|----------|-------------------|--------------|------------------|---------------|---------------|
| PCL-P    | Steel Hollow Back | Square Blade | 11-3/4" x 9-1/2" | 48"           | Rear          |
| PRY-P    | Steel Hollow Back | Round Blade  | 11-3/4" x 8-3/4" | 28"           | Rear          |
| PCY-P    | Steel Hollow Back | Square Blade | 11-3/4" x 9-1/2" | 28"           | Rear          |
| PRL-P    | Steel Hollow Back | Round Blade  | 12" x 8-3/4"     | 48"           | Rear          |
| *PRL-P-2 | Steel Hollow Back | Round Blade  | 11-3/4" x 9-1/2" | 48"           | Front         |
| *PCL-P-2 | Steel Hollow Back | Square Blade | 11-1/2" x 9"     | 48"           | Front         |
| PDS-P    | Steel Hollow Back | Drain Spade  | 14-1/2" x 5-1/2" | 48"           | Front         |

\*FOB SURREY, BC ONLY



## SHOVELS - FIRE

- Red painted blade and handle tip.
- Lacquered wood handle.

| ITEM NO. | BLADE MATERIAL    | TYPE        | BLADE LENGTH     | HANDLE LENGTH | STEP POSITION |
|----------|-------------------|-------------|------------------|---------------|---------------|
| *RFS-P   | Steel Hollow Back | Round Blade | 11-3/4" x 9-1/2" | 45"           | Front         |

\*FOB SURREY, BC ONLY



## ► SHOVELS - FIBREGLASS HANDLES



- Supplied with tubular fibreglass handles for light weight and strength.
- Cushion grip for comfort on straight handles.

| ITEM NO. | BLADE MAT.        | TYPE                 | BLADE SIZE       | HANDLE LENGTH |
|----------|-------------------|----------------------|------------------|---------------|
| 81518    | Steel Hollow Back | Round Blade          | 12" x 8-3/4"     | 48"           |
| 82519    | Steel Hollow Back | Square Blade         | 12" x 9-1/2"     | 48"           |
| 97518    | Steel Hollow Back | Round Blade          | 12" x 8-3/4"     | 28"           |
| 97519    | Steel Hollow Back | Square Blade         | 12" x 9-1/2"     | 28"           |
| 97526    | Steel Hollow Back | Drain (Track) Shovel | 14-1/2" x 5-1/2" | 28"           |



## ► ALUMINUM SHOVELS - SCOOPS



- Supplied with tubular fibreglass handles for light weight and strength.
- Aluminum blades are riveted to handle.
- Ribbed blade to add extra strength.
- Cushion grip on 48" for comfort.

| ITEM NO. | TYPE     | BLADE SIZE    | HANDLE LENGTH |
|----------|----------|---------------|---------------|
| 511172   | Scoop#8  | 13" x 17-1/2" | 28"           |
| 197701   | Scoop#14 | 15" x 20"     | 28"           |
| 511171   | Scoop#8  | 13" x 17-1/2" | 48"           |
| 192702   | Scoop#14 | 15" x 20"     | 48"           |
| 197700   | Scoop#6  | 11-3/4" X 16" | 28"           |
| 192701   | Scoop#6  | 11-3/4" X 16" | 48"           |



## SHOVELS - COLLAPSIBLE

- Overall collapsed length 27", extended 34-1/2".
- 10" width x 13-1/2" long plastic scoop.
- Aluminum telescoping handle.

| ITEM NO.  | DESCRIPTION        |
|-----------|--------------------|
| XP-389808 | Collapsable Shovel |



## PICK & MATTOCK - Heads Only

| ITEM NO.  | DESCRIPTION            | OUR HANDLE NUMBER |
|-----------|------------------------|-------------------|
| 2004-500  | 5 lb. Clay Pick        | 242               |
| 2004-600  | 6 lb. Clay Pick        | 242               |
| 2005-600  | 6 lb. Rock Pick        | 242               |
| 2037-500  | 5 lb. Cutter Mattock   | 242               |
| *2045-250 | 2-1/2 lb. Pick Mattock | 244               |
| 2045-500  | 5 lb. Pick Mattock     | 242               |

\*FOB SURREY, BC ONLY



2037-500



2004-500  
2004-600



2045-250  
2045-500



2005-600

## WRECKING BARS - GOOSE NECK

- Made from hexagonal stock.


| ITEM NO. | LENGTH     | WEIGHT    |
|----------|------------|-----------|
| 371-12   | 12" x 1/2" | 0.75 lbs. |
| 371-18   | 18" x 5/8" | 2.00 lbs. |
| 371-24   | 24" x 3/4" | 3.50 lbs. |
| 371-30   | 30" x 3/4" | 4.50 lbs. |
| 371-36   | 36" x 3/4" | 5.00 lbs. |



## TOVE BARS - MADE IN SWEDEN

- The wrecking bar is forged in specially alloyed steel, and the whole bar is tempered and annealed to handle extremely high loads. The steel alloy and handcrafting give the wrecking bar sprung properties, which enable it to stand up to extreme loads without deforming or breaking.
- Both ends of the bar are thinly ground and have wide, polished tips for ease of insertion under boards, while minimising damage to the surface providing the fulcrum.
- The wrecking bar's nail claw is angled at 90 degrees to the shaft, giving the claw good access even right up against a wall or a ceiling.
- The nail claw has a precision angled V-slot design to allow nails to be pulled regardless of their size and head shape.
- A handcrafted wrecking bar offers superior durability compared with a pressed wrecking bar.
- The sides of the shaft are octagonal, which gives a better grip than if it was round.
- Available in five lengths – 11, 20, 25, 28 and 36 inches.

| ITEM NO. | LENGTH | WEIGHT    |
|----------|--------|-----------|
| 25-11    | 11"    | 1 lb.     |
| 25-20    | 20"    | 2.5 lbs.  |
| 25-25    | 25"    | 3.0 lbs.  |
| 25-30    | 28"    | 3.75 lbs. |
| 25-36    | 36"    | 5.0 lbs.  |



## PRY BARS

- One end straight point, one end bent chisel point.
- Made from hexagonal stock.
- Carbon steel.

| ITEM NO. | LENGTH     | WEIGHT   |
|----------|------------|----------|
| 101-24   | 24" x 3/4" | 3 lbs.   |
| 101-36   | 36" x 3/4" | 4.5 lbs. |



## ► CROW BARS - CHISEL POINT

- Point tapered on one side.
- Carbon steel.

| ITEM NO. | LENGTH | WEIGHT  |
|----------|--------|---------|
| CP-12    | 51"    | 12 lbs. |
| CP-14    | 54"    | 14 lbs. |
| CP-16    | 57"    | 16 lbs. |
| CP-18    | 60"    | 18 lbs. |



## ► CROW BAR - WEDGE POINT

- Tapered on both sides.
- Carbon steel.

| ITEM NO. | LENGTH | WEIGHT  |
|----------|--------|---------|
| *WP-18   | 60"    | 18 lbs. |

**\*FOB SURREY, BC ONLY**



## ► STRIPPING BAR



- Polished claw tips and prying tip.
- Designed for stripping forms.
- Full 1" octagon stock.
- 48" overall length.

| ITEM NO. | DESCRIPTION          | WEIGHT   |
|----------|----------------------|----------|
| SB-12    | 48" HD Stripping Bar | 1.2 lbs. |









04

# Builders & Security



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling



► **BRASS PADLOCKS - CARDED GOLD LEE**

- Hardened steel shackle.
- Limited key changes.
- Supplied with 3 keys.
- Keyed different.
- Solid brass case.
- Double-locking.

| ITEM NO. | CASE SIZE       | STD. PACK |
|----------|-----------------|-----------|
| 9010-KD  | 30 mm. (1-1/4") | 12        |
| 9015-KD  | 40 mm. (1-1/2") | 12        |
| 9020-KD  | 50 mm. (2")     | 12        |

► **KEY BLANKS FOR BRASS PADLOCKS**

| ITEM NO. | DESCRIPTION                           |
|----------|---------------------------------------|
| 9015-KB  | Key Blanks For 9010 And 9015 Padlocks |
| 9020-KB  | Key Blanks For 9020 Padlocks          |

► **LAMINATED STEEL PADLOCKS**

- Steel case with brass plug & pins.
- Hardened steel shackle.
- Supplied with 2 keys.
- Key blanks available.
- Limited key changes.
- Double-locking.

**KEYED DIFFERENT - Carded**

| ITEM NO. | CASE SIZE        | SHACKLE CLEARANCE | STD PACK |
|----------|------------------|-------------------|----------|
| LP30-KD  | 30 mm. ( 1-1/4") | 5/8"              | 12       |
| LP40-KD  | 40 mm. (1-1/2")  | 1"                | 12       |
| LP50-KD  | 50 mm. (2")      | 1"                | 12       |

► **KEYBLANKS FOR LAMINATED PADLOCKS**

| ITEM NO.  | DESCRIPTION                           |
|-----------|---------------------------------------|
| LP30-KB-4 | Key Blanks for LP30 4 Pin             |
| LP50-KB   | Key Blanks for LP40 and LP50 Padlocks |



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

## ▶ LAMINATED STEEL PADLOCKS




### KEYED ALIKE - Boxed

| ITEM NO.  | CASE SIZE       | SHACKLE CLEARANCE | STD. PACK |
|-----------|-----------------|-------------------|-----------|
| LP30-KA3  | 30 mm. (1-1/4") | 5/8"              | 24        |
| *LP30-KA4 | 30 mm. (1-1/4") | 5/8"              | 24        |
| LP40-KA1  | 40 mm. (1-1/2") | 1"                | 12        |
| *LP40-KA2 | 40 mm. (1-1/2") | 1"                | 12        |
| *LP40-KA4 | 40 mm. (1-1/2") | 1"                | 12        |
| LP50-KA1  | 50 mm. (2")     | 1"                | 12        |
| *LP50-KA2 | 50 mm. (2")     | 1"                | 12        |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



## ▶ MICOTA PADLOCKS - BRASS CASE

- All 330 series padlocks are double-locking with heel and toe-locking mechanism.
- Rubber gasket around shackle to reduce moisture.
- Moisture drain hole on bottom of padlock.
- Available Keyed Alike or Keyed Different.
- Regular shackle or long shackle available.
- Uses Yale key blanks in most cases.
- Hardened steel shackles.
- Solid brass construction.

## ▶ MICOTA PADLOCKS - KEYED DIFFERENT

- Regular length shackle KD

| ITEM NO.   | CASE SIZE      | SHACKLE CLEARANCE | STD PACK |
|------------|----------------|-------------------|----------|
| *36020-KDC | 20mm. (3/4")   | 1/2"              | 10       |
| *33030-KDC | 30mm. (1-1/4") | 5/8"              | 10       |
| *33060-KDC | 60mm. (2-3/8") | 1-3/16"           | 10       |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



## ▶ MICOTA PADLOCKS KEYED DIFFERENT

- Long shackle KD.
- Clam pack.

| ITEM NO.     | CASE SIZE      | SHACKLE CLEARANCE |
|--------------|----------------|-------------------|
| **330490-KDC | 40mm. (1-1/2") | 3-1/2"            |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

## MICOTA PADLOCKS - KEYED ALIKE

- Regular length shackle KA boxed.

| ITEM NO.    | CASE SIZE      | SHACKLE CLEARANCE | STD PACK |
|-------------|----------------|-------------------|----------|
| **33060-KA1 | 60mm. (2-3/8") | 1-3/16"           | 10       |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



## MICOTA PADLOCKS - KEYED ALIKE

- Long Shackle
- Boxed.

| ITEM NO.     | CASE SIZE      | SHACKLE CLEARANCE | STD PACK |
|--------------|----------------|-------------------|----------|
| **330464-KA1 | 40mm. (1-1/2") | 2-1/2"            | 10       |
| **330464-KA2 | 40mm. (1-1/2") | 2-1/2"            | 10       |
| **330490-KA1 | 40mm. (1-1/2") | 3-1/2"            | 10       |
| **330490-KA2 | 40mm. (1-1/2") | 3-1/2"            | 10       |
| **330564-KA2 | 50mm. (2")     | 2-1/2"            | 10       |
| **330590-KA1 | 50mm. (2")     | 3-1/2"            | 10       |
| **330590-KA2 | 50mm. (2")     | 3-1/2"            | 10       |



\*\* Please note - 33040-KA1 is Keyed Alike to 330464-KA1 & 330490-KA1, 33050-KA1 is Keyed Alike to 330564-KA1 & 330590-KA1

\*\* Unless a keyed alike group is specified, a group of our choice will be supplied.

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**

## KEYBLANKS FOR MICOTA PADLOCKS

| ITEM NO. | DESCRIPTION          |
|----------|----------------------|
| 33030-KB | Fits 30mm Padlock    |
| 33040-KB | Fits 40-45mm Padlock |
| 33050-KB | Fits 50-60mm Padlock |



## ► BRASS PADLOCKS

**CROWN®**

- Double-locking bolt (except 20 & 25mm).
- Long shackle available on 1-1/2" and 2".
- Stainless spring and pin for bolt.
- Stainless spring for shackle.
- Stainless spring for pin.
- Nickel-plated brass key.
- Standard Yale keyways.
- Hardened steel shackle.
- Keyed alike groups.
- Brass cylinder plug.
- Solid brass body.
- Pick resistant.



## ► PADLOCKS - KEYED DIFFERENT - CARDED

**CROWN®**

| ITEM NO. | CASE WIDTH    | STD. PACK |
|----------|---------------|-----------|
| 10120-KD | 3/4" (20mm)   | 12        |
| 10125-KD | 1" (25mm)     | 12        |
| 10130-KD | 1-1/4" (30mm) | 12        |
| 10140-KD | 1-1/2" (40mm) | 12        |
| 10150-KD | 2" (50mm)     | 6         |

\*Note: 3/4" and 1" single-locking only.



## ► PADLOCKS - KEYED ALIKE

**CROWN®**

- Individually boxed.

| ITEM NO. | CASE WIDTH    | STD. PACK |
|----------|---------------|-----------|
| 10330-A  | 1-1/4" (30mm) | 12        |
| 10330-B  | 1-1/4" (30mm) | 12        |
| 10440-C  | 1-1/2" (40mm) | 12        |
| 10440-D  | 1-1/2" (40mm) | 12        |
| 10440-G  | 1-1/2" (40mm) | 12        |
| 10440-H  | 1-1/2" (40mm) | 12        |
| 10550-E  | 2" (50mm)     | 6         |
| 10550-F  | 2" (50mm)     | 6         |
| 10550-I  | 2" (50mm)     | 6         |
| 10550-J  | 2" (50mm)     | 6         |



## ► PADLOCKS - KEYED DIFFERENT

**CROWN®**

- Long Shackle
- Boxed.

| ITEM NO.    | CASE WIDTH | SHACKLE | STD. PACK |
|-------------|------------|---------|-----------|
| 10440-LS65  | 1-1/2"     | 2-1/2"  | 12        |
| 10440-LS90  | 1-1/2"     | 3-1/2"  | 12        |
| 10440-LS140 | 1-1/2"     | 5-1/2"  | 12        |
| 10550-LS65  | 2"         | 2-1/2"  | 12        |
| 10550-LS90  | 2"         | 1/2"    | 12        |



## ► PADLOCKS - KEYED ALIKE

**CROWN®**

- Long Shackle
- Boxed.

| ITEM NO.       | CASE WIDTH | SHACKLE | STD. PACK |
|----------------|------------|---------|-----------|
| *10440-C-LS65  | 1-1/2"     | 2-1/2"  | 12        |
| *10440-C-LS90  | 1-1/2"     | 3-1/2"  | 12        |
| *10440-D-LS90  | 1-1/2"     | 3-1/2"  | 12        |
| *10440-C-LS140 | 1-1/2"     | 5-1/2"  | 12        |
| *10550-E-LS65  | 2"         | 2-1/2"  | 12        |
| *10550-E-LS90  | 2"         | 3-1/2"  | 12        |

\*Note: Above padlocks are Keyed Alike to standard length padlocks with same letter code.



## ► BRASS PADLOCKS

**CROWN®**

- Over 3,000 combinations to prevent key interchanges (not selected in groups).
- Ideal for self storage units.
- Stainless steel springs.
- Hardened shackle.
- Heel-toe locking.

| ITEM NO.  | DESCRIPTION             |
|-----------|-------------------------|
| 10140-KD5 | 40 mm Brass Padlocks KD |



## ► CROWN PADLOCKS - SEMI ASSEMBLED


**CROWN®**

- Springs, top pins, pin hole plug, and two keyblanks.
- Ideal for Locksmiths to set up own keying system.
- Supplied with shackle and plug assembled.
- Individually boxed.
- Boxed in 12's.

| ITEM NO.   | CASE WIDTH     | STD. PACK |
|------------|----------------|-----------|
| **10130-SA | 1-1/4" (30mm.) | 12        |

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



Double-Locking

## ► SEMI ASSEMBLED PARTS

**CROWN®**

| ITEM NO.                                                  | DESCRIPTION                                                                                       |
|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| *10130-Y8                                                 | Crown Keyblanks - 4 Pin - Yale 8 Keyway. Fits 30mm & 40mm Crown Padlocks, 270 Disc locks (70 mm). |
| *10150-Y9B                                                | Crown Keyblanks - 5 Pin - Yale 9B Keyway. Fits 50mm Crown Padlocks.                               |
| **10130-99-001                                            | Brass Bottom Pins No. 1                                                                           |
| **10130-99-002                                            | Brass Bottom Pins No. 2                                                                           |
| **10130-99-003                                            | Brass Bottom Pins No. 3                                                                           |
| **10130-99-004                                            | Brass Bottom Pins No. 4                                                                           |
| **10130-99-005                                            | Brass Top Pins                                                                                    |
| **10130-99-006                                            | Brass Pin Hole Plugs                                                                              |
| **10130-99-007                                            | Stainless Steel Springs for 10130-SA Padlocks                                                     |
| **10150-99-001                                            | Stainless Steel Springs for 10150-SA Padlocks                                                     |
| * <b>Note:</b> Minimum order on above parts - 100 pieces. |                                                                                                   |
| * <b>TO BE DISCONTINUED</b>                               |                                                                                                   |
| * <b>FOB SURREY, BC ONLY</b>                              |                                                                                                   |



## ► PADLOCKS - RE-KEYABLE

- Supplied "O" bitting or keyed different with 2 keys.
- Re-keyable to Weiser and Schlage specifications.
- Brushed chrome-plated brass body.
- Supplied with 1" clearance shackle.
- Molybdenum shackle.
- Ball bearing locking.

| ITEM NO.        | DESCRIPTION                                            |
|-----------------|--------------------------------------------------------|
| PLB45-1-SLG-KO  | 45 mm Padlock Satin Chrome, Schlage Keyway "O" Bitting |
| PLB45-1-WR-KO   | 45 mm Padlock Satin Chrome, Weiser Keyway "O" Bitting  |
| PLB45-1-SLG-KD  | 45 mm Padlock Satin Chrome, Schlage Keyway KD          |
| PLB45-1-WR-KD   | 45 mm Padlock Satin Chrome, Weiser Keyway KD           |
| PL-SHACKLE-1-MA | 1" Shackle For PLB45 Padlock                           |
| PL-SHACKLE-2-MA | 2" Shackle For PLB45 Padlock                           |
| PL-SHACKLE-3-MA | 3" Shackle For PLB45 Padlock                           |



## ► DISC STYLE PADLOCKS - KEYED ALIKE (BOXED)

**CROWN®**

| ITEM NO. | CASE SIZE         | DESCRIPTION     | STD. PACK  |
|----------|-------------------|-----------------|------------|
| *270-KA3 | 70mm (2-3/4" Dia) | Disc Padlock KA | 12 (Boxed) |

\*Item #10130-Y8 fits for the 270 series Disc Locks.





### ► DISC STYLE PADLOCKS - KEYED DIFFERENT

CROWN®

- Hardened chrome-plated shackle.
- Attractively clamshell packed.
- Stainless steel outer case.
- Keyed different.

| ITEM NO. | CASE SIZE                 | DESCRIPTION                  | STD. PACK |
|----------|---------------------------|------------------------------|-----------|
| 270-KD   | 70mm (2-3/4" Dia)         | Disc Padlock Keyed Different | 12        |
| 10130-Y8 | Keyblank Fits 270 Padlock |                              |           |



### ► LEVER DOOR LOCKS - SPARTAN BRAND

- 4 way latch suitable for 2-3/8" - 2-3/4" back set and for drive-in or mortise face plates.
- Manufactured to meet ANSI specs for grade 3.
- Suitable for 1-3/8" - 2" thick doors.
- Box-packed.

Note: Special Order on Quotation Only

### ► ENTRANCE LOCKSETS - LEVER HANDLE TUBULAR TYPE

- Weiser keyway.
- Easily rekeyable.


| ITEM NO. | FUNCTION | FINISH       | HANDLE DESIGN  |
|----------|----------|--------------|----------------|
| 6411SC   | Entrance | Satin Chrome | Straight Lever |



### ► PRIVACY SETS - LEVER HANDLE TUBULAR TYPE


- Emergency key opening from outside.
- Turn-button locking.

| ITEM NO. | FUNCTION | FINISH       | HANDLE DESIGN  |
|----------|----------|--------------|----------------|
| 6412SC   | Privacy  | Satin Chrome | Straight Lever |



### ► PASSAGE SETS - LEVER HANDLE TUBULAR TYPE

| ITEM NO. | FUNCTION | FINISH       | HANDLE DESIGN  |
|----------|----------|--------------|----------------|
| 6413SC   | Passage  | Satin Chrome | Straight Lever |



## ► DEADBOLTS - SPARTAN BRAND

- Supplied with HD security strike with extra-long screws.
- 4-way bolt, adjustable for 2-3/8" - 2-3/4" back-set.
- Drive-in or mortise faceplate.
- Crush-resistant cylinder rings.
- Weiser keyway.
- Boxed.



| ITEM NO.  | DESCRIPTION         | FINISH       | PACKAGE |
|-----------|---------------------|--------------|---------|
| *7301SC-B | Single Cyl Deadbolt | Satin Chrome | Boxed   |

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation Only**

## ► COMBO LOCKSET - ENTRANCE SET & SINGLE CYLINDER DEADBOLT COMBINATION - SPARTAN BRAND

- Deadbolt has heavy duty security strike with extra-long screws included.
- Both deadbolt and entrance lock are keyed alike.
- Deadbolt has crush resistant cylinder rings.
- Suitable for 1-3/8" - 1-3/4" thick doors.
- Adjustable back-sets 2-3/8" - 2-3/4".
- Drive-in or mortise faceplates.
- Clamshell packaged.
- Weiser keyway.



| ITEM NO.    | DESCRIPTION                                 | FINISH              |
|-------------|---------------------------------------------|---------------------|
| 6771SC-D101 | Combo Entrance Set/Single Cylinder Deadbolt | Satin Chrome Finish |

**Replacement for item #6871SC-2**

## ► LEVER HANDLES FOR 4510 DEADLATCH

- Reversible cam included.

| ITEM NO. | DESCRIPTION     |
|----------|-----------------|
| 4560-AL  | Aluminum Finish |

**Note: Special Order on Quotation Only**




## ► DEADLOCKS - THROWBOLT

- 31/32" and 1-1/8" back set.
- Supplied with 4 keys.
- Adams Rite Cutout.
- Aluminum finish.
- With faceplate.

| ITEM NO | DESCRIPTION |
|---------|-------------|
|---------|-------------|

|         |                                  |
|---------|----------------------------------|
| 1850A-2 | Adams Rite Cutout 1-1/8" Backset |
|---------|----------------------------------|

**Note: Special Order on Quotation Only**



## ► DEADLATCHES

- Metal latch bolt with plastic insert.
- Includes strike and faceplate.
- 31/32" and 1-1/8" backset.
- Adams Rite cutout.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                     |
|---------|-------------------------------------|
| 4510A-1 | 31/32" Backset With Aluminum Finish |
|---------|-------------------------------------|

**Note: Special Order on Quotation Only**



## ► LATCH PADDLES FOR 4510 DEADLATCH


- Suitable for 1-3/4" door thickness.
- Aluminum and duranodic finish.
- Push label not attached.
- Reversible handing.
- Supplied with cam.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                          |
|---------|------------------------------------------|
| 4590-AL | Left or Right available, Aluminum Finish |
|---------|------------------------------------------|

|         |                                           |
|---------|-------------------------------------------|
| 4590-DU | Left or Right available, Duranodic Finish |
|---------|-------------------------------------------|

**Note: Special Order on Quotation Only**




► **MORTISE THUMB TURNS AND DUMMY CYLINDERS**

- 1" Solid Brass

| ITEM NO. | DESCRIPTION                  |
|----------|------------------------------|
| 4010-AL  | Dummy Cyl., Aluminum Finish  |
| 4010-DU  | Dummy Cyl., Duronodic Finish |
| 4015-AL  | Thumb Turn, Aluminum Finish  |

**Note: Special Order on Quotation**



► **MORTISE THUMB TURNS - CAPTIVE KEY**

- For security reasons thumbturn can be removed when all staff have left the building.
- Allows thumbturn to be in cylinder during work hours.
- 1-1/8" length.

| ITEM NO.   | DESCRIPTION                                                |
|------------|------------------------------------------------------------|
| *CM118-WRE | Weiser Keyway Captive Mortise Cylinder Satin Chrome Finish |
| *CM-KEY-SC | Key Blank For Above Supplied with Release Key              |


**\*FOB SURREY, BC ONLY**  
**Note: Special Order on Quotation**



## ► CYLINDER SPACER RINGS

CH UNEX


- Made of aluminum.
- Available in 3 sizes.
- Aluminum finish.
- Packed 10/pack.



| ITEM NO.             | DESCRIPTION               |
|----------------------|---------------------------|
| *AR354-03            | 3mm Aluminum Spacer Ring  |
| *AR354-06            | 6mm Aluminum Spacer Ring  |
| *AR354-12            | 12mm Aluminum Spacer Ring |
| *FOB SURREY, BC ONLY |                           |

## ► CYLINDER GUARD RINGS

- Available in 2 sizes to accommodate 1" - 1-1/8" cylinders.
- Supplied with wave washer.
- Sold in bags of 10 pieces.
- Satin chrome rings.



| ITEM NO.                         | DESCRIPTION                               |
|----------------------------------|-------------------------------------------|
| *BR431-113-SC-V                  | Satin Chrome Guard Rings 1/4" Inside Step |
| *BR431-147-SC-V                  | Satin Chrome Guard Rings 3/8" Inside Step |
| *FOB SURREY, BC ONLY             |                                           |
| Note: Special Order on Quotation |                                           |

## ► KNOB PROTECTOR - HEAVY DUTY (USED FOR CUT-OFF EVER HANDLES)

- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking set screws.
- Made of solid brass to resist attack.
- Satin chrome finish.



| ITEM NO.                         | DESCRIPTION                                    |
|----------------------------------|------------------------------------------------|
| *KP802-26D                       | Heavy Duty Knob Protector, Satin Chrome Finish |
| *FOB SURREY, BC ONLY             |                                                |
| Note: Special Order on Quotation |                                                |

## ► LEVER PROTECTOR (USED FOR CUT-OFF EVER HANDLES)

- Large 3-9/16" opening on back to accommodate large escutcheons.
- Supplied with bolts, template and hole marking setscrews.
- Made of aluminum.
- Black painted finish.



| ITEM NO.             | DESCRIPTION                         |
|----------------------|-------------------------------------|
| *KPA02-BLK           | Lever Protector Matte Black Painted |
| *FOB SURREY, BC ONLY |                                     |

## ► KNOB PROTECTOR

- Black hammer-tone finished aluminum.
- 2-1/16" screws supplied.
- Complete with screws.
- Large 3-1/8" capacity.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                               |
|---------|-------------------------------|
| *KPA-01 | Aluminum Alloy Knob Protector |
|---------|-------------------------------|

**\*FOB SURREY, BC ONLY**



## ► KNOB PROTECTOR WITH PULL

- Designed to fit 3-5/16" rosette and 5/8" thickness.
- Supplied with carriage bolts.
- Heavy aluminum body.
- Powder coat finish.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|


|        |                |
|--------|----------------|
| *KPA03 | Knob Protector |
|--------|----------------|

|            |                                            |
|------------|--------------------------------------------|
| *KPA03-1-5 | Spacer 7/32" Thick Accepts 3-5/16" Rosette |
|------------|--------------------------------------------|


|        |                                  |
|--------|----------------------------------|
| *KPA04 | Lock Guard Exit Only with Screws |
|--------|----------------------------------|

**\*FOB SURREY, BC ONLY**


**Note: Special Order on Quotation**



KPA04



KPA03-1-5



KPA03

## ► DEADBOLT CYLINDER GUARD


- Supplied with plated carriage bolts with acorn nuts.
- Included are 2 backplates.
- Individually boxed.
- 1-1/16" depth.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                         |
|----------|-------------------------|
| *LP007-G | Deadbolt Cylinder Guard |
|----------|-------------------------|

**\*FOB SURREY, BC ONLY**

**Note: Special Order on Quotation**





## ▶ MORTISE CYLINDER GUARDS




- Used to prevent plier attack to mortise cylinders.
- 1/4" deep recess to accommodate cylinder face.
- Made of corrosion resistant alloy.
- Attractively carded.

| ITEM NO.    | DESCRIPTION                                                                                 |
|-------------|---------------------------------------------------------------------------------------------|
| *MP01-SC-V  | 1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Satin Chrome Finish                        |
| *MP01-10B-V | 1-5/8" X 4" 4-Hole Model With 4 Rivet Fastening. Dark Bronze Finish                         |
| *MP02-SC-V  | 1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Satin Chrome Finish |
| *MP02-10B-V | 1-1/2" X 4-1/2" Narrow Style 2-Hole Model With 1 Rivet And 1 Thru-Bolt. Dark Bronze Finish  |

\*FOB SURREY, BC ONLY

Note: Special Order on Quotation



MP01

MP02

## ▶ DOOR CYLINDER GUARDS - FOR ALUMINUM DOORS

- Prevents pulling and twisting of cylinders by covering cylinder except for keyway area.
- Supplied complete with 1/2" face and 1 x 1/8" spacer & thru-bolts.
- Overall dimensions 1-3/4" W x 8-1/4" L x 1/2" thick.
- Available in aluminum and 10B (DU) finish.
- Made of aluminum alloy.

| ITEM NO     | DESCRIPTION                                                    |
|-------------|----------------------------------------------------------------|
| *MP04-AB-SC | Cylinder Guard for Abloy Cylinders, Aluminum Finish            |
| *MP04-AB-DU | Cylinder Guard for Abloy Cylinders, 10B Finish                 |
| *MP04-ST-SC | Cylinder Guard for Standard Mortise Cylinders, Aluminum Finish |
| *MP04-ST-DU | Cylinder Guard for Standard Mortise Cylinders, 10B Finish      |
| *MP04-18-SC | 1/8" Spacer for MP04, Aluminum Finish                          |
| *MP04-18-DU | 1/8" Spacer for MP04, 10B Finish                               |

\*FOB SURREY, BC ONLY

Note: Special Order on Quotation



MP04-AB-SC FRONT

MP04-AB-SC BACK

MP04-ST-SC FRONT

MP04-STD-SC BACK

MP04-18-SC SPACER



## ▶ LATCH PROTECTOR / INTERLOCK PLATE

- Supplied with non-removable security screws.
- Steel construction.
- Carded.

| ITEM NO.     | DESCRIPTION                                          |
|--------------|------------------------------------------------------|
| *LP001-PBV   | Brass Latch Protector - 11" Length (Offset Type)     |
| *LP004-10B-V | Duranodic Latch Protector - 12" Length ("U" Type)    |
| *LP004SCV    | Satin Chrome Latch Protector - 12" Length ("U" Type) |
| *LP004WHTV   | White Latch Protector - 12" Length ("U" Type)        |

**\*FOB SURREY, BC ONLY**


**Note: Special Order on Quotation**



## ▶ LATCH PROTECTORS - FOR WOOD OR METAL DOORS

- Supplied with 2-1/4" bolts with chrome acorn nuts.
- Lock protection for out-swinging doors.
- Covers strike plate.

| ITEM NO. | DESCRIPTION | FINISH    | STD. PACK |
|----------|-------------|-----------|-----------|
| 804-CAD  | 11" x 3"    | Aluminum  | 6         |
| 804-DU   | 11" x 3"    | Duranodic | 6         |



## ▶ LATCH PROTECTORS - FOR ALUMINUM DOORS

- Lock protection for aluminum out-swinging doors.
- 12" x 3-1/2" heavy gauge steel.
- Covers strike plate.
- Carded.

| ITEM NO.  | SIZE         | FINISH    |
|-----------|--------------|-----------|
| LG-111-AL | 12" x 3-1/2" | Aluminum  |
| LG-111-DU | 12" x 3-1/2" | Duranodic |



Starrett®

## ► KEY CADDY

- Supplied with 21" stainless steel chain and key ring.
- Heavy duty die-cast case.
- Beltclip fastener.

| ITEM NO. | DESCRIPTION        |
|----------|--------------------|
| SK1      | Starrett Key Caddy |



## ► CARABINER HOOKS WITH KEY RINGS

- Supplied in assorted anodized aluminum colours.
- 12 Carabiner hooks per card.
- Comes with 1" split ring.

| ITEM NO.            | DESCRIPTION                            |
|---------------------|----------------------------------------|
| *CAR2-12            | 60mm. (2-3/8") (Medium) Overall Length |
| *CAR3-12            | 80mm. (3-1/8") (Large) Overall Length  |
| *TO BE DISCONTINUED |                                        |



## ► STRAP HINGES - ZINC PLATED

- Screws not included.
- Sold in pairs.

| ITEM NO.            | SIZE | STD. BOX | MASTER PACK |
|---------------------|------|----------|-------------|
| *11204              | 8"   | 5        | 30          |
| *TO BE DISCONTINUED |      |          |             |



## ► KEY CAPS - NEON

- Rubber-like vinyl.
- Assorted colours.

| ITEM NO.            | DESCRIPTION            |
|---------------------|------------------------|
| *ID995-N            | Jumbo Size 200 Per Box |
| *TO BE DISCONTINUED |                        |



## ► SPLIT KEY RINGS

- Sizes are approximate inside dimensions.
- Nickel plated.

| ITEM NO                     | DESCRIPTION | ACTUAL INSIDE DIMENSIONS | QUANTITY PER BAG |
|-----------------------------|-------------|--------------------------|------------------|
| **SR-74734X                 | 3/4" Round  | 3/4"                     | 100              |
| **SR-74778X                 | 7/8" Round  | 13/16"                   | 100              |
| <b>*TO BE DISCONTINUED</b>  |             |                          |                  |
| <b>*FOB SURREY, BC ONLY</b> |             |                          |                  |



## ► KEVRON KEY TAGS - MADE IN AUSTRALIA



- 10 Loose tags, assorted colours in poly-pouch with hang-hole.
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Easy-opening keytags with paper insert.
- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Ring size: 19mm (3/4").

| ITEM NO. | DESCRIPTION               |
|----------|---------------------------|
| ID5-PP10 | Key Tags On Card Of 10PCS |



## ► KEVRON KEY TAGS - MADE IN AUSTRALIA



- Ideal for office, home, real-estate agents, car dealers & motels.
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings.
- Large 1-1/4" x 1" ID card size.
- Consistency in tag colours.

| ITEM NO.  | DESCRIPTION                                             |
|-----------|---------------------------------------------------------|
| ID5-AC100 | 100 Loose Tags. Assorted Colours in Countertop Display. |
| ID5-AC150 | 150 pce. Standard Click Tags. In Fish Bowl Container.   |
| ID5-RED   | 50 Red Loose Tags In Poly Bag                           |
| ID5-BLU   | 50 Blue Loose Tags In Poly Bag                          |
| ID5-GRN   | 50 Green Loose Tags In Poly Bag                         |
| ID5-ORG   | 50 Orange Loose Tags In Poly Bag                        |
| ID5-YEL   | 50 Yellow Loose Tags In Poly Bag                        |
| ID5-NAT   | 50 Natural Loose Tags In Poly Bag                       |

### NEW FLOURESCENT COLOURS: Loose Tags in Poly Bag

- Tag size: 56 x 30mm (2-3/16" x 1-1/8").
- Paper insert size: 37 x 21mm (1-7/16" x 13/16").
- Ring size: 19mm (3/4").

- \*ID38-GRN 50 Fluorescent Green
- \*ID38-ORG 50 Fluorescent Orange
- \*ID38-PNK 50 Fluorescent Pink
- \*ID38-YEL 50 Fluorescent Yellow

**\*FOB SURREY, BC ONLY**



## ► KEY TAGS RACKS - MADE IN AUSTRALIA

- Ideal for office, home, real-estate agents, car dealers & motels.
- Paper insert size: 37 x 21mm (1-7/16 x 13/16").
- Tag size: 56 x 30mm (2-3/16 x 1-1/8").
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings.
- Consistency in tag colours.
- Ring size: 19mm (3/4").

| ITEM NO. | DESCRIPTION                                               |
|----------|-----------------------------------------------------------|
| ID9-RTL  | 4 Tag Key Rack With Adhesive Pads Carded For Easy Display |
| ID6-RTL  | 8 Tag Key Rack With Adhesive Pads Carded For Easy Display |



## ► LARGER 2" x 1 1/4" ID CARD

- Ideal for office, home, real-estate agents, car dealers & motels.
- High quality polypropylene key tags.
- Strong lens and locking mechanism.
- Supplied with stainless steel rings
- Consistency in tag colours.

| ITEM NO.  | DESCRIPTION                                           |
|-----------|-------------------------------------------------------|
| ID30-AC50 | 50 Loose Tags, Assorted Colours in Countertop Display |



## ► KEY CABINETS

- Continuous number strip for fast & easy placement of numbers.
- Uses modified 1611 key blanks or our TS-BLANK.
- Beige colour enamel paint.
- Made from .8mm steel.
- Hook-style key holders.
- Key tags not included.
- Key locking.

| ITEM NO. | KEY CAP | HEIGHT  | WIDTH   | DEPTH  |
|----------|---------|---------|---------|--------|
| TS0080   | 20      | 8"      | 6-1/2"  | 3-1/4" |
| TS0053   | 54      | 12"     | 9-1/2"  | 2-1/2" |
| TS0052   | 90      | 12"     | 9-1/2"  | 3-1/4" |
| TS0042   | 140     | 14-1/2" | 11"     | 3-1/4" |
| TS0200   | 200     | 17-3/4" | 13-3/4" | 3-1/4" |

Key Blanks for Key Cabinet

TS-BLANK



## ▶ KEY CABINETS - COMBINATION LOCK

- Continuous number strip for fast & easy placement of numbers.
- Changeable combination lock.
- Beige colour enamel paint.
- Hook-style key holders.
- Made from .8mm steel.
- Key tags not included.

| ITEM NO. | KEY CAP | HEIGHT | WIDTH  | DEPTH  |
|----------|---------|--------|--------|--------|
| TS0087G  | 20      | 8"     | 6-1/2" | 3 1/4" |
| TS0057G  | 36      | 12"    | 9-1/2" | 3 1/4" |



## ▶ CASH BOXES - LOCKABLE

- Compartments have beveled sides for easy coin and bill removal.
- All steel construction with plastic tray.
- Locked with a camlock with 2 keys.
- Supplied with fold-down handle.
- Lift-out tray.

| ITEM NO. | NO. OF TRAY COMPARTMENTS | OUTSIDE DIMENSIONS          |
|----------|--------------------------|-----------------------------|
| TS0020   | 3 (2 Coin, 1 Bill)       | 10" L x 7" W x 3-1/2" D     |
| TS0010   | 5 (3 Coin, 2 Bill)       | 12" L x 9-1/2" W x 3-1/2" D |



## ▶ CASH BOXES - LOCKABLE WITH COMBINATION LOCK

- Compartments have beveled sides for easy coin and bill removal.
- Locked with a camlock with changeable combination lock.
- All steel construction with plastic tray.
- Supplied with fold-down handle.
- Lift-out tray.

| ITEM NO. | NO. OF TRAY COMPARTMENTS | OUTSIDE DIMENSIONS          |
|----------|--------------------------|-----------------------------|
| TS0027G  | 3 (2 Coin, 1 Bill)       | 10" L x 7" W x 3-1/2" D     |
| TS0017G  | 5 (3 Coin, 2 Bill)       | 12" L x 9-1/2" W x 3-1/2" D |





05

# Material Handling



Automotive



Hand Tools



Striking Tools



Outdoors



Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling





## ► HYDRAULIC JACKS



- Cylinder, housing and base precision fitted for virtually leak-proof operation.
- Delivers full lifting power in upright position.
- Made of heavy-duty steel with cast iron base.
- Top of lifting cap grooved for load stability.
- Release valve allows controlled lowering.
- Working temperature -20° to 45° C.
- 2 pc. Interlocking pump handle.

| ITEM NO.                  | TONS CAPACITY | MIN. HEIGHT | MAX. HEIGHT | MAX. LIFT |
|---------------------------|---------------|-------------|-------------|-----------|
| <i>Standard Jacks:</i>    |               |             |             |           |
| 1002                      | 2             | 7-1/8"      | 13-9/16"    | 6-5/16"   |
| 1004                      | 4             | 7-5/8"      | 14-5/8"     | 4-5/8"    |
| 1006                      | 6             | 8-1/2"      | 16-1/4"     | 5"        |
| 1008                      | 8             | 9-1/16"     | 17-5/16"    | 5-3/4"    |
| 1012                      | 12            | 9-1/16"     | 18-5/16"    | 6-1/8"    |
| 1020R                     | 20            | 9-1/2"      | 17-7/8"     | 5-15/16"  |
| <i>Low Profile Jacks:</i> |               |             |             |           |
| 1012-LP                   | 12            | 7-1/2"      | 13-13/16"   | 6-5/16"   |
| 1020-LP                   | 20            | 7-1/2"      | 13-1/4"     | 5-3/4"    |



## ► HYDRAULIC BOTTLE JACKS - INDUSTRIAL QUALITY - MADE IN SPAIN



- 3 piece rectangular handle prevents handle roll when not in valve socket.
- Swivel pump valve allows for better positioning.
- Comfortable plastic handles on some models.
- Can be repaired, repair parts available.
- Heavy machined jack base.
- Can be used horizontally.

| ITEM NO. | REPLACES | CAP   | MIN HEIGHT  | PISTON TRAVEL | MAX THREADED LIFT | OVERAL HEIGHT | CARRY HANDLE | WEIGHT lbs/kg |
|----------|----------|-------|-------------|---------------|-------------------|---------------|--------------|---------------|
| *BR50    | MG-50    | 50 MT | 10.2" (260) | 5.5" (140)    | N/A               | 15.8" (400)   | Y            | 59.4 (27)     |

**\*LIMITED SUPPLY**





## ► SINGLE ACTING WITH SPRING RETURN SPECS



| NOM<br>FORCE<br>TONS | ITEM NO.   | STR.<br>INS | AREA<br>IN <sup>2</sup> | INCHES |         |          |          |         |         |         |       |         |       |         |       |       |       | OIL<br>CAP<br>INS <sup>3</sup> | WT.<br>LBS.   | TILT<br>SADDLE<br>NO. |
|----------------------|------------|-------------|-------------------------|--------|---------|----------|----------|---------|---------|---------|-------|---------|-------|---------|-------|-------|-------|--------------------------------|---------------|-----------------------|
|                      |            |             |                         | B      | BI      | C        | CI       | D       | E       | F       | J     | K       | L     | M       | N     | R     |       |                                |               |                       |
| 5                    | **CSRA-5D  | 6 7/8       | 1.09                    | 10 3/4 | 11 5/16 | 17 5/8   | 18 1/4   | 19/16   | 13/16   | 1 1/32  | 2 3/4 | 25/32   | 1 1/2 | 19/64   | 5/8   | 15/64 | 7.7   | 5.6                            | BCSRA-5       |                       |
| 16                   | **CSRA-16B | 2           | 3.68                    | 5 7/8  | 6 5/8   | 7 7/8    | 8 5/8    | 2 3/4   | 2 11/64 | 1 13/16 | 2 3/4 | 25/32   | 2 3/4 | 13/16   | 11/16 | 25/64 | 7.3   | 9.15                           | BCSRA-11      |                       |
| 16                   | **CSRA-16C | 3 15/16     | 3.68                    | 7 7/8  | 8 11/16 | 11 13/16 | 12 5/8   | 2 3/4   | 2 11/64 | 1 13/16 | 2 3/4 | 25/32   | 2 3/4 | 13/16   | 11/16 | 25/64 | 14.65 | 12.2                           | BCSRA-11      |                       |
| 93                   | **CSRA-93B | 2           | 20.57                   | 7 1/2  | 8 11/16 | 9 7/16   | 10 11/16 | 6 7//8  | 5 1/8   | 4 9/64  | 2 3/4 | 1 27/32 | 5     | 1 31/32 |       |       | 40.5  | 71.2                           | BCSRA-93      |                       |
| 23                   | **CSR-23   | 1 5/8       | 5.14                    | 3 7/8  | 4 11/16 | 5 1/2    | 6 5/16   | 3 11/16 | 2 11/64 | 2 1/8   | 2 3/4 | 15/16   |       |         |       | 6/64  | 6     | 11.2                           | LOW<br>HEIGHT |                       |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**

Note: Limited quantities, No backorders



## ► SINGLE ACTING HOLLOW PISTON CYLINDER WITH SPRING RETURN




- Carrying handles or eyes on units 44 lbs. – 88 lbs.
- Threaded mounting holes for easy application.

| NOM<br>FORCE<br>TONS | ITEM NO. | STROKE | FORCE | AREA | INCHES  |         |       |         |         |     |       |             |       |       |       |        |      |      | OIL<br>CAP           | WT. | TILT |
|----------------------|----------|--------|-------|------|---------|---------|-------|---------|---------|-----|-------|-------------|-------|-------|-------|--------|------|------|----------------------|-----|------|
|                      |          | INS    | TONS  | IN²  | B       | C       | D     | E       | F       | G   | H     | I           | J     | K     | N     | Q      | INS³ | LBS. | SADDLE NO.           |     |      |
| 12                   | *CSH-12  | 1 5/8  | 12    | 2.8  | 5 11/16 | 7 5/16  | 2 3/4 | 2 11/64 | 1 23/64 | 1.5 | 2     | 5/16-18 UNC | 2 3/4 | 25/32 | 25/32 | 49/64  | 4.5  | 8.3  | BRCSH-12<br>BMCSH-12 |     |      |
| 20                   | *CSH-20  | 1 7/8  | 20    | 4.5  | 6 3/4   | 8 11/16 | 3 3/4 | 2 3/4   | 2       | 1.5 | 3 1/4 | 3/8-16 UNC  | 2 3/4 | 25/32 | 25/32 | 1 3/64 | 8.5  | 17.6 | BRCSH-20<br>BMCSH-20 |     |      |

**\*TO BE DISCONTINUED**

**\*FOB SURREY, BC ONLY**



## ▶ DOUBLE ACTING HOLLOW PISTON CYLINDERS WITH HYDRAULIC RETURN



| NOM<br>FORCE<br>TONS | ITEM NO. | STROKE<br>INS | MAX<br>FORCE<br>TONS | EFFECT<br>AREA<br>IN <sup>2</sup> | INCHES   |         |         |       |        |         |       |               |       |       |     |         |        | OIL<br>CAP<br>INS <sup>3</sup> | TILT<br>WT.<br>LBS. | SADDLE<br>NO.         |
|----------------------|----------|---------------|----------------------|-----------------------------------|----------|---------|---------|-------|--------|---------|-------|---------------|-------|-------|-----|---------|--------|--------------------------------|---------------------|-----------------------|
|                      |          |               |                      |                                   | B        | C       | D       | E     | F      | G       | H     | I             | J     | K     | N   | O       | P      |                                |                     |                       |
| 30                   | **CDH-30 | 5 15/16       | 30                   | 6.6                               | 11-11/16 | 17-9/16 | 4-15/16 | 3-3/8 | 2-7/16 | M46x1.5 | 3-5/8 | 3/8-16<br>UNC | 2-3/4 | 25/32 | 7/8 | 1-27/32 | 4-7/16 | 39                             | 42.2                | BRC SH-30<br>BMCSH-30 |

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



## ▶ HYDRAULIC CYLINDERS - MADE IN SPAIN



- Fitted with high flow female quick coupler with dust cap.
- All cylinders have salt bath nitrating treatment.
- Working pressure 10,000 PSI.
- Fitted with removable saddle.


### LOW PROFILE SINGLE ACTING WITH SPRING RETURN

- Mounting holes in base.

| NOM<br>FORCE<br>TONS | ITEM NO. | STROKE<br>INS | MAX<br>FORCE<br>TONS | EFFECT<br>AREA<br>IN <sup>2</sup> | INCHES |         |         |         |        |        |      |         |       |      |       |       |     | OIL<br>CAP<br>INS <sup>3</sup> | WT.<br>LBS. |
|----------------------|----------|---------------|----------------------|-----------------------------------|--------|---------|---------|---------|--------|--------|------|---------|-------|------|-------|-------|-----|--------------------------------|-------------|
|                      |          |               |                      |                                   | B      | C       | D       | E       | F      | H      | I    | J       | K     | R    | S     | T     | U   |                                |             |
| 5                    | **CSE-5  | 1/4           | 5                    | 1.09                              | 1 3/8  | 1 19/32 | 2 11/30 | 1 13/16 | 1 1/32 | 1 3/32 | 7/32 | 2 11/32 | 11/16 | 3/64 | 1 5/8 | 13/16 | 7/8 | .77                            | 1.65        |

\*TO BE DISCONTINUED

\*FOB SURREY, BC ONLY



## ▶ FUNNELS - PLASTIC-MULTI-PURPOSE 2 IN 1

- Flexible detachable spouts are being used as regular funnel.
- Convenient plastic handle to hold funnel securely.
- Can be used as a transmission funnel.
- Supplied with built-in 1" screen-filter.

| ITEM NO. | CAP.   | TOP DIA. | SPOUT DIA. O.D.                      | OVERALL LENGTH                       |
|----------|--------|----------|--------------------------------------|--------------------------------------|
| TT1-238  | 900 ml | 5 3/4"   | 11/16" Funnel Only. 1/2" Flex Spout. | 7 1/2" Funnel Only. 15" W/Flex Spout |



## FUNNELS - PLASTIC 4 PIECE SET

- 4 pc set consisting of: 2", 3", 4" and 4-1/2" dia. funnel.
- All funnels have convenient tabs for hanging.
- Can be used for Home, Auto or Business.
- Poly-bagged with header card.



| ITEM NO. | CAP.   | TOP DIA. | SPOUT DIA O.D. | OVERALL LENGTH |
|----------|--------|----------|----------------|----------------|
| TT1-239  | 50 ml  | 2"       | 5/16"          | 3"             |
|          | 100 ml | 3"       | 3/8"           | 4-1/2"         |
|          | 200 ml | 4"       | 7/16"          | 5-1/2"         |
|          | 250 ml | 4-1/2"   | 9/16"          | 6"             |

## FUNNELS - GALVANIZED STEEL - MADE IN USA



- Supplied with 70 mesh brass strainer screen.
- Strong interlocked soldered seams.

| ITEM NO. | DESCRIPTION                                                                | CAP.   | SIZE | SPOUT TYPE | SPOUT DIA. |
|----------|----------------------------------------------------------------------------|--------|------|------------|------------|
| SK491    | General Purpose.                                                           | 1 Qt.  | 6"   | Centre     | 5/8"       |
| SK495    | Transmission. 16" Flex Spout.                                              | 1 Qt.  | 6"   | Centre     | 7/16"      |
| SK590    | Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling. | 8 Qt.  | 9"   | Centre     | 1"         |
| SK620    | Heavy Duty With Wired Top                                                  | 6 Qt.  | 10"  | Side       | 1"         |
| SK690    | Heavy Duty With Wired Top Extra Deep & Fluted. Bottom To Prevent Swirling. | 12 Qt. | 11"  | Centre     | 1"         |
| SKSM     | Small Screen                                                               |        |      |            |            |
| SKLG     | Large Screen                                                               |        |      |            |            |



SK491



SK590  
SK690



SK620




SK495


## FUNNELS, MEASURING CONTAINERS AND OILERS - MADE IN CANADA BY CLUTHE PRODUCTS ONWARD PLASTICS

- Funnels are made with built-in hang-up tab.
- Made of flexible, durable polyethylene.
- Ideal for oils, acids, adhesives, etc.
- All funnels are natural colour.
- Spark, dent, and rust proof.

| ITEM NO.                                               | DESCRIPTION        | DIMINTIONS |           |        |      |        |
|--------------------------------------------------------|--------------------|------------|-----------|--------|------|--------|
|                                                        |                    | A          | B         | C      | D    | E      |
| AUTOMOTIVE AND INDUSTRIAL FUNNELS WITH 100 MESH FILTER |                    |            |           |        |      |        |
| C30080                                                 | Tapered Rim 120 oz | 8"         | 10"       | 5-1/2" | 7/8" | 2-1/8" |
| C30090                                                 | Funnel 144 oz      | 9"         | 10-1/2"   | 2-1/4" | 5/8" | 2-1/8" |
| FILTERS FOR FUNNELS - 100 MESH                         |                    |            |           |        |      |        |
| C30000                                                 | 100 Filters        | Bulk       | Gold Mesh |        |      |        |



C30080



C30090



C30000

## ► LIGHT DUTY CASTERS

- Single ball bearing raceway on swivel models.
- Solid rubber wheel.
- Plain bearing.

| Wheel Dia | Tread Width | Axle Dia | Overall Height | Mounting Bolt Dia | Finish | Load Cap |
|-----------|-------------|----------|----------------|-------------------|--------|----------|
| 1-1/2"    | 1-1/16"     | 3/16"    | 2-1/8"         | 3/16"             | Black  | 60 lbs.  |
| 2"        | 1"          | 1/4"     | 2-5/8"         | 1/4"              | Zinc   | 80 lbs.  |
| 2-1/2"    | 1-1/16"     | 5/16"    | 3-1/4"         | 1/4"              | Zinc   | 100 lbs. |



| ITEM NO.   | DESCRIPTION   | MOUNTING PLATE     |
|------------|---------------|--------------------|
| SYR-15068  | 1-1/2" Rigid  | 1-13/16" x 1-1/2"  |
| SYS-15068  | 1-1/2" Swivel | 1-13/16" x 1-1/2"  |
| SYFR-20100 | 2" Rigid      | 2-11/16" x 1-9/16" |
| SYFS-20100 | 2" Swivel     | 2-5/8" x 1-7/8"    |
| SYFR-25112 | 2-1/2" Rigid  | 4-7/16" x 2-5/16"  |
| SYFS-25112 | 2-1/2" Swivel | 3-7/8" x 2-3/4"    |

## ► GENERAL DUTY CASTERS

- Single ball bearing raceway on swivel models.
- Sintered iron bearing.
- Solid rubber wheel.

| Wheel Dia | Tread Width | Axle Dia | Overall Height | Mounting Bolt Dia. | Finish | Load Cap |
|-----------|-------------|----------|----------------|--------------------|--------|----------|
| 3"        | 1-1/4"      | 3/8"     | 3-13/16"       | 5/16"              | Zinc   | 175 lbs. |
| 4"        | 1-1/2"      | 3/8"     | 5"             | 3/8"               | Zinc   | 220 lbs. |

| ITEM NO.   | DESCRIPTION               | MOUNTING PLATE    |
|------------|---------------------------|-------------------|
| SYFR-30125 | 3" Rigid                  | 4-15/16" x 2-1/2" |
| SYFS-30125 | 3" Swivel                 | 4-1/8" x 3-1/8"   |
| SYFB-30125 | 3" Swivel With Side Brake | 4-1/8" x 3-1/8"   |
| SYFR-40150 | 4" Rigid                  | 6-1/4" x 3-1/4"   |
| SYFS-40150 | 4" Swivel                 | 5" x 4"           |
| SYFB-40150 | 4" Swivel With Side Brake | 5" x 4"           |



## ► MEDIUM HEAVY DUTY CASTERS

- Greaseable roller bearings and grease-able double raceway ball bearings.
- Heavy 3/16" steel mounting plate and legs.
- Hard rubber tire on cast iron wheel.

| Wheel Dia | Tread Width | Axle Dia | Overall Height | Mounting Bolt Dia | Finish | Load Cap |
|-----------|-------------|----------|----------------|-------------------|--------|----------|
| 5"        | 2"          | 1/2"     | 6-1/2"         | 3/8"              | Zinc   | 450 lbs. |
| 6"        | 2"          | 1/2"     | 7-5/8"         | 3/8"              | Zinc   | 500 lbs. |

| ITEM NO.   | DESCRIPTION | MOUNTING PLATE |
|------------|-------------|----------------|
| SYMR-50200 | 5" Rigid    | 4-1/2" x 4"    |
| SYMS-50200 | 5" Swivel   | 4-1/2" x 4"    |
| SYMR-60200 | 6" Rigid    | 4-1/2" x 4"    |
| SYMS-60200 | 6" Swivel   | 4-1/2" x 4"    |



## ▶ CLUTHE MEASURING CONTAINERS

| ITEM NO. | DESCRIPTION                            | CAP     | COLOUR  |
|----------|----------------------------------------|---------|---------|
| C34046   | Measuring Container With Pouring Spout | 155 oz. | Natural |



## ▶ GREASE GUNS - LEVEL & PISTOL GRIP TYPE

- 11" body accepts 14 oz. cartridges or can be filled by hand.
- Supplied with 7" detachable metal spout.
- 3-way filling.

| ITEM NO.  | DESCRIPTION                            |
|-----------|----------------------------------------|
| G-4805    | Lever-Type Grease Gun                  |
| A-480N    | Pistol-Grip Type Grease Gun            |
| A-401-12  | 12" Nylon Steel NPT Flex Hose          |
| A-401-18  | 18" Nylon Steel NPT Flex Hose          |
| G-4805CPL | 1/8" NPT 3-Jaw Coupler. Blister Packed |



## ▶ PUMP OILER - METAL (PERFETTA TYPE)



- Supplied with rigid and PVC flexible detachable spouts.
- Supplied in cello bag with header card.
- Steel pump mechanism.

| ITEM NO. | CAPACITY       |
|----------|----------------|
| R-101    | 10 oz. (300cc) |



## ► REINFORCED BRAIDED P.V.C. FLEXIBLE SPOUTS

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

**Flexible Spout for All "R" Series Oilers:**

|           |        |
|-----------|--------|
| R-103FLEX | 6-1/2" |
|-----------|--------|

**Rigid Replacement Metal Spout for "R" Series Oilers:**

|        |        |
|--------|--------|
| R-101M | 5-1/2" |
|--------|--------|



## ► PUMP - SUBMERSIBLE WITH FLOAT SWITCH

- 1" water outlet with 3/4" hose adaptor.
- Max 1400 GPH Flow Rate 26.3 Head.
- Removable screw for cleaning.
- Thermoplastic construction.
- 10' grounded electrical cord.
- Thermoplastic construction.
- 1/6 HP Motor 115V/60Hz.
- Low 1/8" pickup.
- cETL Listed.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                                 |
|-----------|---------------------------------|
| Q1CP-400C | Submersible Pump w/Float Switch |
|-----------|---------------------------------|



## ► POLYPRO - HAND OPERATED ROTARY PUMP

- Suitable for most petroleum products **except gasoline**, water, water-based chemicals, alcohol and mild alkaline products.
- Supplied with 47" polypropylene suction tube and 2" NPT bung adapter.
- Glass-filled polypropylene construction.
- 46" polyethylene delivery hose included.
- Pumps 6 GPM @ 70 revolutions.
- 1" OD barbed spout end.
- Movable outlet spout.
- 360° rotation.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                           |
|--------|---------------------------|
| RP-90P | Polypropylene Rotary Pump |
|--------|---------------------------|

|           |                              |
|-----------|------------------------------|
| RP-90P-16 | Bung Adaptor with Thumbscrew |
|-----------|------------------------------|

|           |                                      |
|-----------|--------------------------------------|
| RP-90P-20 | 46" Replacement Hose For RP-90P Pump |
|-----------|--------------------------------------|



## ▶ DIAMOND HAND-OPERATED ROTARY PUMP

- Steel vanes (note - not suitable for chemicals which are liable to corrode metals).
- Simple installation and operation, as well as durable.
- Complete with 8 ft. vinyl hose and steel pipe.
- Packed in display box.
- Parts available.

| ITEM NO.                  | DESCRIPTION                            |
|---------------------------|----------------------------------------|
| KS-25A                    | Pumping Capacity: 18 Litres Per Minute |
| KS-25-21                  | 8' Replacement Vinyl Hose For Above    |
| ** ALL PARTS AVAILABLE ** |                                        |



## ▶ LEVER BARREL PUMP

- Brass piston ring makes this pump suitable for use with lubricants, solvents, and other non-corrosive liquids.
- Spout is threaded for garden hose fittings.
- Suitable for 1-1/2" and 2" NPT bungs.
- Dispenses approx. 300 ml. per stroke.
- Suction tube extends 18" to 36".
- Zinc-plated for long life.
- PVC coated handle.


| ITEM NO. | DESCRIPTION              |
|----------|--------------------------|
| A-490    | Lever Barrel Pump, Boxed |



## ▶ PLASTIC SYPHON PUMP

- Suitable for use on all sizes of drums with 2" bungs.
- Used to transfer liquids such as oil, kerosene, fuel.
- Lightweight and economical, corrosion resistant.
- Made of heavy polyethylene vinyl chloride.
- 33-1/2" suction pipe, 46" discharge hose.
- Dispenses 15 litres/min.

| ITEM NO. | DESCRIPTION         |
|----------|---------------------|
| CK-9     | Plastic Syphon Pump |





## ▶ LEVER PAIL PUMP - FOR OILS

- Includes pump, pail cover, and 4 ft. of clear vinyl hose with curved discharge nozzle.
- Fits full open head pails through 6-1/2 gal.
- Delivers approx. 1 gal./60 strokes.
- For motor oil, gear oil and ATF.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |               |
|-------|---------------|
| A-492 | Hand Oil Pump |
|-------|---------------|



## ▶ CHAIN BLOCKS

- Safe, reliable, with minimum maintenance.
- High efficiency and small hand pull.
- Triple-spur gears.
- Lightweight.

| ITEM NO. | CAP | LIFT | CHAIN DIA. | HEAD ROOM REQUIRED |
|----------|-----|------|------------|--------------------|
|----------|-----|------|------------|--------------------|

|     |       |        |        |     |
|-----|-------|--------|--------|-----|
| 100 | 1 Ton | 8 ft.  | 15/64" | 11' |
| 200 | 2 Ton | 10 ft. | 5/16"  | 14' |



## ▶ LEVER CHAIN RATCHET PULLER - MINI

- Supplied with spring-loaded safety latches.
- Rubber handgrip for comfortable grip.
- Up, down and free lever functions.
- Lightweight for ease of carrying.
- Replacement parts available.
- Uses 4 mm load chain.
- Standard 1 metre lift.
- Steel housing.
- Friction brake.

| ITEM NO | DESCRIPTION | WEIGHT |
|---------|-------------|--------|
|---------|-------------|--------|

|          |                  |        |
|----------|------------------|--------|
| A619-025 | 1/4 Ton Capacity | 1.8 kg |
|----------|------------------|--------|



## ▶ LEVER CHAIN RATCHET PULLERS - HEAVY DUTY

- Excellent performance and minimum maintenance.
- Light hand pull and high efficiency.
- Safe, reliable and durable in use.
- Light weight and portable in size.
- Replacement parts available.
- Max. lift 1.5m (59").
- Uses Grade 80 chain.
- Cast safety latch.
- Steel housing.
- Friction brake.



| ITEM NO  | DESCRIPTION        |
|----------|--------------------|
| A619-075 | 3/4 Ton Capacity   |
| A619-150 | 1-1/2 Ton Capacity |
| A619-300 | 3 Ton Capacity     |

## ▶ ROPE HOIST

- Ideal for hunters, campers, boaters, etc.
- Max. pulling capacity, 1,000 lbs.
- Steel blocks with nylon rollers.
- Double grip safety hooks.
- 65 ft. nylon rope.
- 7 to 1 ratio.




| ITEM NO | DESCRIPTION |
|---------|-------------|
| PH-2C   | 1,000 lbs   |

## ▶ RATCHET CABLE PULLERS

- Ideal for camping, farming, boating, landscaping, fencing, etc.
- Economical reliable puller.

| ITEM NO. | DESCRIPTION                                                               |
|----------|---------------------------------------------------------------------------|
| PI-401   | 1 Ton Cap., 10 ft. Cable, 2 Hooks and Safety Latch Included. Single Gear. |
| PHP-30   | 2 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear. |
| PHP-40   | 4 Ton Cap., 10 ft. Cable, 3 Hooks and Safety Latch Included. Double Gear. |



## RATCHET ROPE PULLER

- Supplied with 6-metre polyester rope.
- Suitable for 10.5 mm (7/16") rope.
- Grips rope and pulls through.
- Comfort-grip handle.
- Double-gear design.
- 3 hook design.

### ITEM NO. DESCRIPTION

HPR-302-2 1 Ton Ratchet Rope Puller




## WIRE ROPE - GALVANIZED AIRCRAFT CABLE

- Manufactured to DIN Standards.
- Supplied on spools.
- Galvanized Steel.

| ITEM NO. | CABLE DIA. | CNST.  | BREAKING LOAD (LBS.) | BREAKING SPOOL LENGHT (FEET) | APPROX. GROSS WT./ROLL (IBS.) | BORE  | SPOOL DIA. (INCH) | OVERALL WIDTH |
|----------|------------|--------|----------------------|------------------------------|-------------------------------|-------|-------------------|---------------|
| AC-116   | 1/16"      | 7 x 7  | 480                  | 500                          | 4.4                           | 1     | 6                 | 4-3/4         |
| AC-332   | 3/32"      | 7 x 7  | 920                  | 500                          | 8.8                           | 1     | 6                 | 5             |
| AC-18    | 1/8"       | 7 x 7  | 1,700                | 500                          | 13.6                          | 1     | 7                 | 5-3/4         |
| AC-18-2  | 1/8"       | 7 x 19 | 2,000                | 250                          | 13.1                          | 1     | 7-1/4             | 5-3/4         |
| AC-532   | 5/32"      | 7 x 19 | 2,800                | 250                          | 12.1                          | 1     | 6                 | 7             |
| AC-316   | 3/16"      | 7 x 19 | 4,200                | 250                          | 16.5                          | 1     | 7-3/4             | 5-3/4         |
| AC-14    | 1/4"       | 7 x 19 | 7,000                | 250                          | 27.7                          | 1     | 8-3/4             | 6-1/4         |
| AC-516   | 5/16"      | 7 x 19 | 9,800                | 250                          | 43.4                          | 2-1/4 | 10                | 10            |
| AC-38    | 3/8"       | 7 x 19 | 14,400               | 250                          | 61.6                          | 2-1/4 | 12                | 8-3/4         |

Note 1: Supplied in full spool length only!

Note 2: Spool dimensions are approximate!



## ► WIRE ROPE CLIPS

- Galvanized malleable iron.

| ITEM NO. | SIZE  |
|----------|-------|
| 705-01   | 1/8"  |
| 705-02   | 3/16" |
| 705-03   | 1/4"  |
| 705-04   | 5/16" |
| 705-05   | 3/8"  |
| 705-06   | 1/2"  |
| 705-07   | 5/8"  |
| 705-08   | 3/4"  |
| 705-09   | 7/8"  |
| 705-10   | 1"    |



## ► GALVANIZED WIRE ROPE THIMBLES

- Electro-Galvanized.

| ITEM NO. | SIZE  |
|----------|-------|
| 700-1-8  | 1/8"  |
| 700-3-16 | 3/16" |
| 700-1-4  | 1/4"  |
| 700-5-16 | 5/16" |
| 700-3-8  | 3/8"  |
| *700-05  | 5/8"  |
| *700-06  | 3/4"  |
| *700-07  | 7/8"  |
| *700-08  | 1"    |



\*FOB DARTMOUTH, NS ONLY

## ► CABLE STOPS - ALUMINUM CONSTRUCTION

- Packaged and sold 10/bag.

| ITEM NO. | USE WITH CABLE DIA. |
|----------|---------------------|
| ACA-116  | 1/16"               |
| ACA-332  | 3/32"               |
| ACA-18   | 1/8"                |
| ACA-532  | 5/32"               |
| ACA-316  | 3/16"               |
| ACA-14   | 1/4"                |
| ACA-516  | 5/16"               |
| ACA-38   | 3/8"                |



## CABLE SLEEVES - OVAL ALUMINUM

- Packaged and sold 10/bag.

| ITEM NO. | USE WITH CABLE DIA. |
|----------|---------------------|
| ACB-116  | 1/16"               |
| ACB-332  | 3/32"               |
| ACB-18   | 1/8"                |
| ACB-532  | 5/32"               |
| ACB-316  | 3/16"               |
| ACB-14   | 1/4"                |
| ACB-516  | 5/16"               |
| ACB-38   | 3/8"                |



## PULLEY YOLK ASSEMBLY - FIXED EYE

- Complete with safety latch hook.
- Plated finish.

| ITEM NO. | DESCRIPTION                     | DIA. |
|----------|---------------------------------|------|
| UP-2000  | Pulley Yoke Assembly Non Swivel | 2"   |



## EYE SLIP HOOK

| ITEM NO.                | SIZE                 | WEIGHT   |
|-------------------------|----------------------|----------|
| *3046                   | 5/16" w/Safety Latch | 1.0 lbs. |
| *FOB DARTMOUTH, NS ONLY |                      |          |



## PULLEY SINGLE SHEAVES - SWIVEL EYE

- Malleable iron body, cast iron sheaves.

| ITEM NO. | SHEAVE DIA. | MAX ROPE DIA. | EYE DIA. |
|----------|-------------|---------------|----------|
| F173-075 | 3/4"        | 1/4"          | 5/16"    |
| F173-125 | 1-1/4"      | 5/16"         | 9/16"    |
| F173-200 | 2"          | 7/16"         | 5/8"     |



## PULLEY SINGLE SHEAVES - FIXED EYE

- Malleable iron body, cast iron sheaves.

| ITEM NO. | SHEAVE DIA. | MAX ROPE DIA. | EYE DIA. |
|----------|-------------|---------------|----------|
| F174-075 | 3/4"        | 5/32"         | 3/16"    |
| F174-125 | 1-1/4"      | 1/4"          | 3/8"     |
| F174-200 | 2"          | 7/16"         | 7/16"    |



## PULLEY SINGLE SHEAVES - SWIVEL EYE - STAINLESS STEEL

| ITEM NO. | SHEAVE DIA. | USEFUL GROOVE | RECOM WORKING LOAD |
|----------|-------------|---------------|--------------------|
| S314-125 | 1-1/4"      | 3/8"          | 1,600 lbs          |
| S314-200 | 2"          | 5/8"          | 3,500 lbs          |



## PULLEY SINGLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL

| ITEM NO.  | SHEAVE DIA. | USEFUL GROOVE | RECOMM. WORKING LOAD |
|-----------|-------------|---------------|----------------------|
| S314A-125 | 1-1/4"      | 3/8"          | 1,600 lbs.           |
| S314A-200 | 2"          | 5/8"          | 3,500 lbs.           |



## PULLEY DOUBLE SHEAVES - SWIVEL EYE - STAINLESS STEEL

| ITEM NO. | SHEAVE DIA. | USEFUL GROOVE | RECOMM WORKING LOAD |
|----------|-------------|---------------|---------------------|
| S315-125 | 1-1/4"      | 3/8"          | 1,600 lbs.          |
| S315-200 | 2"          | 5/8"          | 3,500 lbs.          |



## ► PULLEY DOUBLE SHEAVES WITH HANGER - SWIVEL EYE - STAINLESS STEEL

| ITEM NO.  | SHEAVE DIA. | USEFUL GROOVE | RECOMM. WORKING LOAD |
|-----------|-------------|---------------|----------------------|
| S315A-125 | 1-1/4"      | 3/8"          | 1,600 lbs.           |
| S315A-200 | 2"          | 5/8"          | 3,500 lbs.           |



## ► WOOD ROPE BLOCK - DOUBLE

- Supplied with stainless safety latch on loose hook.
- Hook, sheave and straps, hot dipped galvanized.

| ITEM NO. | DESCRIPTION   | ROPE SIZE | SHELL LENGTH |
|----------|---------------|-----------|--------------|
| *DWB-5   | Double Sheave | 5/8"      | 5"           |
| *DWB-6   | Double Sheave | 3/4"      | 6"           |

**\*FOB DARTMOUTH, NS ONLY**



## ► WOOD ROPE BLOCK - SINGLE

- Supplied with stainless safety latch on loose hook.
- Hook, sheave and straps, hot dipped galvanized.

| ITEM NO. | DESCRIPTION   | ROPE SIZE | SHELL LENGTH |
|----------|---------------|-----------|--------------|
| *SWB-3   | Single Sheave | 3/8"      | 3"           |
| *SWB-4   | Single Sheave | 1/2"      | 4"           |
| *SWB-6   | Single Sheave | 3/4"      | 6"           |

**\*FOB DARTMOUTH, NS ONLY**





## ▶ SNATCH BLOCKS



- Supplied with smooth long-lasting needle bearing sheave.
- Moveable side plate allows easy installation of wire rope.
- Spring-loaded safety latch on swivel hook.



| ITEM NO. | SIZE | RECOMM. ROPE SIZE | FACTORY RECOMM.SWLL |
|----------|------|-------------------|---------------------|
| 130-3    | 3"   | 3/8"              | 0.5                 |
| 130-4    | 4"   | 7/16"             | 1                   |
| 130-5    | 5"   | 1/2"              | 1.5                 |
| 130-6    | 6"   | 5/8"              | 2                   |
| 130-8    | 8"   | 3/4"              | 4                   |

## ▶ YARDING BLOCKS

- Open ball bearings with grease nipples.
- Swivel attachments available.
- Industrial quality.



| ITEM NO. | SIZE | MAX. WIRE ROPE SIZE | FACTORY RECOMM. SWLL | BREAKING LOAD |
|----------|------|---------------------|----------------------|---------------|
| 135-3    | 3"   | 5/16"               | 1.5 Ton              | 6             |
| 135-4    | 4"   | 3/8"                | 3 Ton                | 12            |
| 135-5    | 5"   | 7/16"               | 4.5 Ton              | 18            |
| 135-6    | 6"   | 9/16"               | 6 Ton                | 24            |
| 135-8    | 8"   | 3/4"                | 8 Ton                | 32            |

## ▶ SHEAVES - CAST IRON

- Grease fitting equipped.
- Bronze sleeve bearing.

| ITEM NO. | DIA. | BORE DIA. | APPROX. ROPE SIZE |
|----------|------|-----------|-------------------|
| CIS-03   | 3"   | 1/2"      | 5/16"             |
| CIS-04   | 4"   | 5/8"      | 3/8"              |
| CIS-05   | 5"   | 3/4"      | 1/2"              |
| CIS-06   | 6"   | 1-1/8"    | 5/8"              |
| CIS-08   | 8"   | 1-1/4"    | 7/8"              |




## PILLOW BLOCKS



- Supplied with 1/8" NPT grease nipple.
- Self-aligning.
- Cast iron.

| ITEM NO.  | SHAFT DIAMETER |
|-----------|----------------|
| UCP201-08 | 1/2"           |
| UCP202-10 | 5/8"           |
| UCP204-12 | 3/4"           |
| UCP205-14 | 7/8"           |
| UCP205-16 | 1"             |
| UCP206-18 | 1-1/8"         |
| UCP206-19 | 1-3/16"        |
| UCP206-20 | 1-1/4"         |
| UCP207-20 | 1-1/4"         |
| UCP207-21 | 1-5/16"        |
| UCP207-22 | 1-3/8"         |
| UCP207-23 | 1-7/16"        |
| UCP208-24 | 1-1/2"         |
| UCP209-26 | 1-5/8"         |
| UCP209-28 | 1-3/4"         |
| UCP210-31 | 1-15/16"       |
| UCP211-32 | 2"             |



## BEARING UNITS

- For pillow blocks, 4 bolt flange, 2 bolt oval flange.
- Cylindrical outside diameter.

*Setscrew Locking Type:*

| ITEM NO. | SHAFT DIAMETER |
|----------|----------------|
| UC204-12 | 3/4"           |
| UC205-14 | 7/8"           |
| UC205-16 | 1"             |
| UC206-18 | 1-1/8"         |
| UC206-19 | 1-3/16"        |
| UC206-20 | 1-1/4"         |
| UC207-20 | 1-1/4"         |
| UC207-21 | 1-5/16"        |
| UC207-22 | 1-3/8"         |
| UC207-23 | 1-7/16"        |
| UC208-24 | 1-1/2"         |
| UC209-26 | 1-5/8"         |
| UC209-28 | 1-3/4"         |
| UC210-31 | 1-15/16"       |
| UC211-32 | 2"             |

*Eccentric Collar Locking Type:*

| ITEM NO.                   | SHAFT DIAMETER |
|----------------------------|----------------|
| *ELS204-12                 | 3/4"           |
| *ELS205-16                 | 1"             |
| *ELS207-20                 | 1-1/4"         |
| <b>*TO BE DISCONTINUED</b> |                |



## ► FLANGES - 2 BOLT OVAL HOUSING



- Supplied with 1/8" NPT grease nipple.
- Cast iron housing.

| ITEM NO. | SUITABLE FOR BEARING NUMBER           |
|----------|---------------------------------------|
| FL203    | UC201, UC202                          |
| FL204    | UC203, 203-11, 204, 204-12            |
| FL205    | UC205, 205-13, 205-14, 205-15, 205-16 |
| FL206    | UC206, 206-17, 206-18, 206-19         |
| FL207    | UC207, 207-20, 207-21, 207-22, 207-23 |
| FL208    | UC208, 208-24, 208-25                 |
| FL209    | UC209, 209-26, 209-27, 209-28         |
| FL210    | UC210, 210-29, 210-30, 210-31, 210-32 |
| FL211    | UC211, 211-32, 211-33, 211-34, 211-35 |
| FL212    | UC212, 212-36, 212-38, 212-39         |



## ► FLANGES - 4 BOLT SQUARE HOUSING

- Supplied with 1/8" NPT grease nipple.
- Cast iron housing.

| ITEM NO. | SUITABLE FOR BEARING NUMBER           |
|----------|---------------------------------------|
| F203     | UC201, UC202.                         |
| F204     | UC203, 203-11, 204, 204-12            |
| F205     | UC205, 205-13, 205-14, 205-15, 205-16 |
| F206     | UC206, 206-17, 206-18, 206-19         |
| F207     | UC207, 207-20, 207-21, 207-22, 207-33 |
| F208     | UC208, 208-24, 208-25                 |
| F209     | UC209, 209-26, 209-27, 209-28         |
| F210     | UC210, 210-29, 210-30, 210-31, 210-32 |
| F211     | UC211, 211-32, 211-33, 211-34, 211-35 |
| F212     | UC212, 212-36, 212-38, 212-39         |



## ► TAPERED BEARING SETS

| ITEM NO. | DESCRIPTION | SHAFT DIA. (mm) | OUTER DIA. (mm) |
|----------|-------------|-----------------|-----------------|
| 30203A   | Metric      | 17              | 40              |



## ▶ TAPERED BEARING SETS

| ITEM NO. | CONE/CUP                    |
|----------|-----------------------------|
| BEA-01   | LM11749/LM11710             |
| BEA-02   | LM11949/LM11910             |
| BEA-03   | M12649/M12610               |
| BEA-04   | LM44649/LM44610             |
| BEA-05   | LM48548/LM48510             |
| BEA-06   | LM67048/LM67010             |
| BEA-07   | M201047-S/M201011 w/ring    |
| BEA-08   | L45449/L45410               |
| BEA-09   | BS226095 w/ring (RSN 1578V) |
| BEA-11   | JL69349/JL69310             |
| BEA-12   | LM12749/LM12710             |
| BEA-13   | L68149/L68110               |
| BEA-14   | L44643/L44610               |
| BEA-16   | LM12749/LM12711             |
| BEA-17   | L68149/L68111               |
| BEA-35A  | LM501349/LM501310           |



## ▶ DEEP GROOVE BALL BEARINGS

- With double seals.

| ITEM NO. | INNER DIA. mm | OUTER DIA. mm | WIDTH mm |
|----------|---------------|---------------|----------|
| 6000-2RS | 10            | 26            | 8        |
| 6001-2RS | 12            | 28            | 8        |
| 6002-2RS | 15            | 32            | 9        |
| 6003-2RS | 17            | 35            | 10       |
| 6004-2RS | 20            | 42            | 12       |
| 6005-2RS | 25            | 47            | 12       |
| 6006-2RS | 30            | 55            | 13       |
| 6007-2RS | 35            | 62            | 14       |
| 6008-2RS | 40            | 68            | 15       |
| 6009-2RS | 45            | 75            | 16       |
| 6010-2RS | 50            | 80            | 16       |
| 6200-2RS | 10            | 30            | 9        |
| 6201-2RS | 12            | 32            | 10       |
| 6202-2RS | 15            | 35            | 11       |
| 6203-2RS | 17            | 40            | 12       |
| 6204-2RS | 20            | 47            | 14       |
| 6205-2RS | 25            | 52            | 15       |
| 6206-2RS | 30            | 62            | 16       |
| 6207-2RS | 35            | 72            | 17       |
| 6301-2RS | 12            | 37            | 12       |
| 6302-2RS | 15            | 42            | 13       |
| 6303-2RS | 17            | 47            | 14       |
| 6304-2RS | 20            | 47            | 14       |
| 6305-2RS | 25            | 62            | 17       |
| 6306-2RS | 30            | 72            | 19       |
| 6310-2RS | 50            | 110           | 27       |
| 6909-2RS | 45            | 68            | 12       |
| 608-2RS  | 8             | 22            | 7        |
| 627-2RS  | 7             | 22            | 7        |
| 629-2RS  | 9             | 26            | 8        |
| 635-2RS  | 5             | 19            | 6        |



## HITCH ACCESSORIES - HITCHPINS

- Drop-forged and heat-treated SEA 1040/1045 steel pin and SEA 1010/1020 handle.
- Vinyl-dipped handle.
- Includes clip.

| ITEM NO. | DIA.   | USEABLE LENGTH | HAIR PIN NO. |
|----------|--------|----------------|--------------|
| 5002-251 | 1/2"   | 3-5/8"         | 5704-307     |
| 5003-252 | 5/8"   | 4"             | 5706-305     |
| 5004-256 | 5/8"   | 5-1/2"         | 5706-305     |
| 5005-253 | 3/4"   | 4"             | 5706-305     |
| 5006-257 | 3/4"   | 6-1/2"         | 5706-305     |
| 5007-254 | 7/8"   | 4-1/2"         | 5706-305     |
| 5008-258 | 7/8"   | 6-1/2"         | 5706-305     |
| 5009-255 | 1"     | 4-1/2"         | 5706-305     |
| 5010-259 | 1"     | 7-1/2"         | 5706-305     |
| 5011-260 | 1-1/8" | 8-1/2"         | 5706-305     |
| 5012-261 | 1-1/4" | 8-1/2"         | 5708-304     |
| 5013-262 | 1-1/2" | 8-1/2"         | -----        |



## HITCHPINS - FOLDING HANDLE

- Supplied with chain fastened to linchpin (included).
- SEA 1040/1045 steel pin and SEA 1010/1020 handle.
- Zinc plated.

| ITEM NO. | DIA.   | USABLE LENGTH             |
|----------|--------|---------------------------|
| 5101-250 | 3/8"   | 3" (no chain with pin)    |
| 5102-280 | 1/2"   | 3-1/2" (with chain & pin) |
| 5103-281 | 5/8"   | 4-1/4" (with chain & pin) |
| 5104-282 | 5/8"   | 6-1/4" (with chain & pin) |
| 5105-283 | 3/4"   | 4-1/4" (with chain & pin) |
| 5106-284 | 3/4"   | 6-1/4" (with chain & pin) |
| 5107-285 | 7/8"   | 6-1/4" (with chain & pin) |
| 5108-286 | 1"     | 6-1/4" (with chain & pin) |
| 5109-287 | 1-1/8" | 6-1/4" (with chain & pin) |
| 5110-288 | 1-1/4" | 6-1/4" (with chain & pin) |



## ▶ BENT HITCHPINS

- Clip included.
- Carbon steel.
- Zinc-plated.

| ITEM NO. | LIST DIA. | USEABLE LENGTH |
|----------|-----------|----------------|
| 5201-270 | 1/2"      | 3"             |
| 5202-271 | 5/8"      | 3"             |



## ▶ QUICK PINS - CURVED SPRING TYPE

- Zinc dichromate finish.

| LIST ITEM NO. | DIA.  | USEABLE LENGTH |
|---------------|-------|----------------|
| 5301-460      | 1/4"  | 1-5/8"         |
| 5302-461      | 1/4"  | 1-1/2"         |
| 5303-463      | 5/16" | 1-3/8"         |
| 5304-464      | 5/16" | 1-3/4"         |
| 5305-466      | 3/8"  | 1-3/4"         |



**Minimum Order: 5 Pieces**

## ▶ QUICK PINS - SQUARE SPRING TYPE

- Zinc dichromate finish.

| ITEM NO. | DIA.  | USEABLE LENGTH |
|----------|-------|----------------|
| 5401-462 | 1/4"  | 2-1/4"         |
| 5402-465 | 5/16" | 2-1/4"         |
| 5403-467 | 3/8"  | 2-1/4"         |
| 5404-468 | 3/8"  | 2-3/4"         |



**Minimum Order: 5 Pieces**

## ▶ SAFETY PINS

- Alternative to using hairpins.
- Zinc-plated.

| ITEM NO. | DIA.  | USEABLE LENGTH |
|----------|-------|----------------|
| 5501-470 | 1/8"  | 1-3/4"         |
| 5502-472 | 3/16" | 3-1/2"         |
| 5503-474 | 1/4"  | 5-1/4"         |




## ▶ LINCHPINS

- Zinc dichromate finish.

| ITEM NO. | DIA.  | USEABLE LENGTH |
|----------|-------|----------------|
| 5601-450 | 3/16" | 1-1/4"         |
| 5602-451 | 1/4"  | 1-1/2"         |
| 5603-452 | 5/16" | 1-3/8"         |
| 5604-453 | 3/8"  | 1-3/8"         |
| 5605-454 | 7/16" | 1-5/16"        |
| 5606-455 | 7/16" | 1-1/2"         |

Minimum Order for All Above Items: 10 Pieces



## ▶ HITCHPIN CLIPS

- Zinc dichromate finish.
- Packed 25 pcs per bag.

| ITEM NO. | DIA.  | OVERALL LENGTH | ITEM NO. | DIA.  | OVERALL LENGTH |
|----------|-------|----------------|----------|-------|----------------|
| 5701-300 | 1/16" | 1-3/8"         | 5707-302 | 3/16" | 3-3/8"         |
| 5702-301 | 3/32" | 1-5/8"         | 5708-304 | 3/16" | 3-3/4"         |
| 5703-303 | 3/32" | 2-1/4"         | 5709-308 | 1/4"  | 4-1/4"         |
| 5704-307 | 1/8"  | 1-7/8"         |          |       |                |
| 5705-306 | 1/8"  | 2-1/2"         |          |       |                |
| 5706-305 | 5/32" | 3-1/8"         |          |       |                |

Minimum Order for All Above Items: 25 Pieces




## ▶ HAIRPINS

- Zinc dichromate finish.
- Packed 25 pcs per bag.

| ITEM NO.  | DIA.  | OVERALL LENGTH |
|-----------|-------|----------------|
| *5710-311 | 1/8"  | 2-1/16"        |
| *5711-312 | 3/16" | 2-3/4"         |

Minimum Order for All Above Items: 25 Pieces



## ▶ S HOOKS

- Packed 10 pcs per bag.
- Packed 100 per bag.
- Grey zinc.

| ITEM NO. | MATERIAL DIAMETER | OPENING SIZE | ITEM NO. | MATERIAL DIAMETER | OPENING SIZE |
|----------|-------------------|--------------|----------|-------------------|--------------|
| 5801-230 | 0.093             | 3/32"        | 5806-238 | 0.250             | 1/4"         |
| 5802-232 | 0.105             | 7/64"        | 5807-239 | 0.188             | 3/16"        |
| 5803-234 | 0.120             | 1/8"         |          |                   |              |
| 5804-235 | 0.162             | 5/32"        |          |                   |              |
| 5805-236 | 0.148             | 9/64"        |          |                   |              |

Minimum Order for All Above Items: 10 Pieces





## ▶ WELDED STEEL RINGS

- 10 PCS per bag.
- Grey zinc.

| ITEM NO. | MATERIAL DIAMETER | OUTSIDE DIAMETER | INSIDE DIA. |
|----------|-------------------|------------------|-------------|
| 5901-410 | 3/16"             | 1"               | 5/8"        |
| 5902-411 | 1/4"              | 1-1/2"           | 1"          |
| 5903-412 | 5/16"             | 2"               | 1-3/8"      |

**Minimum Order for All Above Items: 10 Pieces**



## ▶ QUICK LINKS - PLATED STEEL

- Ideal for quick connection of chain, cable & wire rope.
- No tools required, can be tightened with fingers.
- Zinc-plated steel.

| ITEM NO. | SIZE         | SWL       |
|----------|--------------|-----------|
| 601      | 3.5mm (1/8") | 220 lbs.  |
| 602      | 5mm (3/16")  | 660 lbs.  |
| 603      | 6mm (1/4")   | 880 lbs.  |
| 604      | 8mm (5/16")  | 1760 lbs. |
| 605      | 9mm (3/8")   | 2200 lbs. |
| 606      | 10mm (7/16") | 2700 lbs. |
| 607      | 12mm (1/2")  | 3300 lbs. |



## ▶ QUICK LINKS - STAINLESS STEEL

- Suitable in situations where moisture is a problem.
- Ideal for quick connection of chain and wire rope.
- Made from 316 stainless steel.

| ITEM NO. | SIZE        |
|----------|-------------|
| 602-SS   | 5mm (3/16") |
| 603-SS   | 6mm (1/4")  |
| 604-SS   | 8mm (5/16") |
| 605-SS   | 9mm (3/8")  |
| 607-SS   | 12mm (1/2") |



## ▶ LAP LINKS

- Zinc-plated steel.

| ITEM NO. | SIZE  | INSIDE LENGTH |
|----------|-------|---------------|
| 660-1    | 1/8"  | 3/4"          |
| 660-2    | 3/16" | 1"            |
| 660-3    | 7/32" | 1-1/4"        |
| 660-4    | 5/16" | 1-1/2"        |
| 660-5    | 3/8"  | 2"            |
| 660-6    | 1/2"  | 2-1/2"        |



## ▶ LINK LOCK - MADE IN SWEDEN

- Ideal for tire chains, logging trucks.
- Heavy duty repair or joining link.
- Galvanized steel.

| ITEM NO. | SIZE | BREAKING LOAD |
|----------|------|---------------|
| *461-3   | 3/8" | 12000 lbs.    |

\*TO BE DISCONTINUED, AVAILABLE WHILE SUPPLY LASTS



## ▶ HAMMERLOCKS

- Used for attaching chain to master links and eye-type hooks or for installing a new branch of body to old slings.
- Made from larger stock than the chain they are used with, they provide greater interlink wearing surface.
- Load pin and stud can be assembled quickly and easily with just a hammer.
- A-337 Grade 80 material.

| ITEM NO. | CHAIN SIZE | WORKING LOAD LIMIT |
|----------|------------|--------------------|
| 25221    | 1/4"       | 3,500              |
| 25221A   | 5/16"      | 5,400              |
| 25222    | 3/8"       | 7,100              |
| 25223    | 1/2"       | 12,000             |
| 25224    | 5/8"       | 18,100             |
| 25225    | 3/4"       | 28,300             |
| 25226    | 7/8"       | 34,200             |



## ▶ COLD SHUTS

- Electro-galvanized.
- C1015 Steel.

| ITEM NO. | SIZE  | INSIDE WIDTH (CLOSED) | INSIDE LENGTH (CLOSED) |
|----------|-------|-----------------------|------------------------|
| 706-01   | 3/16" | 11/32"                | 15/16"                 |
| 706-03   | 5/16" | 7/16"                 | 1-3/8"                 |
| 706-04   | 3/8"  | 5/8"                  | 1-1/2"                 |
| 706-05   | 7/16" | 5/8"                  | 1-5/8"                 |
| 706-06   | 1/2"  | 3/4"                  | 1-5/8"                 |



## ▶ ANCHOR SHACKLES

- Zinc-plated steel.
- Screw collar pin.

| ITEM NO. | CHAIN SIZE | PIN DIA. | BETWEEN EYES | INSIDE LENGTH |
|----------|------------|----------|--------------|---------------|
| 701-03Z  | 5/16"      | 3/8"     | 17/32"       | 1-3/16"       |
| 701-04Z  | 3/8"       | 7/16"    | 5/8"         | 1-7/16"       |
| 701-06Z  | 1/2"       | 5/8"     | 13/16"       | 1-7/8"        |
| 701-07Z  | 5/8"       | 3/4"     | 1-1/16"      | 2-3/8"        |



## ANCHOR SHACKLES

- Pin and body same size.
- Galvanized steel.
- Screw collar pin.

| ITEM NO. | WLL     | WIDTH CHAIN SIZE | PIN DIA. | WIDTH BETWEEN EYES | INSIDE LENGTH (CLOSED) |
|----------|---------|------------------|----------|--------------------|------------------------|
| 701-01   | 1/3 T   | 3/16"            | 1/4"     | 3/8"               | 5/16"                  |
| 701-02   | 1/2 T   | 1/4"             | 5/16"    | 15/32"             | 1-1/8"                 |
| 701-03   | 3/4 T   | 5/16"            | 3/8"     | 17/32"             | 1-1/4"                 |
| 701-04   | 1 T     | 3/8"             | 7/16"    | 21/32"             | 1-7/16"                |
| 701-05   | 1 1/2 T | 7/16"            | 1/2"     | 23/32"             | 1-11/16"               |
| 701-06   | 2 T     | 1/2"             | 5/8"     | 13/16"             | 1-15/16"               |
| 701-07   | 3 1/4 T | 5/8"             | 3/4"     | 1-1/16"            | 2-1/2"                 |
| 701-08   | 4 3/4 T | 3/4"             | 7/8"     | 1-1/4"             | 2-7/8"                 |
| 701-09   | 6 1/2 T | 7/8"             | 1"       | 1-7/16"            | 3-1/4"                 |
| 701-10   | 8 1/2 T | 1"               | 1-1/8"   | 1-11/16"           | 3-1/4"                 |



## ANCHOR SHACKLES - STAINLESS STEEL

- Made from 316 stainless steel.
- Screw collar pin.

| ITEM NO. | CHAIN SIZE | PIN DIA. | BETWEEN EYES | INSIDE LENGTH |
|----------|------------|----------|--------------|---------------|
| 481-06   | 1/4"       | 1/4"     | 1/2"         | 1-1/16"       |
| 481-08   | 5/16"      | 5/16"    | 11/16"       | 1-7/16"       |
| 481-10   | 3/8"       | 3/8"     | 13/16"       | 1-3/4"        |
| 481-12   | 1/2"       | 1/2"     | 1"           | 2-3/32"       |
| 481-16   | 5/8"       | 5/8"     | 1-3/16"      | 2-7/8"        |
| 481-19   | 3/4"       | 3/4"     | 1-7/16"      | 3-5/16"       |



## D SHACKLES

- Zinc-plated steel.

| ITEM NO. | SIZE |
|----------|------|
| 360-09   | 3/8" |
| 360-12   | 1/2" |



## TRAWLING SHACKLES

- Self-coloured (black).
- Threaded pin.
- Mild steel.

| ITEM NO. | DESCRIPTION       | SIZE |
|----------|-------------------|------|
| 701TS-1  | Trawling Shackles | 10mm |
| 701TS-2  | Trawling Shackles | 12mm |



## ▶ TURNBUCKLES - EYE & EYE

- Galvanized forged steel.

| ITEM NO.             | SIZE  |         | BODY LENGTH | EYE SIZE | EYE WALL THICKNESS |
|----------------------|-------|---------|-------------|----------|--------------------|
|                      | MM    | IN.     |             |          |                    |
| *704-02EE            | 8 mm  | (5/16") | 4-3/4"      | 7/16"    | 1/4"               |
| *704-03EE            | 10 mm | (3/8")  | 5-1/2"      | 5/8"     | 5/16"              |
| *704-04EE            | 12 mm | (1/2")  | 7-1/2"      | 3/4"     | 3/8"               |
| *704-05EE            | 16 mm | (5/8")  | 10"         | 7/8"     | 7/16"              |
| *FOB SURREY, BC ONLY |       |         |             |          |                    |



## ▶ TURNBUCKLES - HOOK & EYE

- Galvanized forged steel.

| ITEM NO. | SIZE |         | SAFE WORKING LOAD (SWL) | BREAKING POINT |
|----------|------|---------|-------------------------|----------------|
|          | MM   | IN.     |                         |                |
| 704-01   | 6    | (1/4")  | 220 lbs.                | 2xSWL          |
| 704-02   | 8    | (5/16") | 440 lbs.                | 2xSWL          |
| 704-03   | 10   | (3/8")  | 660 lbs.                | 2xSWL          |
| 704-04   | 12   | (1/2")  | 1100 lbs.               | 2xSWL          |
| 704-05   | 16   | (5/8")  | 2200 lbs.               | 2xSWL          |
| 704-06   | 20   | (3/4")  | 3300 lbs.               | 2xSWL          |
| 704-07   | 22   | (7/8")  | 4840 lbs.               | 2xSWL          |
| 704-08   | 24   | (1")    | 6600 lbs.               | 2xSWL          |



## ▶ SPRING HOOKS - PLATED STEEL

- Ideal for small boat, mooring, motor safety line, camping & golf course nets.
- Spring-loaded interlocking safety snaps.

| ITEM NO. | SIZE |         |
|----------|------|---------|
|          | MM   | IN.     |
| 2450-1   | 5mm  | (3/16") |
| 2450-2   | 6mm  | (1/4")  |
| 2450-3   | 8mm  | (5/16") |
| 2450-4   | 10mm | (3/8")  |
| 2450-5   | 11mm | (7/16") |
| 2450-6   | 12mm | (1/2")  |



## ▶ SPRING HOOKS - STAINLESS STEEL

- Suitable for marine applications.
- Made from 316 stainless steel.
- Stainless steel spring and pin.

| ITEM NO. | SIZE |         | LENGTH         |
|----------|------|---------|----------------|
|          | MM   | IN.     |                |
| 2450-1SS | 5mm  | (3/16") | 50mm (2")      |
| 2450-2SS | 6mm  | (1/4")  | 60mm (2-3/8")  |
| 2450-3SS | 8mm  | (5/16") | 80mm (3-1/8")  |
| 2450-4SS | 10mm | (3/8")  | 100mm (4")     |
| 2450-5SS | 11mm | (7/16") | 110mm (4-1/8") |



## ► EYE BOLTS - WITH SHOULDER

- Supplied with zinc plated washer and galvanized nut.
- Welded ring through-eye.
- Hot-dipped galvanized.

| ITEM NO.  | DESCRIPTION | SHANK DIAMETER & LENGTH |
|-----------|-------------|-------------------------|
| *EB-06050 | Eyebolt     | 1/4" x 2"               |
| *EB-06100 | Eyebolt     | 1/4" x 4"               |
| *EB-08057 | Eyebolt     | 5/16" x 2-1/4"          |
| *EB-08108 | Eyebolt     | 5/16" x 4-1/4"          |
| *EB-10062 | Eyebolt     | 3/8" x 2-1/2"           |
| *EB-10112 | Eyebolt     | 3/8" x 4-1/2"           |
| *EB-10150 | Eyebolt     | 3/8" x 6"               |
| *EB-10200 | Eyebolt     | 3/8" x 8"               |
| *EB-12087 | Eyebolt     | 1/2" x 3-1/2"           |
| *EB-12150 | Eyebolt     | 1/2" x 6"               |
| *EB-12200 | Eyebolt     | 1/2" x 8"               |

**\*NOW AVAILABLE IN ALL WAREHOUSES**



## ► RINGBOLTS - WITH SHOULDER

- Supplied with zinc-plated washer and galvanized nut.
- Hot-dipped galvanized.

| ITEM NO.  | DESCRIPTION | SHANK DIAMETER & LENGTH |
|-----------|-------------|-------------------------|
| *RB-10112 | Ringbolts   | 3/8" x 4-1/2"           |
| *RB-10150 | Ringbolts   | 3/8" x 6"               |
| *RB-12150 | Ringbolts   | 1/2" x 6"               |
| *RB-12200 | Ringbolts   | 1/2" x 8"               |

**\*NOW AVAILABLE IN ALL WAREHOUSES**



## ► JAW END SWIVELS

- Ultimate load is 5 times working load limit.
- Forged, quenched and tempered.
- Hot-dipped galvanized finish.

| ITEM NO. | LIST DESCRIPTION         | SAFE WORKING LOAD LIMIT |
|----------|--------------------------|-------------------------|
| *707-07J | 1" (Material & Pin Size) | 12500 lbs.              |

**\*FOB DARTMOUTH, NS ONLY**

**\*TO BE DISCONTINUED**



## ► SWIVELS - STAINLESS STEEL - EYE & EYE

- 316 Stainless Steel.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
| *1290-06 | 6mm (1/4")  |
| *1290-08 | 8mm (5/16") |
| *1290-10 | 10mm (3/8") |
| *1290-12 | 12mm (1/2") |

**\*NOW AVAILABLE IN ALL WAREHOUSES**



## ► SWIVELS - DOUBLE END

- Hot-dip galvanized.

| ITEM NO. | DESCRIPTION       | MATERIAL SIZE |
|----------|-------------------|---------------|
| **707-02 | Double end swivel | 1/4"          |
| **707-05 | Double end swivel | 5/8"          |
| **707-06 | Double end swivel | 3/4"          |
| **707-08 | Double end swivel | 1"            |

**\*FOB DARTMOUTH, NS ONLY**  
**\*TO BE DISCONTINUED**



## ► EYE GRAB HOOKS

- Forged carbon steel.
- Electro-galvanized.
- Heat treated.
- High test.

| ITEM NO. | SIZE  | WORKING LOAD LIMIT | ULTIMATE LOAD |
|----------|-------|--------------------|---------------|
| 702E-01  | 1/4"  | 2,600 lbs.         | 4 x WLL       |
| 702E-02  | 5/16" | 3,900 lbs.         | 4 x WLL       |
| 702E-03  | 3/8"  | 5,400 lbs.         | 4 x WLL       |
| 702E-04  | 1/2"  | 9,200 lbs.         | 4 x WLL       |



## ► EYE SLIP HOOKS

- Forged carbon steel.
- Electro-galvanized.
- Heat treated.
- High test.

| ITEM NO. | SIZE  | WORKING LOAD LIMIT | ULTIMATE LOAD LIMIT |
|----------|-------|--------------------|---------------------|
| 703E-01  | 1/4"  | 2,600 lbs.         | 4 x WLL             |
| 703E-02  | 5/16" | 3,900 lbs.         | 4 x WLL             |
| 703E-03  | 3/8"  | 5,400 lbs.         | 4 x WLL             |
| 703E-04  | 1/2"  | 9,200 lbs.         | 4 x WLL             |



## CLEVIS GRAB HOOKS

- Forged steel.
- Galvanized.
- High test.

| ITEM NO. | SIZE  | SAFE WORKING LOAD (SWL) | BREAKING POINT |
|----------|-------|-------------------------|----------------|
| 702-01   | 1/4"  | 2,600 lbs.              | 4 x SWL        |
| 702-02   | 5/16" | 3,900 lbs.              | 4 x SWL        |
| 702-03   | 3/8"  | 5,400 lbs.              | 4 x SWL        |
| *702-04  | 1/2"  | 8,500 lbs.              | 4 x SWL        |

\*FOB DARTMOUTH, NS ONLY



## CLEVIS SLIP HOOKS

- Forged steel.
- High test.

| ITEM NO. | SIZE  | SAFE WORKING LOAD (SWL) | BREAKING POINT |
|----------|-------|-------------------------|----------------|
| 703-01   | 1/4"  | 1,950 lbs.              | 4 x SWL        |
| 703-02   | 5/16" | 2,875 lbs.              | 4 x SWL        |
| 703-03   | 3/8"  | 4,000 lbs.              | 4 x SWL        |
| *703-04  | 1/2"  | 6,500 lbs.              | 4 x SWL        |

\*FOB DARTMOUTH, NS ONLY



## MINI LOAD BINDER

- Rack pattern.
- 3" Take-up.

| ITEM NO. | CHAIN SIZE   | WEIGHTCAPACITY |
|----------|--------------|----------------|
| 1-270    | 3/16" - 1/4" | 250 lbs.       |



## LOAD BINDER

- Hook of carbon steel drop-forged.
- Handle of cast steel.
- Standard pattern.
- 2-3/4" Take-up.

| ITEM NO. | CHAIN SIZE | WEIGHT CAPACITY |
|----------|------------|-----------------|
| 2-76     | 1/4"-5/16" | 1250 lbs.       |





## ▶ LOAD BINDER

- Ball & socket swivel joints at hook assemblies permit a straight line pull.
- Extra solid construction at leverage point prevents spreading.
- Heat-treated drop-forged steel.
- Standard pattern.



| ITEM NO. | CHAIN SIZE   | WEIGHT CAPACITY |
|----------|--------------|-----------------|
| 3-305    | 5/16" - 3/8" | 5,400 lbs.      |

## ▶ LOAD BINDERS - RATCHET TYPE

- Orange painted.
- 4-1/2" Take-up.
- Forged Steel.

| ITEM NO. | CHAIN SIZE | WLL       | MBS         | TAKE UP |
|----------|------------|-----------|-------------|---------|
| 3-305RAT | 5/16"-3/8" | 5,400 lbs | 19,000 lbs. | 8"      |



## ▶ SNAP-HOOKS

- Size 1" hole x 5-3/8" overall length.
- Load rated to 5,000 lbs.
- Forged steel.

| ITEM NO. | SIZE                                                      |
|----------|-----------------------------------------------------------|
| 3047     | Zinc Plated                                               |
| 3047-G   | Hot Dipped Galvanized with Stainless Steel Spring and Pin |



3047



3047-G

## ▶ SWIVEL-EYE LEASH SNAPS - SOLID BRASS

| ITEM NO.            | EYESIZE | OVERALL LENGTH |
|---------------------|---------|----------------|
| *B5025-38           | 3/8"    | 3"             |
| *B5025-50           | 1/2"    | 3"             |
| *TO BE DISCONTINUED |         |                |



## ▶ SWIVEL-EYE BOLT SNAPS - SOLID BRASS

- Orange painted.
- 4-1/2" Take-up.

| ITEM NO. | EYE SIZE | OVERALL LENGTH |
|----------|----------|----------------|
| B225-58  | 5/8"     | 3-1/8"         |
| B225-75  | 3/4"     | 3-1/8"         |



## ▶ SWIVEL-EYE BOLT SNAPS - DIE-CAST ZINC ALLOY

- Nickel plated.

| ITEM NO. | EYE SIZE | OVERALL LENGTH |
|----------|----------|----------------|
| 201-075  | 3/4"     | 3-1/8"         |
| 201-100  | 1"       | 3-1/8"         |



## ▶ SWIVEL SNAPS - STEEL

- Nickel plated.

| ITEM NO.  | SNAP SIZE | OVERALL LENGTH |
|-----------|-----------|----------------|
| *734A-125 | 1-1/4"    | 2-1/4"         |
| *734A-162 | 1-5/8"    | 2-5/8"         |
| *734A-200 | 2"        | 3"             |

\*TO BE DISCONTINUED



## ► FIXED EYE SNAPS - SOLID BRASS

| ITEM NO.  | EYE NO. | EYE SIZE | OVERALL LENGTH |
|-----------|---------|----------|----------------|
| B249-037  | 0       | 3/8"     | 2"             |
| B249-062  | 1       | 5/8"     | 2-7/8"         |
| *B249-068 | 2       | 11/16"   | 3-1/4"         |
| B249-075  | 3       | 3/4"     | 3-3/4"         |

\*TO BE DISCONTINUED



## ► SWIVEL EYE SNAPS - SOLID BRASS

| ITEM NO. | EYE NO. | EYE SIZE | OVERALL LENGTH |
|----------|---------|----------|----------------|
| B251-58  | 1       | 5/8"     | 3-1/8"         |
| B251-75  | 2       | 3/4"     | 3-3/4"         |
| B251-78  | 3       | 7/8"     | 4-5/8"         |



## ► SWIVEL - BRASS

- Zinc dichromate finish.

| ITEM NO.  | EYE SIZE |
|-----------|----------|
| *B018-58  | 5/8"     |
| *B018-100 | 1"       |

\*TO BE DISCONTINUED





06

# Miscellaneous



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling



## ► SPRING, FASTENER AND GREASE NIPPLE ASSORTMENTS

- Supplied in multiple compartment plastic box.

| ITEM NO.  | DESCRIPTION                      |
|-----------|----------------------------------|
| KTSR-300  | 300 pc Snap Ring Assortment      |
| KTHP-150  | 150 pc Hair Pin Assortment       |
| KTRR-285  | 285 pc Retaining Ring Assortment |
| KTCPA-555 | 555 pc Cotter Pin Assortment     |
| KTEC-300  | 300 pc E-Clip Assortment         |
| KTRP-315  | 315 pc Split Pin Assortment      |
| KTGN-110M | 110 pc Grease Nipple Set Metric  |
| KTGN-110  | 110 pc Grease Nipple Set SAE     |



KTSR-300



KTHP-150



KTRR-285



KTRP-315



KTGN-110M  
KTGN-110



KTCPA-555




KTEC-300

## ► RUBBER O-RING KITS - IN PLASTIC BOX


- Material Buna-N passed ASTM oil #1 & #3 laboratory test.
- Buna-N-BG 715 (Nitrile 70 Shore)- SAE J200.

| ITEM NO.  | DESCRIPTION                                                |
|-----------|------------------------------------------------------------|
| KT-D2000  | 407 Pcs, 1/8" - 2" Inside Diameter, 1/16" - 1/8" Section   |
| KT-D2000M | 419 Pcs, 3mm - 50mm Inside Diameter, 1.5mm - 3.5mm Section |



## ► CABLE TIES

- Tensile strength meets or exceeds MIL-S 23190E Standard.
- Standard cable ties made from U.L. approved nylon 6/6.
- Normal service temperature range - 40° to 85°C.
- Made to comply with MIL-SPEC M 20693B.
- Cable ties are packed 100 per bag.
- Flammability rating UL 94V-2.



| ITEM NO. | OVERALL LENGTH | WIDTH | BUNDLE DIA | TENSILE STRENGTH |
|----------|----------------|-------|------------|------------------|
|----------|----------------|-------|------------|------------------|

### White Nylon

|         |                 |        |       |                  |
|---------|-----------------|--------|-------|------------------|
| CV-120L | 4.7" (120mm)    | 4.8mm  | 29mm  | 50 lbs. (22 kg)  |
| CV-190  | 7.3" (186mm)    | 4.8mm  | 51mm  | 50 lbs. (22 kg)  |
| CV-280  | 11.3" (286mm)   | 4.8mm  | 83mm  | 50 lbs. (22 kg)  |
| CV-280L | 11.5" (292mm)   | 7.6mm  | 82mm  | 120 lbs. (54 kg) |
| CV-368  | 14-1/2" (365mm) | 4.8mm  | 109mm | 50 lbs. (22 kg)  |
| CV-380  | 14-1/2" (365mm) | 7.6mm  | 108mm | 120 lbs. (54 kg) |
| CV-450  | 17.7" (450mm)   | 7.6mm  | 133mm | 120 lbs. (54 kg) |
| CV-540  | 21.3" (540mm)   | 7.6mm  | 162mm | 120 lbs. (54 kg) |
| CV-762  | 30.3" (770mm)   | 8.80mm | 233mm | 175 lbs. (79 kg) |

### Black Nylon

|          |                 |       |       |                  |
|----------|-----------------|-------|-------|------------------|
| CV-120LB | 4.7" (120mm)    | 4.8mm | 29mm  | 50 lbs. (22 kg)  |
| CV-190B  | 7.3" (188mm)    | 4.8mm | 51mm  | 50 lbs. (22 kg)  |
| CV-200LB | 8" (200mm)      | 7.6mm | 54 mm | 120 lbs. (54kg)  |
| CV-280B  | 11.3" (286mm)   | 4.8mm | 83mm  | 50 lbs.(22 kg)   |
| CV-280LB | 11.3" (292mm)   | 7.6mm | 82mm  | 120 lbs.(54 kg)  |
| CV-368B  | 14-1/2" (368mm) | 4.8mm | 109mm | 50 lbs. (22 kg)  |
| CV-380B  | 14-1/2" (368mm) | 7.6mm | 108mm | 120 lbs. (54kg)  |
| CV-450B  | 17.7" (450mm)   | 7.6mm | 133mm | 120 lbs. (54 kg) |
| CV-540B  | 21.3" (540mm)   | 7.6mm | 162mm | 120 lbs. (54 kg) |



## ► WHISK BROOM - SYNTHETIC BRISTLES

- Handle has handy hole for hanging up.
- 8-1/2" overall length.
- 4" width.

| ITEM NO. | DESCRIPTION           |
|----------|-----------------------|
| XP-4500R | Synthetic Whisk Broom |



## ► ANGLE BROOM

- Metal handle has a hang-up cap.
- PVC bristles are washable.

| ITEM NO. | DESCRIPTION                                 |
|----------|---------------------------------------------|
| FR458    | Angle Broom PVC Bristles W/48" Metal Handle |



## ▶ INDUSTRIAL DUTY CORN BROOM

- Heavy corn exterior with Yucca fibre center.
- 2 Rows of stitching and 2 steel bands.
- Varnished 1-1/8" wood handle.

| ITEM NO. | DESCRIPTION                                                                        |
|----------|------------------------------------------------------------------------------------|
| FR108    | Heavy Duty Corn Exterior W/Yucca Fibre Center, Replacement for #FR1034 and #FR1036 |



## ▶ CORN BROOMS

- Heavy duty handle 42" x 1-1/8".
- Molded steel band binding.
- 3 row stitching.

| ITEM NO.                        | DESCRIPTION                                                        |
|---------------------------------|--------------------------------------------------------------------|
| *FR1034                         | Heavy Duty Corn Exterior W/Stiff Cane Center For Heavy Sweep Loads |
| *FR1036                         | Heavy Duty Corn Exterior W/Yucca Fibre Center For Long Wear        |
| *AVAILABLE WHILE SUPPLIES LAST! |                                                                    |



## ▶ CORN WHISK

- Metal cap with hang ring.
- 12-1/2" Overall length.
- 3-Strand construction
- UPC coded.

| ITEM NO.                   | DESCRIPTION      |
|----------------------------|------------------|
| MB-0370 (Previously FR417) | Corn Whisk Broom |




## ▶ PUSH BROOMS - ALL PURPOSE

- Synthetic PET fibre with flagged ends for better performance.
- 2 Threaded handle holes (see our selection of handles).
- Ideal for fine-medium dirt on smooth surfaces.
- Pre-drilled for brace.

| ITEM NO.  | DESCRIPTION    |
|-----------|----------------|
| *MB-3518  | 18" Wood Block |
| *MB-3524  | 24" Wood Block |
| **MB-3530 | 30" Wood Block |
| *MB-3536  | 36" Wood Block |

\* COLOUR MAY VARY!

\*TO BE DISCONTINUED





## ► PUSH BROOMS - ALL PURPOSE

- 2 Threaded handle holes (see our selection of handles).
- For smooth surfaces.
- Pre-drilled for brace.
- Tampico fibreblend.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| MB-2124  | 24" Wood Block |
| MB-2136  | 36" Wood Block |



## ► PUSH BROOMS - STIFF PALMYRA CENTRE

- 2 Threaded Handle Holes (see our selection of handles).
- Medium/coarse sweeping.
- Pre-drilled for brace.
- Palmyra centre.
- Natural fibre.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| FR6218   | 18" Wood Block |
| FR6224   | 24" Wood Block |



## ► STIFF SWEEP FLOOR BRUSHES

- 2 Threaded handle holes (See our selection of handles).
- Ideal for snow, gravel, under all wet or dry conditions.
- Most popular heavy-duty maintenance broom.
- Stiff PET synthetic fibre of burgundy colour.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| MB-3018  | 18" Wood Block |
| MB-3024  | 24" Wood Block |
| MB-3030  | 30" Wood Block |
| MB-3036  | 36" Wood Block |



## ► PUSH BROOM - COARSE STIFF

- 24" Wood block with fluorescent orange polypropylene bristles.
- 2 Threaded handle holes (see our selection of handles).
- Pre-drilled for brace.

| ITEM NO.  | DESCRIPTION    |
|-----------|----------------|
| XP-628202 | 24" Wood Block |



## ► PUSH BROOM

- Flagged polypropylene outer bristle with stiff inner bristle.
- 2 Threaded handle holes (see our selection of handles).
- Drilled for brace.
- Medium bristle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                |
|-----------|----------------|
| XP-628204 | 24" Wood Block |
|-----------|----------------|



## ► PUSH BROOM - MEDIUM TO HEAVY SWEEPING

- 2 Threaded Handle Holes (See our selection of wood and metal handles.)

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|                              |                |
|------------------------------|----------------|
| MB-2838 (Previously MB-1918) | 18" Wood Block |
|------------------------------|----------------|

|                              |                |
|------------------------------|----------------|
| MB-2839 (Previously MB-1924) | 24" Wood Block |
|------------------------------|----------------|




## ► UNIVERSAL BRACE FOR FLOOR BRUSHES

- Recommended for 60" length handles, weighs 0.6 lb.
- Ensures maximum handle life.
- Rod style.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                    |
|----------|--------------------|
| *MB-0108 | Broom handle brace |
|----------|--------------------|

**\*FOB DARTMOTH, NS ONLY**



## ► MEDIUM / FINE SWEEP FLOOR BRUSHES

- 2 Threaded handle holes (See our selection of wood and metal handles.)
- Filled with algil centre for medium sized particles.
- Interior outer layer of synthetic PET fiber.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|            |                |
|------------|----------------|
| *MB-2618GH | 18" Wood Block |
|------------|----------------|

|            |                |
|------------|----------------|
| *MB-2624GH | 24" Wood Block |
|------------|----------------|

|            |                |
|------------|----------------|
| *MB-2630GH | 30" Wood Block |
|------------|----------------|

**\*FOB DARTMOTH, NS ONLY**



## ▶ BRACE - HEAVY DUTY STEEL

- Galvanized bolts & wing nuts used to fasten brace to handle.
- Recommended for use with brooms over 24".

| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| MB-108F  | Steel Broom Brace |



## ▶ STREET AND STABLE BROOM

- For use in garages, streets, decks and driveways.
- Extra long polypropylene fibres.
- Requires tapered-end handle.
- Head only.

| ITEM NO.                        | DESCRIPTION |
|---------------------------------|-------------|
| *MB-5014 (Previously FB109S-14) | 14"         |
| *FOB DARTMOTH, NS ONLY          |             |



## ▶ STABLE BROOM

- For use in garages, streets, decks and driveways.
- Extra long polypropylene fibres.
- Requires tapered-end handle.
- Head only.

| ITEM NO.                    | DESCRIPTION                                            |
|-----------------------------|--------------------------------------------------------|
| MB-5016 (Previously FR5716) | 16" Wood Block Stable Broom, Drilled W/2 Tapered Holes |



## ▶ ROOF & TAR BRUSH - HANDLE INCLUDED

- Ideal for application of all types of roof coatings.
- 3" trim, 5" x 2" wood block.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|              |                                             |
|--------------|---------------------------------------------|
| MB-3604-9047 | Roof & Tar Brush, Tampico Fibre With Handle |
|--------------|---------------------------------------------|



## ▶ ROUND WINDOW/BOAT BRUSH

- 4-1/2" poly-foam block round brush.
- Uses threaded handle.
- Flow-through design.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                  |
|-------|------------------|
| FR653 | Tampico Bristles |
|-------|------------------|



## ▶ ROUND WINDOW/BOAT BRUSHES - HEAD ONLY

- Top and side threaded handle receiver.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                                                 |
|---------|-----------------------------------------------------------------|
| XP-0601 | Polypropylene (stiff) Bristle, 4-1/2" Round Brush, Flow-through |
|---------|-----------------------------------------------------------------|



## ▶ RECTANGULAR WASH BRUSH - HEAD ONLY

- Has water flow-through feature.
- Requires tapered-end handle.
- Polystyrene bristle.
- Plastic block.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                                |
|-------|--------------------------------|
| FR670 | Soft Rectangular Wash Brush 8" |
|-------|--------------------------------|



## ▶ RECTANGULAR WASH BRUSH - HEAD ONLY

- Has water flow-through feature.
- Requires tapered-end handle.
- Flagged Tetalon bristle.
- Foam block.

| ITEM NO. | DESCRIPTION                     |
|----------|---------------------------------|
| XP-5608A | Soft 10" Rectangular Wash Brush |



## ▶ DECK/POOL BRUSH - HEAD ONLY

- Bi-level feature allows for better cleaning of corners & sides.
- Requires tapered-end handle.
- Flow-through head.
- Extra stiff.

| ITEM NO. | DESCRIPTION         |
|----------|---------------------|
| FR5317   | Deck/Pool Brush 10" |



## ▶ COUNTER BRUSH

- Lacquered wooden handle with synthetic horse hair fibres.
- Handle has a hang-up hole.
- Heavy duty counter duster.

| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| FR85     | 13" Counter Brush |



## ▶ UTILITY RIG BRUSH

- 20" Handle.
- PVC Bristle.

| ITEM NO.             | DESCRIPTION       |
|----------------------|-------------------|
| *FR838               | Utility RIG Brush |
| *FOB SURREY, BC ONLY |                   |



## ▶ INDUSTRIAL YACHT MOP WITH HANDLE

- Industrial 16 oz. yacht mop w/54" wood handle.
- Comes complete w/hang-up cap.
- Made from cotton yarn.
- For heavy-duty jobs.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                      |
|---------|----------------------|
| MB-7303 | Industrial Yacht Mop |
|---------|----------------------|



## ▶ COTTON MOP REFILL - CONTRACTOR

- Yarn is held securely w/1" mesh headband.
- Yarn is 4 ply for extra strength.
- Use with our # FR4754 handle.
- 24 oz. Cotton flat mop refill.
- Made from cotton yarn.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                   |
|--------|-------------------|
| FR1624 | Cotton Mop Refill |
|--------|-------------------|



## ▶ POINTED WOOD SCRUB BRUSH

- Strong chemicals do not affect the stiff tampico bristles.
- Pointed ends to fit into corners.
- 9-1/8" x 2-1/2" wood block.
- Stiff union fibre.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                  |
|---------|------------------|
| MB-0077 | Wood Scrub Brush |
|---------|------------------|



## ▶ PLASTIC DUSTPAN

- This premium heavy-duty polypropylene dustpan has a 6-1/2" deep pan w/beveled hold lip.
- The two resting feet on the underside holds the tray at the correct angle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|      |                                      |
|------|--------------------------------------|
| FR4K | 12" Heavy-duty Polypropylene Dustpan |
|------|--------------------------------------|



► **DUSTPAN - METAL**

- Rolled steel handle has a convenient hang-up hole.
- Heavy-duty 12" metal dustpan.

| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| MB-0180  | 12" Metal Dustpan |



► **DUSTPAN - METAL**

- Lies flat without holding for easy clean-up.
- 16" wide face and 9" handle.
- Heavy-duty metal dustpan.

| ITEM NO. | DESCRIPTION               |
|----------|---------------------------|
| FR495    | 16" Metal Dustpan - Black |



► **HANDLE - MOP**

- 54" x 15/16" epoxy-coated metal wet mop handle.
- For use with narrow-band mops (#FR1624).
- All-metal head with wingnut to tighten.


| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| FR4754   | 54" Mop Handle |



► **HANDLE - BROOM & MOP - METAL**

- Handles have nylon ends and rubber handgrips.
- Heavy-duty hollow metal handles.
- 1" Diameter Metal Handles.

| ITEM NO.            | DESCRIPTION                        |
|---------------------|------------------------------------|
| *XP-3114            | 60" Metal Handle With Threaded Tip |
| *TO BE DISCONTINUED |                                    |





## HANDLES - BROOM & MOP - WOOD

- Made of "Bamwood" Bamboo with glued wood filler (XP-Series).
- Very strong and flexible.

| ITEM NO.          | DESCRIPTION                                           |
|-------------------|-------------------------------------------------------|
| XP-1013 (FR52510) | 60" X 15/16" Wood Broom Handle, Metal Thread End Type |
| FR52505           | 54" x 15/16" Wood Broom Handle, Metal Thread End Type |
| XP-1015           | 54" x 15/16" Wood Broom Handle, Wood Thread           |
| XP-1009 (FR52506) | 54" x 1-1/8" Wood Broom Handle, Tapered End           |



XP-1013  
FR52510  
FR52505



XP-1015



XP-1009  
FR52506

## FLOOR SQUEEGEE - FOAM RUBBER (HEAD ONLY)

- Best on smooth semi-smooth surfaces.
- Blade can be reversed for longer life.
- Cleans light to medium debris.
- Foam blade is quick-drying.

| ITEM NO. | DESCRIPTION             |
|----------|-------------------------|
| FR25330  | 30" Foam Floor Squeegee |



## TROUBLE LIGHT

- Reflective guard to provide greater light and safety.
- Suitable for up to 75 Watt bulb. cUL approved.
- CSA S1088 certified.
- 25' with 1 outlet.


| ITEM NO. | DESCRIPTION       | WIRE SIZE | WIRE TYPE |
|----------|-------------------|-----------|-----------|
| ECTL3075 | 25' Trouble Light | 16/3      | SJTW      |



### ► STRING LIGHT SET - JOB SITE

- End-to-end connectable (max 1500W total) with dust cover on end.
- Standard lamp sockets spaced 10' apart.
- Heavy-duty coated steel lamp cages.
- 12/3 SJTW cable.

| ITEM NO.    | DESCRIPTION                    |
|-------------|--------------------------------|
| EC123300-06 | 50' Construction Light String  |
| EC123300-11 | 100' Construction Light String |



### ► WORK LIGHT - 10,000 LUMEN LED



- More resistant to shock, generates much less heat than comparable halogen lights.
- 100W LED assembly saves power, lasts over 30,000 hours.
- Bright 5000K daylight colour temperature.
- Replacement switch available.
- 176 individual SMD LEDs.

| ITEM NO.  | DESCRIPTION                                       |
|-----------|---------------------------------------------------|
| LWLP10000 | Floodlight LED 5000K, 100W/10K Lumens, 1.8 m Cord |



### ► TRIPOD WORK LIGHT - 2 x 10,000 LUMEN LED



- More resistant to shock, generates much less heat than comparable halogen lights.
- Each light with its own switch and convenient tilt and swivel knobs.
- 2 X 100W LED assembly saves power, lasts over 30,000 hours.
- IP65 rated enclosure, suitable for outdoor use.
- Bright 5000K daylight colour temperature.
- Tripod height with lights over 6-1/2' (2 m).
- 176 individual SMD LEDs per head.
- Replacement switch available.
- 120V AC operation.
- Colour retail box.

| ITEM NO.  | DESCRIPTION                                           |
|-----------|-------------------------------------------------------|
| LWLT20000 | Floodlight LED 5000K, 2 X 100W/10K Lumens, 3.6 m Cord |



## ELECTRICAL EXTENSION CORDS

- Sleeve-packed.
- cUL approved.

| ITEM NO.    | LENGTH   | WIRE SIZE | WIRE TYPE | NO. OF OUTLETS | AMP RTG. | COLOUR | USE             |
|-------------|----------|-----------|-----------|----------------|----------|--------|-----------------|
| EC163030    | 3 M 10'  | 16/3      | SJTW      | 1              | 13       | ORANGE | INDOOR/ OUTDOOR |
| EC163050    | 5 M 16'  | 16/3      | SJTW      | 1              | 13       | ORANGE | INDOOR/ OUTDOOR |
| EC163100    | 10 M 32' | 16/3      | SJTW      | 1              | 13       | ORANGE | INDOOR/ OUTDOOR |
| EC163150    | 15 M 49' | 16/3      | SJTW      | 1              | 13       | ORANGE | INDOOR/ OUTDOOR |
| EC163300    | 30 M 98' | 16/3      | SJTW      | 1              | 13       | ORANGE | INDOOR/ OUTDOOR |
| EC143100    | 10 M 32' | 14/3      | SJTW      | 1              | 13       | YELLOW | INDOOR/ OUTDOOR |
| EC143150    | 15 M 49' | 14/3      | SJTW      | 1              | 13       | YELLOW | INDOOR/ OUTDOOR |
| EC143300    | 30 M 98' | 14/3      | SJTW      | 1              | 13       | YELLOW | INDOOR/ OUTDOOR |
| EC123150    | 15 M 49' | 12/3      | SJTW      | 1              | 13       | YELLOW | INDOOR/ OUTDOOR |
| EC123300    | 30 M 98' | 12/3      | SJTW      | 1              | 13       | YELLOW | INDOOR/ OUTDOOR |
| *EC143100-3 | 10 M 32' | 14/3      | SJTW      | 3 (Fan)        | 13       | YELLOW | INDOOR/ OUTDOOR |
| *EC123150-3 | 15 M 49' | 12/3      | SJTW      | 3 (Fan)        | 13       | YELLOW | INDOOR/ OUTDOOR |
| *EC123300-3 | 30 M 98' | 12/3      | SJTW      | 3 (Fan)        | 13       | YELLOW | INDOOR/ OUTDOOR |


**\*ILLUMINATED TRI-SOCKET FANTAIL**



## PLUGS AND CONNECTORS

- Suitable for cord 6.35 mm - 16.64 mm DIA.
- Vinyl TP bodies.
- cUL listed

| ITEM NO. | DESCRIPTION            |
|----------|------------------------|
| EC4531   | Male Plug 15A-125V     |
| EC5631   | Female Socket 15A-125V |



EC4531 (Previously EC4508)      EC5631 (Previously EC5603)

## ► ELECTRICAL EXTENSION CORD - BLOCK HEATER STYLE

- Sleeve-packed. cUL approved.
- TPE jacket good to -45°.
- CSA S1088 certified.
- LED power indicator.
- Blue colour.

| ITEM NO.   | LENGTH  | WIRE SIZE | WIRE TYPE | NO. OF OUTLETS | AMP RTG. | COLOUR | USE     |
|------------|---------|-----------|-----------|----------------|----------|--------|---------|
| EC163010-3 | 1m/3'   | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |
| EC163020-3 | 2m/6'   | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |
| EC163030-3 | 3m/10'  | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |
| EC163050-3 | 5m/16'  | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |
| EC163100-3 | 10m/32' | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |
| EC163150-3 | 15m/49' | 16/3      | SJTW      | 3              | 13       | BLUE   | OUTDOOR |



## ► BATTERY LED HEADLAMP

- ABS/PS construction with adjustable elastic headband.
- Uses 3xAAA batteries (not included) .
- 3 Modes: high, low and off .
- 120 Lumens brightness.
- 3-6 Hour runtime.
- Waterproof.

| ITEM NO. | DESCRIPTION              |
|----------|--------------------------|
| BMHD2201 | AAA Battery LED Headlamp |



## RECHARGEABLE LED HEADLAMP

- 7 Modes: high, low, strobe, bottom high, bottom low, bottom flash and off.
- ABS/PC construction with adjustable elastic headband.
- Charges from any USB-A port (cord included).
- 250 Lumens brightness.
- Wave-sensing function.
- Waterproof grade IP44.
- 3.5-8 Hour runtime.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                           |
|----------|---------------------------|
| BMHD2204 | Rechargeable LED Headlamp |
|----------|---------------------------|



## RECHARGEABLE LED PENLIGHT

- Charges from any USB-A port (cord included).
- 3 Modes: flashlight, side light and off.
- With pocket clip and magnetic base.
- Aluminum and ABS construction.
- 300 Lumens brightness.
- 2-Hour runtime.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                           |
|----------|---------------------------|
| BMFL2238 | Rechargeable LED Penlight |
|----------|---------------------------|



## RECHARGEABLE LED WORKLIGHT

- Charging stand or light plug into any USB-A port (cord included).
- Hang-hook and magnets for convenience.
- 4 Modes: high, low, flashlight and off.
- Durable ABS construction.
- 800 Lumens brightness.
- 2-4 Hour runtime.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                            |
|---------|----------------------------|
| BMW2258 | Rechargeable LED Worklight |
|---------|----------------------------|





## TIE WIRE

- Ideal for equipment repair and to tie rebar.
- Soft black annealed tie wire.
- Master case 16 pcs
- Per pallet 768 pcs.

| ITEM NO. | DESCRIPTION             | WEIGHT PER COIL |
|----------|-------------------------|-----------------|
| TW-18    | 18 Gauge Black Tie Wire | 3 lbs.          |



## DISPENSER - TIRE WIRE

- Accomodates standard 3 lb rolls of 16 & 18 gauge tie wire.
- Free-wheeling spinner knob for easy wind up.
- Aluminum lightweight body.
- 2-1/4" belt loops.

| ITEM NO. | DESCRIPTION   |
|----------|---------------|
| TWREEL-A | Tie Wire Reel |



## ELECTRICAL INSULATING TAPE

- Dielectric breakdown at 9,000 volts.
- Temperature range 0°C to 60°C.
- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Master case 100 pcs.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
| 34740-66 | 0.25 lbs.   |



## ► ELECTRICAL INSULATING PVC TAPE - EXTENDED TEMPERATURE RANGE

- Temperature range: -18°C to 105°C.
- CSA approved black PVC tape.
- 3/4" x 66', 7 mil thick.
- Rated up to 600 volts.
- Master case: 200 PCS.

| ITEM NO. | DESCRIPTION                    |
|----------|--------------------------------|
| SS3331   | Extended Range Electrical Tape |



## ► HIGH VISIBILITY PET SOLAS TAPE



- Conforms to MED A-1/1.30 retro-reflective materials specification.
- For application on floating objects.
- Master case: 10 PCS.

| ITEM NO. | DESCRIPTION                     |
|----------|---------------------------------|
| ST-150   | 2" X 150' Roll (45.7 m x 50 mm) |



## ► REFLECTIVE TRAILER TAPE

- 51 mm X 45.7 m (2" X 150') polycarbonate reflective tape.
- Exceeds DOT-C2 standards for reflectivity.
- Strong adhesive back.
- Red and silver colour.
- High-intensity grade.
- Master case: 10 PCS.
- Individually boxed.

| ITEM NO. | DESCRIPTION                |
|----------|----------------------------|
| HRFT-150 | Reflective Tape, 2" X 150' |





## ► PACKING TAPE - HEAVY DUTY

- Can be used for reinforcement of moving boxes.
- Ideal for shipping departments.
- Meets postal requirements.
- Packed 6 rolls per sleeve.
- Hot-melt adhesive.

*(Must be ordered in multiples of 6 rolls)*

| ITEM NO. | COLOUR | WIDTH   | LENGTH    |
|----------|--------|---------|-----------|
| PT-110   | Clear  | 48mm/2" | 100m/330' |



## ► BARRICADE TAPE

- Used for crowd control and marking off restricted areas.
- 3" wide - 300' or 1,000' in length.
- Master case: 12 pcs. (1000').
- Master case: 16 pcs. (300').
- Durable polyethylene.
- 2 mil thickness.

| ITEM NO.                   | SIZE | DESCRIPTION               |
|----------------------------|------|---------------------------|
| BT300-CA (Prev. 17779-CA)  | 3" x | 300' Yellow/Black Print   |
| BT1000-CB (Prev. 17779-CB) | 3" x | 1,000' Yellow/Black Print |
| BT1000-DB (Prev. 17779-DB) | 3" x | 1,000' Red/Black Print    |



## ► FLAGGING TAPE FLUORESCENT COLOURS - REGULAR TEMPERATURE

- Remains pliable in cold weather. Cold crack rated at -20°C.
- Durable, matte embossed PVC sheeting.
- Highly visible and colourfast.
- Individual rolls - UPC labeled.
- 10 per sleeve/120 per case.
- Will not chip, peel or crack.
- 4 mil thickness.
- 1" x 150' long.
- Non-toxic.



| ITEM NO.                | COLOURS            |
|-------------------------|--------------------|
| FT150-ORG (Prev. 16001) | Fluorescent Orange |
| FT150-PNK (Prev. 16002) | Fluorescent Pink   |
| FT150-GRN (Prev. 16003) | Fluorescent Green  |
| FT150-BLU (Prev. 16004) | Fluorescent Blue   |

## ► FLAGGING TAPE - WINTER TEMPERATURE

- Designed to withstand severe cold temperatures, rated to -43°C.
- Matte embossed for securing knots.
- UV Stabilized to prevent fading.
- 1" x 125' long/5.2 mil thick.
- 10 per sleeve/120 per case.



| ITEM NO.   | LENGTH             |
|------------|--------------------|
| AFT125-ORG | Fluorescent Orange |
| AFT125-PNK | Fluorescent Pink   |

## ► DISPOSABLE COVERALLS - POLYETHYLENE COATED

- Comfortable with elastic arm and leg cuffs and attached hood.
- Ideal for protecting clothes from paint, dirt and grease.
- Tri-layer construction prevent bleed-through of liquids.
- White, SMS, 50 g/m<sup>2</sup>.
- Excellent for DIY.

| Specifications | M   | L   | XL  | XXL |
|----------------|-----|-----|-----|-----|
| Chest Size     | 48" | 52" | 56" | 60" |

| ITEM NO. | DESCRIPTION                           |
|----------|---------------------------------------|
| DC-M     | Medium Disposable Coverall            |
| DC-L     | Large Disposable Coverall             |
| DC-XL    | Extra Large Disposable Coverall       |
| DC-XXL   | Extra-Extra Large Disposable Coverall |



## ▶ PAINT BRUSHES - POLYESTER BRISTLE

- Durable plastic handles w/metal ferrule.
- Flagged synthetic bristle to retain paint.
- Plastic wrapper includes hanger.
- UPC coded.

| ITEM NO.  | WIDTH  | HAIR LENGTH | PACKING PER CARTON |
|-----------|--------|-------------|--------------------|
| SA031-050 | 1/2"   | 2"          | 12                 |
| SA031-100 | 1"     | 2"          | 12                 |
| SA031-150 | 1-1/2" | 2"          | 12                 |
| SA031-200 | 2"     | 2"          | 12                 |
| SA031-250 | 2-1/2" | 2"          | 12                 |
| SA031-300 | 3"     | 2"          | 12                 |
| SA031-400 | 4"     | 2"          | 12                 |



## ▶ PAINT BRUSHES - PURE BRISTLE

- Heavy duty 1/2" thick unpainted wooden handle.
- 100% Pure white natural bristle (flagged).

| ITEM NO. | WIDTH  | HAIR LENGTH | PACK | MASTER PACK |
|----------|--------|-------------|------|-------------|
| 5051-050 | 1/2"   | 1-1/2"      | 36   | 432         |
| 5052-100 | 1"     | 1-1/2"      | 12   | 288         |
| 5053-150 | 1-1/2" | 1-3/4"      | 12   | 288         |
| 5054-200 | 2"     | 1-3/4"      | 12   | 288         |
| 5056-300 | 3"     | 2-1/4"      | 12   | 144         |
| 5057-400 | 4"     | 2-1/4"      | 12   | 144         |



## ▶ FILE CARD

- For cleaning debris out of files.

| ITEM NO. | DESCRIPTION                                  |
|----------|----------------------------------------------|
| FCB-1    | Wire Brush W/Polycast Handle, Steel Bristles |



## ► PARTS CLEANING BRUSHES

- Polypropylene does not shrink or swell and resists most petroleum-based solvents.
- Packed 24 per carton.

| ITEM NO. | DESCRIPTION                                                                                          |
|----------|------------------------------------------------------------------------------------------------------|
| 37P-BR   | 7" Wire Brush, 3 Rows Brass Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents     |
| 38P-SS   | 7" Wire Brush, 3 Rows Stainless Bristle, Polypropylene Handle Resists Most, Petroleum Based Solvents |



37P-BR



38P-SS

## ► PARTS CLEANING BRUSHES

| ITEM NO. | DESCRIPTION                                                   |
|----------|---------------------------------------------------------------|
| 236-00   | 11" Round Parts Brush With Wood Handle And Polyester Bristle. |
| 237-BR   | 8" Wire Brush 3 Row Brass Bristle With Wood Handle.           |
| 238-SS   | 8" Wire Brush 3 Row Stainless Steel Bristle With Wood Handle. |



236-00



237-BR



238-SS

## ► WIRE BRUSHES - WOOD HANDLES

- Four row steel wire bristle.
- Rectangular wood handle.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|           |                                              |
|-----------|----------------------------------------------|
| 1419-SS   | 14" 4 X 19 Row Stainless Steel Wire Brush    |
| XP-1419WS | 14" 4 X 19 Row Wire Brush With Metal Scraper |



## ► WIRE BRUSH - POLYCAST HANDLE

- Polycast construction for greater durability.
- Equipped with removable 2" plated scraper.
- 11" – 15 x 4 row heavy duty wire brush.
- Coated steel bristles.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                                              |
|--------|----------------------------------------------|
| 233-4R | Wire Brush W/Polycast Handle, Steel Bristles |
|--------|----------------------------------------------|



## ► SCRATCH BRUSHES - PLASTIC HANDLE WITH CRIMPED WIRE

- Overall length 10", brush size 5-1/2" x 5/8", trim length 1".
- Curved brush to allow brushing in corners.
- Handle colour determines wire material.
- Packed in 20 pc display box.
- Sturdy metal frame.

| ITEM NO.  | WIRE TYPE          | HANDLE COLOUR | BRUSH SIZE    | WIRE SIZE |
|-----------|--------------------|---------------|---------------|-----------|
| USB-STEEL | Steel              | Red           | 5 1/2" x 5/8" | 0.012     |
| USB-BRASS | Brass Coated Steel | Yellow        | 5 1/2" x 5/8" | 0.012     |
| USB-SS    | Stainless          | Green         | 5 1/2" x 5/8" | 0.012     |





07

# Safety Supplies



Automotive



Hand Tools



Striking Tools




Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling



## ► GLOVES

| ITEM NO. | DESCRIPTION                                                                           |
|----------|---------------------------------------------------------------------------------------|
| 4-S      | White double-knit with elasticized wrist band. 75% Polyester, 25% cotton. Small size. |
| 4-M      | As above medium size.                                                                 |
| 4-L      | As above large size.                                                                  |
| 4-XL     | As above extra large size.                                                            |





► GLOVES

| ITEM NO.                                      | DESCRIPTION                                                                                      |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------|
| 6899-S                                        | Cotton knit glove with blue latex palm, finger & finger ends. Elasticized wristband. Size small. |
| 6899-M                                        | As above - medium size                                                                           |
| 6899-L                                        | As above - Large size                                                                            |
| *8015FR                                       | Fluorescent Orange PVC-Coated Gloves. Elasticized Wristband. Fully Lined.                        |
| *NITB-601                                     | Blue Nitrile-Dipped Glove. Cotton Interlocked Base. Elasticized Wristband.                       |
| *LIMITED SUPPLY, AVAILABLE WHILE SUPPLY LASTS |                                                                                                  |



NITB-601



8015FR



6899 Series

► GLOVES - LINED FOR COLDER TEMPERATURES

| ITEM NO. | DESCRIPTION                                                                          | SIZE    |
|----------|--------------------------------------------------------------------------------------|---------|
| WG68-M   | Cotton knit glove with blue latex palm, finger & finger ends, elasticized wristband. | Medium  |
| WG68-L   | As above                                                                             | Large   |
| WG68-XL  | As above                                                                             | X-Large |



### ▶ GLOVES - NITRILE DIPPED STICKY GLOVE

- Black nylon back with nitrile palm and fingers. Elasticized wrist band.
- Can be used in warehouses, construction or automotive.
- Very sensitive touch due to thin yet strong material.
- Sticky grip gives more positive holding ability.

| ITEM NO. | SIZE    |
|----------|---------|
| NN2-S    | Small   |
| NN2-M    | Medium  |
| NN2-L    | Large   |
| NN2-XL   | X-Large |



### ▶ MECHANIC'S GLOVE



- Strong synthetic palm and fingertips to resist tearing.
- Elasticized back to achieve secure fit.
- Hook "N" Loop wrist fastener.
- Available in Red or Black.

| ITEM NO.   | SIZE        |
|------------|-------------|
| GR-305M    | Medium      |
| GR-305L    | Large       |
| GR-305XL   | Extra Large |
| GR-305M-R  | Medium      |
| GR-305L-R  | Large       |
| GR-305XL-R | Extra Large |



### ▶ GENERAL PURPOSE GLOVES



- High dexterity, oil-resistant, polyurethane black palm and fingertips.
- Yellow spandex back with elasticized wristband.
- Foam-padded knuckles.
- Double thickness palm.

| ITEM NO. | SIZE    | DESCRIPTION           |
|----------|---------|-----------------------|
| M177-M   | Medium  | General Purpose Glove |
| M177-L   | Large   | General Purpose Glove |
| M177-XL  | X Large | General Purpose Glove |



► **HEARING PROTECTOR - ADJUSTABLE HEADBAND TYPE**

- Tests in accordance with ANSI S3.19-1974.
- Padded ABS headband.
- Adjustable muff height.
- Headband force 3.0 lbs.
- WCB Class C.

|                       |      |      |      |      |      |      |      |      |      |
|-----------------------|------|------|------|------|------|------|------|------|------|
| Frequency (Hz)        | 125  | 250  | 500  | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
| Mean Attenuation (dB) | 8.9  | 13.7 | 20.7 | 26.1 | 33.2 | 33.0 | 34.5 | 31.3 | 34.5 |
| Standard Deviation    | 2.4  | 2.1  | 2.0  | 1.9  | 2.1  | 1.7  | 2.2  | 2.0  | 3.4  |
| SNR                   | 23.6 |      |      |      |      |      |      |      |      |

| ITEM NO. | DESCRIPTION       |
|----------|-------------------|
| EP-106   | Hearing Protector |



► **SAFETY VESTS - 360° REFLECTIVE - 5 POINT TEAR-AWAY**

- 2" silver "3M" Scotchlite reflective strips on front and reflective "X" on back.
- Made of lightweight, soft, breathable lime green polyester material.
- Hook and loop fastening on shoulder, sides and front.
- Meets CSA Z96-15 Class 2, level 2 requirements.

| ITEM NO.   | DESCRIPTION               |
|------------|---------------------------|
| RS-303-M   | Five-Point Tear-Away Vest |
| RS-303-L   |                           |
| RS-303-XL  |                           |
| RS-303-XXL |                           |



## SPORT & SAFETY GLASSES CONTINUED

- Individually cello-bagged with peg holes.
- Break-resistant polycarbonate lens.
- Strong nylon frame and temples.
- Universal nose pads.
- UV400 rated lens.
- Fog resistant.

| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-321C  | Clear       | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-321S  | Smoke       | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-321Y  | Yellow      | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



## SAFETY GOGGLES

- CE EN166F Certified.
- Elastic headband.
- Soft PVC frame.

| ITEM NO. | DISCRIPTION                       |
|----------|-----------------------------------|
| SG-201   | Direct Vented (Perforated Frame)  |
| SG-204   | Indirect Ventilation (Cap Vented) |



SG-204



SG-201

## SPORT & SAFETY GLASSES CONTINUED

| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1642C | Clear       | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1642I | Iridium     | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1642S | Smoke       | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1642Y | Yellow      | Black        | Adjustable  |

Note: Sport/Safety Glasses with wraparound side protection, meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1753C | Clear       | Black        | Adjustable  |

Note: Sport/Safety Glasses meets ANSI Z87.1



| ITEM NO. | LENS COLOUR | FRAME COLOUR | TEMPLE TYPE |
|----------|-------------|--------------|-------------|
| CS-1753S | Smoke       | Black        | Universal   |


Note: Sport/Safety Glasses meets ANSI Z87.1



### ► BARRICADE (SAFETY & SNOW) FENCING

- Used for outdoor sports, ski areas, farms and ranches, industrial and construction sites, demolition sites, landfills, roadwork and traffic control.
- 1-3/4" x 4" opening rectangular design.
- Strong HD polyethylene construction.
- 100% high density polyethylene.
- Bright orange colour.
- UV stabilized.
- 24 ml thick.

| ITEM NO. | DESCRIPTION               |
|----------|---------------------------|
| SF-320   | Safety/Snow Fencing 4X50' |



### ► TRAFFIC WARNING TRIANGLES - FOLDING

- Packed 3 reflective triangles per handled plastic case.
- All 3 triangles fit plastic case.
- 17" sides for good visibility.
- Weighted base for stability.
- 4-3/8" H x 4" W x 17-1/2" L.
- Meets DOT approval.

| ITEM NO. | SIZE                              |
|----------|-----------------------------------|
| YJ-8F    | Folding Traffic Warning Triangles |



## ▶ REFLECTIVE DISC MARKER POLE - FIBREGLOSS

- 5/16" (8 mm) diameter x 48" OAL orange fibreglass pole.
- Hole below reflector to help with insertion into ground.
- 3" (76 mm) reflector for long-range visibility.
- Reflectors on both sides.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|        |                                   |
|--------|-----------------------------------|
| MPD848 | 48" Marker Pole W/ Reflector Disc |
|--------|-----------------------------------|



double-sided red reflector

## ▶ TARPAULINS - BLUE

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Thickness: 5.1 ml.
- 10 x 10 weave.
- Polyethylene.
- Stitched hem.

| ITEM NO. | SIZE IN FT. | WEIGHT |
|----------|-------------|--------|
|----------|-------------|--------|

|       |         |           |
|-------|---------|-----------|
| 768   | 6 x 8   | 1.1 lbs.  |
| 7810  | 8 x 10  | 1.9 lbs.  |
| 71012 | 10 x 12 | 2.6 lbs.  |
| 71014 | 10 x 14 | 3.0 lbs.  |
| 71214 | 12 x 14 | 3.8 lbs.  |
| 71218 | 12 x 18 | 4.9 lbs.  |
| 71224 | 12 X 24 | 6.5 lbs.  |
| 71416 | 14 x 16 | 5.1 lbs.  |
| 71520 | 15 x 20 | 6.8 lbs.  |
| 71824 | 18 x 24 | 9.8 lbs.  |
| 72030 | 20 x 30 | 13.5 lbs. |
| 72448 | 24 x 48 | 26.0 lbs. |
| 73060 | 30 x 60 | 41.0 lbs. |





## ▶ TARPAULINS - NATURAL WHITE

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Thickness: 3.9 ml.
- Stitched hem.
- Polyethylene.
- 8 x 7 weave.

| ITEM NO. | SIZE IN FT. | WEIGHT   |
|----------|-------------|----------|
| 61520    | 15 X 20     | 4.9 lbs. |
| 62030    | 20 x 30     | 9.8 lbs. |



## ▶ TARPAULINS - CAMOUFLAGE

- Laminated both sides with 0.03mm coating.
- Aluminum grommets every 3 feet.
- Thickness: 5.1 ml.
- 10 x 10 weave.
- Polyethylene.
- Stitched hem.

| ITEM NO. | SIZE IN FT. | WEIGHT EACH |
|----------|-------------|-------------|
| 768-CF   | 6 x 8       | 1.1 lbs.    |
| 7810-CF  | 8 x 10      | 1.9 lbs.    |
| 71012-CF | 10 x 12     | 2.6 lbs.    |
| 71214-CF | 12 x 14     | 3.8 lbs.    |
| 71218-CF | 12 x 18     | 4.9 lbs.    |
| 71520-CF | 15 x 20     | 6.8 lbs.    |
| 72030-CF | 20 x 30     | 13.5 lbs.   |








08

# Outdoors



Automotive




Hand Tools




Striking Tools



Outdoors




Builders & Security Hardware



Safety Supplies



Miscellaneous



Material Handling



## COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN

MORAKNIL®

- Supplied with fluorescent plastic belt clip sheath.
- Rubber-coated handgrip on plastic handle.
- Distinctive fluorescent ends on handle.
- 15 Pc display master carton.
- Ideal for search and rescue.
- 4" stainless steel blade.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                           |
|----------|-------------------------------------------|
| 11824-BK | Fluorescent Orange Handle Ends And Sheath |
|----------|-------------------------------------------|

## COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN

MORAKNIL®

- Distinctive fluorescent coloured ends on black rubber-coated handle.
- 4" stainless steel blade with 2-1/4" serrated section.
- Supplied with orange plastic belt clip sheath.
- 15 Pc display master carton.
- Rubber-coated handgrip.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                                               |
|----------|---------------------------------------------------------------|
| 11829-BK | Serrated Blade Knife, Fluorescent Orange Handle Ends & Sheath |
|----------|---------------------------------------------------------------|

## COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN -

MORAKNIL®

- Available in display, 5 pieces black, 5 pieces military green, 5 pieces desert.
- Colour co-ordinated sheath with clip-on fastener.
- High-friction rubber-gripped handle.
- Multi-colour handles and sheaths.
- 15 PC display master carton.
- 4" Stainless steel blade.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|                                 |                                                              |
|---------------------------------|--------------------------------------------------------------|
| 14065-15D (Replaces #13089-15D) | Companion DIM Colour Mix with Stainless Steel Blade (15 PCS) |
|---------------------------------|--------------------------------------------------------------|



**▶ COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- Supplied with military green belt clip sheath.
- Rubber coated handgrip on plastic handle.
- Military green sheath and handle ends.
- 15 Pc display master carton.
- 4" Blade.

**ITEM NO. DESCRIPTION**

|          |                                                          |
|----------|----------------------------------------------------------|
| 11863-BK | 4" Carbon Steel Blade With Military Green & Black Handle |
| 11827-BK | 4" Stainless Steel Blade With Military Green Handle Ends |


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- Black co-ordinated sheath with clip-on fastener.
- High-friction rubber-gripped handle.
- 15 Pc display master carton.
- 4" Stainless steel blade.

**ITEM NO. DESCRIPTION**

|         |                                             |
|---------|---------------------------------------------|
| M-12141 | 4" SS Companion Knife - Black Handle Sheath |
|---------|---------------------------------------------|


**▶ COMPANION OUTDOOR/CAMPING KNIVES - MADE IN SWEDEN**
**MORAKNIL**

- Available in display, 5 pieces dala red, 5 pieces olive green, 5 pieces burnt orange (15 Pc display master carton).
- Blade length (cm): 10.3, Handle length (cm): 12, Total length (cm): 21.8, Weight (gr): 116, Hardness: 57.
- TPE rubber handle and polypropylene plastic sheath.
- 12C27 Stainless steel & smooth blade.

**ITEM NO.**
**DESCRIPTION**

|                                 |                                            |
|---------------------------------|--------------------------------------------|
| 14069-15D (Replaces #12884-15D) | Companion Leaf Colour Mix Display (15 PCS) |
|---------------------------------|--------------------------------------------|



## COMPANION OUTDOOR & RESCUE KNIVES - MADE IN SWEDEN

MORAKNIV

- Serrated cutting edge for cutting rope, nylon or poly.
- Comfortable rubber grip and belt clip sheath.
- Red colour sheath and handle ends.
- 3.9" Stainless steel blade.
- Blunt end for safety.
- 15 pc display.

### ITEM NO. DESCRIPTION

11828-BK Companion Rescue Knife with Stainless Steel Blade



## COMPANION HEAVY DUTY OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN

MORAKNIV

- Matching colour clip-on sheath and handle ends.
- 27° Edge angle for sharpness retention.
- Heavy duty 3.2 mm thickness blade.
- Decorative display box.
- Master Carton: 5 Pieces.

### ITEM NO. DESCRIPTION

12494-BK 4.1" Carbon Steel Blade-Military Green  
 12495-BK 4.1" Carbon Steel Blade-Orange  
 M-12210 Carbon Steel Blade-Military Green, Blister Pack  
 M-12211 Carbon Steel Blade-Orange, Blister Pack



## COMPANION OUTDOOR & CAMPING KNIVES - MADE IN SWEDEN

MORAKNIV

- H.Q. Fire starter built into handle for use with blade spine.
- 2.5 mm thick cold-rolled stainless steel blade.
- Molded TPE handle with guard.
- Blade 4.1", total length 9.4".
- Hard plastic combo sheath.
- Carded.

### ITEM NO. DESCRIPTION

M-13571 Companion Spark Knife - Red  
 M-13567 Companion Spark Knife - Black





## ▶ **OUTDOOR/CAMPING/SURVIVAL KNIFE (BUSHCRAFT BLACK SERIES) - MADE IN SWEDEN**

**MORAKNIV®**

- 4-1/8" Heavy-duty carbon steel blade is 3.2 mm thick.
- Blade is coated with black coating to resist corrosion.
- Multi-position plastic sheath w/belt clip & belt loop.
- Rubber-coated handle to provide positive grip.
- Blade tang extends 3/4 of the way into handle.
- Blade spine is shaped to use with fire starter.
- Clamshell packed for easy display.



| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                                     |
|----------|-----------------------------------------------------|
| 10791-SC | Bushcraft Black Knife w/ 4-1/8" Coated Carbon Blade |
|----------|-----------------------------------------------------|

## ▶ **SPORT AND FISHING KNIVES - MADE IN SWEDEN**

**MORAKNIV®**

- Molded polymer handle with guard.
- Molded hard plastic combo sheath.
- 15 pc display master carton.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|             |                                     |
|-------------|-------------------------------------|
| BASIC511-BK | 3.6" Carbon Steel Blade, Red Handle |
|-------------|-------------------------------------|

|             |                                         |
|-------------|-----------------------------------------|
| BASIC546-BK | 3.6" Stainless Steel Blade, Blue Handle |
|-------------|-----------------------------------------|

|         |                                                              |
|---------|--------------------------------------------------------------|
| M-13246 | 2mm x 91mm (3.6") Stainless Steel Blade, Orange/Black Handle |
|---------|--------------------------------------------------------------|



BASIC511-BK



BASIC546-BK



M-13246

## ▶ **COMPANION FISHING SCALER - MADE IN SWEDEN**

**MORAKNIV®**

- Ergonomic polymer handle with soft friction grip.
- Recycled Swedish stainless steel blade.
- Polymer sheath with belt clip.
- 150mm (6") x 2mm blade.
- Blister pack.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                  |
|---------|----------------------------------|
| M-13870 | SS Fishing Comfort Scaling Knife |
|---------|----------------------------------|



## ▶ **CLASSIC KNIFE - MADE IN SWEDEN**

**MORAKNIV®**

- Red-stained birchwood handle with finger guard.
- 4-1/8" Carbon steel blade (8-1/2" overall length).
- Black polymer sheath with leather belt strap.
- Packaged in peggable display box.
- 5 Per master carton.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                      |
|---------|--------------------------------------|
| M-13606 | Classic No.2 Knife with Finger Guard |
|---------|--------------------------------------|





## ► KANSBOL OUTDOOR & CAMPING KNIFE - MADE IN SWEDEN

**MORAKNIL**®

- Spine is ground so it can be used with fire starter.
- Made from recycled Swedish stainless steel.
- Secure grip handle for safety and comfort.
- Profile-shaped blade for added precision.
- Supplied with belt loop plastic sheath.
- Blade length: 4.3" and is 0.1" thick.
- Dark green colour.
- Carded.



| ITEM NO.                            | DESCRIPTION                                      |
|-------------------------------------|--------------------------------------------------|
| 12872-SC (Replacement for 12634-BK) | Heavy-Duty General Purpose Stainless Steel Knife |

## ► ELDRIS CAMPING KNIFE - MADE IN SWEDEN

**MORAKNIL**®

- Can fit in a pocket or backpack, & comes with a symmetrical polymer sheath suitable for both right & left-handed users.
- Ergonomic barrel-shaped polymer handle provides a soft friction grip and a finger guard for safety.
- 2.0 mm thick blade is made of recycled Swedish stainless steel.
- Designed for outdoor use.
- Burnt Orange.
- Compact.

| ITEM NO.                                       | DESCRIPTION                                      |
|------------------------------------------------|--------------------------------------------------|
| 13501-BK (Replacement for 12647-BK & 12648-BK) | 2-1/8" Stainless Steel Blade Burnt Orange Handle |
| 12647-BK                                       | Knife Eldris Basic, Black, Boxed.                |
| 12648-BK                                       | Knife Eldris Basic, Red, Boxed.                  |



12647-BK



12648-BK



13501-BK

## ► SKINNING KNIFE - MADE IN SWEDEN

**MORAKNIL**®

- 5" slip-resistant polypropylene handle.
- 6" curved stainless steel blade.

| ITEM NO. | DESCRIPTION    |
|----------|----------------|
| 7146-5   | Skinning Knife |



## ► FILLET KNIFE (SPORT FISHING) - MADE IN SWEDEN

**MORAKNIV**

- 6" Cold-rolled stainless steel blade with high-friction rubber grip.
- Easy clean vented plastic sheath.
- Master Carton: 10 Pieces.
- Medium flex blade.
- Blister pack.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                                                |
|---------|------------------------------------------------|
| M-13869 | 6" Rubber-Gripped Fillet Knife, Blister Carded |
|---------|------------------------------------------------|



## ► FILLET KNIVES - MADE IN SWEDEN

**MORAKNIV**

- Plastic molded handles with rough surface.
- Blades are hardened to 57-58 HRC.
- Flexible stainless steel blades.
- Master carton 10 pcs.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|       |                                                                      |
|-------|----------------------------------------------------------------------|
| 299P  | 4-1/2" Blade Fillet Knife (Semi-flexible) With Stainless Steel Spoon |
| 9152P | 6" Blade Fillet Knife (Stiff) With Stainless Steel Spoon             |
| 9197P | 7-1/2" Narrow Style Fillet Knife (Flexible)                          |
| 9160P | 6-1/4" Flexible Blade Fillet Knife                                   |
| 9180P | 7" Flexible Blade Fillet Knife                                       |



299P & 9152P



9197P



9160P



9180P

## ► KITCHEN AND BUTCHER KNIVES - MADE IN SWEDEN

**MORAKNIV**

- Stainless steel blades are hardened to 57 - 58 Rockwell C, which makes the blades very hard so as to maintain a sharp edge yet still remain flexible to avoid breakage.
- Stainless steel blades with comfortable sealed plastic handles that conform to Health - Safety Standards.
- Fully guaranteed against manufacturer's defects.
- Master Carton: 10 Pieces.

| ITEM NO. | DESCRIPTION | BLADE LENGTH |
|----------|-------------|--------------|
|----------|-------------|--------------|

|        |            |        |
|--------|------------|--------|
| *9210P | Meat Knife | 8-3/4" |
|--------|------------|--------|

**\*FOB SURREY, BC ONLY**



## ► KNIFE - SKINNING & BONING KNIVES (FILLET) - MADE IN BRAZIL

TRAMONTINA

- Krupp 1.14110 or Sandvik (12C27) Stainless Steel Blades with 55HRC hardness.
- Textured polypropylene handles for comfort and safety.
- NSF® for health safety issues.
- 12 PCS per shelf pack.

| ITEM NO.  | DESCRIPTION                                         |
|-----------|-----------------------------------------------------|
| 24606-056 | 6" Skinning Knife, Yellow Handle                    |
| 24603-086 | 6" Boning Knife, White Handle                       |
| 24605-087 | 7" Boning (Fillet) Knife, White Handle, Stiff Blade |



24606-056



24603-086



24605-087

## ► FILLET KNIFE - MADE IN BRAZIL

TRAMONTINA

- Stain-free high carbon blade Krupp or Sandvik 12C27 SS.
- 12 PCS per shelf pack.
- NSF food safe handle.
- Semi-flexible blade.
- Blade is 8-1/2" long.

| ITEM NO.  | DESCRIPTION            |
|-----------|------------------------|
| 24622-088 | 8-1/2" Filleting Knife |



## ► MACHETES - MADE IN BRAZIL

TRAMONTINA

- Wood handles with nickel-plated rivets.
- Supplied with vinyl sheath.
- Hardness: 48 to 52 RC.
- Steel SAE 1070.

| ITEM NO. | DESCRIPTION                 |
|----------|-----------------------------|
| 2610-18  | 18" Blade With Vinyl Sheath |
| 2610-22  | 22" Blade With Vinyl Sheath |



▶ **GRANTON EDGE COOKING KNIFE**

**TRAMONTINA**

- Air pockets between meat & blade enhances cutting performance.
- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.

| ITEM NO.  | DESCRIPTION     |
|-----------|-----------------|
| 24646-087 | 7" Cook's Knife |



▶ **10" COOK'S KNIFE**

**TRAMONTINA**

- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.

| ITEM NO.  | DESCRIPTION    |
|-----------|----------------|
| 24609-080 | 10" Meat Knife |



▶ **GRANTON EDGE SALMON FILET KNIFE**

**TRAMONTINA**

- Ergonomic polypropylene handle with anti-microbial properties.
- Hardened DIN 1.4110 stainless steel blade.
- 1" Wide blade for smooth cutting.
- No stick, tear or shred.

| ITEM NO.  | DESCRIPTION            |
|-----------|------------------------|
| 24654-082 | 12" Salmon Filet Knife |



▶ **CAMPING MACHETE**

**TRAMONTINA**

- Black textured polypropylene handle with lanyard hole.
- Stainless steel blade.
- Comes in hang pack.
- Saw-tooth back.

| ITEM NO.  | DESCRIPTION                        |
|-----------|------------------------------------|
| 26619-122 | 12" Camping Machete without Sheath |



▶ **10" BUSH KNIFE**

TRAMONTINA

- Hardened carbon steel blade.
- Wood handle.

**ITEM NO. DESCRIPTION**

26620-010 10" Knife without Sheath

▶ **SWEET SPOT CHOPPER**

TRAMONTINA

- Hardened carbon steel blade.
- Wood handle.

**ITEM NO. DESCRIPTION**

26652-014 14" Machete without Sheath, Hook Blade

▶ **PARING KNIVES**

CH UNEX

- Individually poly-bagged.
- Plastic handle.
- Carbon steel blade.

**ITEM NO. DESCRIPTION**

TOP-002 Paring (Net) Knife With 3-1/2" Serrated Blade

TOP-003 Paring Knife With 3-1/2" Smooth Blade



► **POCKET KNIFE**

**TRAMONTINA**

- High quality wooden handle.
- Stainless steel blade.

| ITEM NO.  | DESCRIPTION     |
|-----------|-----------------|
| 26325-103 | 3" Pocket Knife |



► **BOLO MACHETE KNIFE**

**TRAMONTINA**

- Hardened carbon steel blade.
- Wooden handle.

| ITEM NO.  | DESCRIPTION            |
|-----------|------------------------|
| 26624-014 | 14" Bolo Machete Knife |



► **SHARPENING STEELS**

**CH UNEX**

- Plastic handles with handle hang-up ring.
- Individually poly-bagged.
- Molded finger guard.

| ITEM NO.     | DESCRIPTION                            |
|--------------|----------------------------------------|
| TOP-003ST-12 | 12" Oval, Diamond Steel                |
| TOP-004ST-12 | 12" Round Medium Grit Magnetized Steel |



## ► COMBINATION SHARPENING STONE

**CH UNEX**

- For sharpening high quality steel tools.
- 8" long aluminum oxide.
- Fine and coarse sides.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|          |                                    |
|----------|------------------------------------|
| 812-2011 | 2-1/2" W x 8" L , 1-1/4" Thickness |
|----------|------------------------------------|



## ► BINOCULARS

**CH UNEX**

- All binoculars supplied with nylon carrying bag, neck lanyard, and lens cleaning cloth.
- Fully adjustable interpupillary distance (distance between eyes.)
- Adjustable diopter setting and central focussing.
- Roll-down eyecups for use with glasses.
- Attractively boxed.

| ITEM NO. | DESCRIPTION |
|----------|-------------|
|----------|-------------|

|         |                       |
|---------|-----------------------|
| BN-0821 | 8 x 21 Magnification  |
| BN-1050 | 10 x 50 Magnification |



BN-1050



BN-0821

## ► RIFLE SCOPE WITH MOUNTING RINGS

**CH UNEX**

- See-through amber-shaded lens protector provides, not only protection but also reduced glare.
- Elevation and windage adjustments have very smooth, and positive click positions.
- Fast-acting octagonal notched magnification ring.
- Supplied with mounting rings.
- Large notched focus ring.
- Boxed.

| ITEM NO. | MAGNIFICATION |
|----------|---------------|
|----------|---------------|

|         |            |
|---------|------------|
| RS-3940 | 3 X 9 X 40 |
|---------|------------|





## ► GUN TRIGGER LOCK - COMBINATION TYPE



- Mark-proof rubber cushions prevent scratching.
- Combination can be easily changed at any time.
- Ratchet action to fasten on trigger.
- Heavy alloy construction.
- Master carton: 72 Pieces.
- Carded and UPC coded.
- Fits most guns.




### ITEM NO. DESCRIPTION

M-802C Combination Type Gun Trigger Lock

## ► CROWN CABLE GUN LOCK



- Used as a gun lock, cable can be inserted through loading port to the ejection port then locked.
- PVC-coated aircraft cable and lock body to protect against scratching.
- Packed in poly-bag with header.
- Master carton: 72 Pieces.



| ITEM NO.    | DESCRIPTION                                       | STD. PACK |
|-------------|---------------------------------------------------|-----------|
| CBL-007     | Cable Gun Lock And Bicycle Lock (Keyed Different) | 12        |
| CBL-007-KA3 | Cable Gun Lock And Bicycle Lock (Keyed Alike)     | 12        |

## ► UNEX CABLE GUN LOCK - COMBINATION TYPE



- Cable can be inserted through loading port to the ejection port then locked.
- PVC-coated aircraft cable to protect against scratching.
- 100 per master carton, 10 per shelf pack.
- Packed in clamshell hang-pack.
- Resettable combination.
- 15" cable.

### ITEM NO. DESCRIPTION

352-24 Cable Trigger Gun Lock



## ► HIP WADERS - OLIVE GREEN

- Molded PVC-treaded boot with 4mm neoprene lining and removable taxon insoles.
- Double-stitched and heat tape seams.
- 420 Denier nylon with PVC backing.
- Adjustable elastic belt loops.
- Sizes marked on boot.
- Reinforced knees.

| ITEM NO.            | US SIZE |
|---------------------|---------|
| *NHW008-08          | 8       |
| *NHW008-10          | 10      |
| *NHW008-11          | 11      |
| *NHW008-13          | 13      |
| *TO BE DISCONTINUED |         |



## ► WIRE - SNARE

CH UNEX

- Ideal for snaring rabbits and general fastening.
- Can also be used as a tie-down device.
- Each roll header-carded.
- Available in 25' coils.

| ITEM NO | LENGTH | WIRE TYPE       | AWG GAUGE | SIZE  | DESCRIPTION                |
|---------|--------|-----------------|-----------|-------|----------------------------|
| SWBR-25 | 25'    | Brass           | 22        | .025" | Brass Snare Wire           |
| SWSS-25 | 25'    | Stainless Steel | 22        | .025" | Stainless Steel Snare Wire |





## A Abrasives

- Cup brushes.....77
- Cut off wheels.....79
- Grinding wheels.....76-78
- Wire wheels.....76-78

Adhesives.....29-35

Adjustable Wrenches.....57

Adze.....97

Anchor Shackles.....158,159

Aquaseal.....36

Auto Bulbs.....1,2

Axe Mate Protectors & Sheaths.....100

## Axes

- Agdor.....94,95
- Beaver brand.....97
- Carpenters.....93
- Competition.....94,96
- Double bit.....94,96
- Fire axes, spike.....99
- Hand forged.....93,94
- Hatchets.....93, 97, 98
- Hultafor.....93,94
- Mauls.....94,96,100
- Miners.....98
- Oxhead Iltis.....95,96
- Pulaski.....99
- Racing, competition.....94,96
- Unex brand.....98,99,100

**B** Ball Mount.....21

## Barricade

- Fence.....197
- Tape.....184

## Bars

- Crowbar.....113
- Prybar.....112
- Stripping.....113
- Tove.....112
- Winch.....164
- Wrecking.....111

## Battery

- Booster cables & clamps.....12,13
- Charger.....8,9
- Maintainers.....8
- Testers.....8
- Terminals & adapters.....12
- Terminal brush.....12

Bearings.....151-154

Belt Punch Pliers.....57

## Benders

- Rebar.....44

Binoculars.....212

## Blades

- Band saw.....87
- Bow saw.....80
- Circular saw.....76
- Hacksaw.....86
- Holesaw.....84
- Jig saw.....86
- Meat saw.....83
- Reciprocating.....87
- Utility knife.....66,67

## Blocks

- Cable.....150
- Chain.....143
- Pillow blocks.....151
- Rope.....149
- Snatch, yarding.....150

Boat Winches & Cable Strap.....21

Bolt Cutters & Parts, MCC.....42-46

Booster Cables & Clamps.....12,13

Bow Saws & Blades.....79,80

Brass & Stainless Snare Wire.....214

Brass Hammer.....103

Brooms.....170-176

Brush Hooks.....96

## Brushes and Brooms

- Angle.....170
- Battery terminal.....12
- Boat.....175,176
- Braces.....173,174
- Car.....15
- Corn.....171
- Counter.....176
- Cup brushes.....77
- Deck.....176
- Broom & mop handles.....178,179
- Paint.....186
- Parts cleaning.....187
- Rig.....176
- Roof & tar.....175
- Scratch.....187,188
- Scub.....177
- Wash.....175,176
- Whisk.....170,171
- Wire brushes.....76,77,78
- Stable.....174

## Bulbs

- Auto, motorcycle, snowmobile.....1-2

Bungee Cords.....26,27

Bush Knife.....209

## C Cable

- Clamp Kit.....14

|                                   |             |
|-----------------------------------|-------------|
| – Accessories.....                | 146,147     |
| – Aircraft.....                   | 145         |
| – Clips.....                      | 14,146      |
| – Cutters.....                    | 43,44       |
| – Locks.....                      | 213         |
| – Pullers.....                    | 144         |
| – Sheaves.....                    | 147,148,149 |
| – Sleeves.....                    | 147         |
| – Stops.....                      | 146         |
| – Thimbles.....                   | 146         |
| – Ties (white & black nylon)..... | 170         |
| <b>Calipers</b>                   |             |
| – Digital, vernier.....           | 88,89       |
| <b>Cargo Lashes</b>               |             |
| – Cargo lash ratchets.....        | 28          |
| – Net.....                        | 28          |
| Cash Boxes.....                   | 132         |
| Casters.....                      | 24,139      |
| Caulking Guns.....                | 63,64       |
| Chain Blocks.....                 | 143         |
| <b>Chain Accessories</b>          |             |
| – Cold shuts.....                 | 158         |
| – Hooks.....                      | 147,162,163 |
| – Lap links.....                  | 157         |
| – Link locks.....                 | 158         |
| – Quick links.....                | 157         |
| – “S” hooks.....                  | 156         |
| <b>Chain Saw Files</b> .....      | 75          |
| – Handles.....                    | 72,73       |
| Chain Vises.....                  | 50          |
| Chain Wrenches.....               | 49          |
| Chalk Refills.....                | 87          |
| Channellock Pliers.....           | 55,56       |
| Chemicals.....                    | 29-38       |
| Chisel & Punch Sets.....          | 61          |
| Circular Saw Blades.....          | 76          |
| <b>Clamps</b>                     |             |
| – Battery booster cable.....      | 13          |
| – Spring clamps.....              | 12          |
| – Clamps booster.....             | 12          |
| – C-clamps.....                   | 41,42       |
| – Hose.....                       | 18,19       |
| <b>Cleaners</b>                   |             |
| – Hand.....                       | 186,187     |
| Clearance & Marker Lights.....    | 4,5,6       |
| <b>Cluthe</b>                     |             |
| – Funnels.....                    | 138         |
| – Measuring containers.....       | 140         |
| Cold Shuts.....                   | 158         |
| Combination Wrench – Sets.....    | 58,59,60,61 |
| Concrete Wire Nippers.....        | 43,48,55    |
| Cotter Pin Assortment.....        | 169         |

|                                       |     |
|---------------------------------------|-----|
| Coveralls – Disposable.....           | 185 |
| Crow Bars – Chisel & wedge point..... | 113 |
| Cup Brushes.....                      | 77  |
| Cut-Off Wheels.....                   | 79  |

### Cutters

|                               |             |
|-------------------------------|-------------|
| – Bolt & replacement jaws.... | 42,43,45,46 |
| – Hydraulic hose.....         | 44          |
| – Pipe, PVC.....              | 45,50       |
| – Rebar, bender.....          | 44          |
| – Steel strap.....            | 44          |
| – Threaded rod cutters.....   | 45          |
| – Tubing.....                 | 50          |
| – Wire cutters.....           | 43          |
| – Wire rope.....              | 43,46       |
| Cylinder guards.....          | 126,127     |

### Cylinders

|                    |         |
|--------------------|---------|
| – Dummy.....       | 124     |
| – Guard rings..... | 125     |
| – Hydraulic.....   | 136,137 |
| – Space rings..... | 125     |
| – Thumb turns..... | 124     |
| – Guards.....      | 126,127 |

|                                   |         |
|-----------------------------------|---------|
| <b>D</b> Dead Blow & Hammers..... | 104     |
| Dead Bolts & Latches.....         | 122,123 |
| Deburring Set.....                | 53      |
| Dial Gauge.....                   | 89      |

### Disposable

|                             |         |
|-----------------------------|---------|
| – Coveralls.....            | 185     |
| – Door cylinder guards..... | 126,127 |

### Draw

|              |    |
|--------------|----|
| – Bar.....   | 22 |
| – Knife..... | 97 |
| – Pilot..... | 84 |

### Drill Bits

|                        |         |
|------------------------|---------|
| – Jobbers.....         | 71      |
| – Prentice.....        | 72      |
| – Sets.....            | 71      |
| – Stub.....            | 72      |
| Drill Press Vises..... | 41      |
| Drywall Screw Bit..... | 62      |
| Dust Pans.....         | 177,178 |

|                                              |         |
|----------------------------------------------|---------|
| <b>E</b> Extension Poles.....                | 82      |
| E-Clip Assortment.....                       | 169     |
| Electrical Connectors & Adapters (Auto)..... | 9,10,11 |
| <b>Electrical Tape</b>                       |         |
| – Standard cord.....                         | 183     |
| Electricians Knife.....                      | 65,210  |
| Emergency Lights.....                        | 7,8     |
| Electrical Extension Cords.....              | 181,182 |
| Electrical Plugs & Connectors.....           | 181     |

|                         |     |
|-------------------------|-----|
| Extractors – Screw..... | 71  |
| Eye Bolts.....          | 161 |

## **F** Fastener Assortments.....169

### **Fence**

|               |     |
|---------------|-----|
| – Pliers..... | 56  |
| – Safety..... | 197 |

|               |       |
|---------------|-------|
| FiberFix..... | 35,36 |
|---------------|-------|

|                |     |
|----------------|-----|
| File Card..... | 187 |
|----------------|-----|

|                         |       |
|-------------------------|-------|
| <b>Files</b> – Axe..... | 74    |
| – Chain saw.....        | 75    |
| – File card.....        | 187   |
| – Handles.....          | 72,73 |
| – Machinist.....        | 73,74 |
| – Mower.....            | 74    |
| – Rasps.....            | 75    |

|                                |    |
|--------------------------------|----|
| Fire Axes, Pulaski, Spike..... | 99 |
|--------------------------------|----|

|                   |     |
|-------------------|-----|
| Fire Starter..... | 211 |
|-------------------|-----|

|                    |     |
|--------------------|-----|
| Flagging Tape..... | 185 |
|--------------------|-----|

|              |     |
|--------------|-----|
| Flanges..... | 152 |
|--------------|-----|

### **Flashlights**

|                                                                 |             |
|-----------------------------------------------------------------|-------------|
| – LED aluminum, LED penlight, LED headlamps, LED worklight..... | 3, 182, 183 |
| – Lantern, camping,.....                                        | 3           |

|                  |     |
|------------------|-----|
| Flush Bolts..... | 124 |
|------------------|-----|

|            |     |
|------------|-----|
| Forks..... | 108 |
|------------|-----|

|              |         |
|--------------|---------|
| Funnels..... | 137,138 |
|--------------|---------|

|                   |    |
|-------------------|----|
| Fuses – Auto..... | 13 |
|-------------------|----|

## **G** Gasket Making Silicones.....33

### **Gauges**

|             |    |
|-------------|----|
| – Dial..... | 89 |
|-------------|----|

|              |         |
|--------------|---------|
| Glasses..... | 195,196 |
|--------------|---------|

### **Gloves**

|                        |         |
|------------------------|---------|
| – Cotton.....          | 192     |
| – Goggles.....         | 195     |
| – General purpose..... | 193     |
| – Mechanics.....       | 193     |
| – Nitrile.....         | 192-193 |
| – PVC.....             | 192     |
| – Work.....            | 191-193 |

|           |    |
|-----------|----|
| Glue..... | 38 |
|-----------|----|

|                                |         |
|--------------------------------|---------|
| Gojo – Hand cleaner wipes..... | 186,187 |
|--------------------------------|---------|

|           |    |
|-----------|----|
| Goop..... | 37 |
|-----------|----|

|                                |         |
|--------------------------------|---------|
| Grease Guns & Accessories..... | 140,169 |
|--------------------------------|---------|

|                     |     |
|---------------------|-----|
| Grease Nipples..... | 169 |
|---------------------|-----|

|                |         |
|----------------|---------|
| Gun Locks..... | 212,213 |
|----------------|---------|

## **H** Hacksaws & Blades.....79,82,83,86

|                |         |
|----------------|---------|
| Hair Pins..... | 156,169 |
|----------------|---------|

|                   |     |
|-------------------|-----|
| Hammer Locks..... | 158 |
|-------------------|-----|

## **Hammers**

|                              |     |
|------------------------------|-----|
| – Blacksmith.....            | 102 |
| – Brass, non-sparking.....   | 103 |
| – Carpenters claw.....       | 104 |
| – Club.....                  | 102 |
| – Deadblow.....              | 104 |
| – Machinist (ball pein)..... | 103 |
| – Rubber.....                | 104 |
| – Sledge.....                | 101 |

|                         |     |
|-------------------------|-----|
| Hand Cleaner, Gojo..... | 187 |
|-------------------------|-----|

### **Handles**

|                         |         |
|-------------------------|---------|
| – Broom.....            | 178,179 |
| – Lever door.....       | 121,122 |
| – Push paddle door..... | 123     |

### **Handles, Striking Tool**

|                  |         |
|------------------|---------|
| – Adze.....      | 106     |
| – Axe.....       | 105-107 |
| – File.....      | 72,73   |
| – Hammer.....    | 106     |
| – Hatchet.....   | 105     |
| – Hookaroon..... | 105     |
| – Hultafors..... | 93,94   |
| – Maul.....      | 107     |
| – Pick.....      | 107     |
| – Post maul..... | 107     |
| – Pulaski.....   | 105,106 |
| – Scraper.....   | 101     |
| – Shovel.....    | 107     |
| – Sledge.....    | 105,106 |

|               |          |
|---------------|----------|
| Hatchets..... | 93,97,98 |
|---------------|----------|

|                         |     |
|-------------------------|-----|
| Hearing Protectors..... | 194 |
|-------------------------|-----|

|                  |    |
|------------------|----|
| Heat Shrink..... | 14 |
|------------------|----|

|                    |       |
|--------------------|-------|
| Hi Lift Jacks..... | 19,20 |
|--------------------|-------|

### **Hinges**

|              |     |
|--------------|-----|
| – Strap..... | 129 |
|--------------|-----|

|                         |             |
|-------------------------|-------------|
| Hitch Pins & Clips..... | 154,155,156 |
|-------------------------|-------------|

### **Hoists**

|                            |         |
|----------------------------|---------|
| – Cable.....               | 144     |
| – Chain, lever blocks..... | 143     |
| – Rope.....                | 144,145 |

|               |       |
|---------------|-------|
| Holesaws..... | 84,85 |
|---------------|-------|

|                 |    |
|-----------------|----|
| Hookaroons..... | 99 |
|-----------------|----|

### **Hooks**

|                              |         |
|------------------------------|---------|
| – Clevis & eye.....          | 147,162 |
| – Carabiner.....             | 129     |
| – Grab.....                  | 162,163 |
| – “S” hooks.....             | 156     |
| – Slip.....                  | 147,163 |
| – Snap.....                  | 164-166 |
| – Spring zinc/stainless..... | 160     |

### **Hose**

|               |       |
|---------------|-------|
| – Clamps..... | 18,19 |
|---------------|-------|

|                             |     |
|-----------------------------|-----|
| – Cutters.....              | 44  |
| Hydraulic Cylinders.....    | 136 |
| Hydraulic Hose Cutters..... | 44  |
| Hydraulic Jacks.....        | 135 |

|                                           |       |
|-------------------------------------------|-------|
| <b>I</b> Ice Scrapers & Snow Brushes..... | 16    |
| Implement Light.....                      | 2,3,4 |
| Inspection Mirror.....                    | 67    |
| Inter-Lock Plates.....                    | 128   |

|                                   |       |
|-----------------------------------|-------|
| <b>J</b> J-B Weld.....            | 29-36 |
| <b>Jacks</b>                      |       |
| – Hi-Lift jack & accessories..... | 19,20 |
| – Hydraulic bottle.....           | 135   |
| – Hydraulic cylinders.....        | 136   |
| – Trailer & accessories.....      | 4,5,6 |
| Jig Saw Blades.....               | 86    |

|                                 |             |
|---------------------------------|-------------|
| <b>K</b> Kevron Key Tags.....   | 130,131     |
| Key Blanks.....                 | 115,117,120 |
| Key Cabinets.....               | 131,132     |
| Key Caddy Starrett.....         | 87,129      |
| Key Tags & Key Accessories..... | 129-131     |
| Knee Pads.....                  | 194         |

#### Knives

|                            |         |
|----------------------------|---------|
| – Boning.....              | 207     |
| – Bush.....                | 209     |
| – Bolo.....                | 210     |
| – Cook's.....              | 207-208 |
| – Draw.....                | 97      |
| – Electrician's.....       | 210     |
| – Fillet, fishing.....     | 207-208 |
| – Folding pocket.....      | 210     |
| – Hunting.....             | 209     |
| – Kitchen, commercial..... | 208     |
| – Machete.....             | 207-210 |
| – Paring.....              | 209     |
| – Skinning.....            | 207     |
| – Utility.....             | 65,66   |

#### MORA Knives

|                           |         |
|---------------------------|---------|
| – Bushcraft.....          | 204     |
| – Classic.....            | 204     |
| – Camping, companion..... | 201-203 |
| – Companion H.D.....      | 203     |
| – Cook's.....             | 206     |
| – Eldris.....             | 205     |
| – Electrician's.....      | 65      |
| – Fillet, fishing.....    | 206     |
| – Hunting.....            | 204,205 |
| – Kansbol.....            | 205     |
| – Kitchen.....            | 206     |
| – Basic.....              | 204     |

|                      |         |
|----------------------|---------|
| – Rescue.....        | 203     |
| – Skinning.....      | 205     |
| – Spark.....         | 203     |
| Knob Protectors..... | 125,126 |

|                                    |         |
|------------------------------------|---------|
| <b>L</b> Lap Links.....            | 157     |
| Latch Paddles.....                 | 123     |
| Latch Protector.....               | 128     |
| LED Clearance & Marker Lights..... | 4,5,6   |
| Letter & Number Stamps.....        | 62      |
| Lever Guards.....                  | 125,126 |
| Lever Handles.....                 | 121,122 |

#### Lights

|                                             |       |
|---------------------------------------------|-------|
| – Adaptors.....                             | 6     |
| – Clearance & marker.....                   | 4,5,6 |
| – Emergency.....                            | 7     |
| – Flashlights.....                          | 3     |
| – Off-road.....                             | 2     |
| – Safety, flashing.....                     | 7,8   |
| – String.....                               | 180   |
| – Towing.....                               | 6     |
| – Tractor LED, halogen.....                 | 2,3,4 |
| – Trailor lights.....                       | 6,7   |
| – Trouble.....                              | 179   |
| – Turn, stop, tail, marker, clearance...4-6 |       |
| – Work LED.....                             | 2,180 |

|                 |     |
|-----------------|-----|
| Linch Pins..... | 156 |
|-----------------|-----|

|                 |     |
|-----------------|-----|
| Link Locks..... | 158 |
|-----------------|-----|

|                   |         |
|-------------------|---------|
| Load Binders..... | 163,164 |
|-------------------|---------|

#### Locks

|                                |         |
|--------------------------------|---------|
| – Deadbolts.....               | 122     |
| – Entry, passage, privacy..... | 121     |
| – Gun locks.....               | 212,213 |
| – Padlocks.....                | 115-120 |
| – Trailer.....                 | 24,25   |

|                       |         |
|-----------------------|---------|
| <b>M</b> Machete..... | 207-209 |
|-----------------------|---------|

|                    |    |
|--------------------|----|
| Magnetic Base..... | 89 |
|--------------------|----|

|                            |    |
|----------------------------|----|
| Magnetic Pick-Up Tool..... | 67 |
|----------------------------|----|

#### Magnetic

##### Mallet

|               |     |
|---------------|-----|
| – Rubber..... | 104 |
|---------------|-----|

|                  |     |
|------------------|-----|
| Marker Pole..... | 198 |
|------------------|-----|

#### Mauls

|                  |               |
|------------------|---------------|
| – Splitting..... | 94,96,100,102 |
|------------------|---------------|

|                            |     |
|----------------------------|-----|
| Measuring Containers ..... | 140 |
|----------------------------|-----|

|                      |       |
|----------------------|-------|
| Measuring Tools..... | 88,89 |
|----------------------|-------|

|                        |    |
|------------------------|----|
| Meat Saw & Blades..... | 83 |
|------------------------|----|

|                              |       |
|------------------------------|-------|
| Mechanics Creeper Stool..... | 17,18 |
|------------------------------|-------|

|                      |     |
|----------------------|-----|
| Mechanics Glove..... | 193 |
|----------------------|-----|

|                     |    |
|---------------------|----|
| Mechanics Vise..... | 41 |
|---------------------|----|



|                                                        |         |
|--------------------------------------------------------|---------|
| Micrometer                                             |         |
| – Outside.....                                         | 89      |
| Mirror                                                 |         |
| – Telescopic.....                                      | 67      |
| Mops Yacht & Handle.....                               | 177,178 |
| Mortise – Cylinders, thumb turns, dummy cylinders..... | 124     |

|                               |    |
|-------------------------------|----|
| <b>N</b> Net – Cargo net..... | 28 |
| Number & Letter Stamps.....   | 62 |

|                                      |         |
|--------------------------------------|---------|
| <b>O</b> “O” Ring Kits – Rubber..... | 169     |
| Oilers & Accessories.....            | 140,141 |

|                                   |     |
|-----------------------------------|-----|
| <b>P</b> Paddles – Push-pull..... | 123 |
|-----------------------------------|-----|

### Padlocks and Key Blanks

|                        |                 |
|------------------------|-----------------|
| – Brass.....           | 115-120         |
| – Disc style.....      | 121             |
| – Keyed alike.....     | 116-119         |
| – Keyed different..... | 115,118,119,120 |
| – Laminated.....       | 115-116         |
| – Semi-assembled.....  | 119             |
| – Re-key alike.....    | 120             |

### Paint

|                |     |
|----------------|-----|
| – Brushes..... | 186 |
|----------------|-----|

### Picks and Mattocks

|                   |     |
|-------------------|-----|
| – Handles.....    | 107 |
| – Heads only..... | 111 |

|                   |    |
|-------------------|----|
| Pick-Up Tool..... | 67 |
|-------------------|----|

### Pillow Blocks

|                 |     |
|-----------------|-----|
| – Bearings..... | 151 |
|-----------------|-----|

### Pipe

|                               |       |
|-------------------------------|-------|
| – Cutters, MCC, SuperEgo..... | 45,50 |
| – Threaders.....              | 51    |
| – Vises.....                  | 50    |
| – Wrenches, SuperEgo.....     | 47,48 |

### Pipe Tool

|              |       |
|--------------|-------|
| – Parts..... | 52,53 |
|--------------|-------|

### Pliers

|                                |          |
|--------------------------------|----------|
| – Box joint.....               | 49       |
| – Concrete wire nippers.....   | 48       |
| – End nippers.....             | 43,48,55 |
| – Fence.....                   | 56       |
| – Nut buster.....              | 55       |
| – Parallel action cutting..... | 57       |
| – Rescue.....                  | 56       |
| – Revolving punch plier.....   | 57       |
| – Snap ring.....               | 56       |
| – Tongue and groove.....       | 55       |

### Protectors

|                  |     |
|------------------|-----|
| – Cylinders..... | 127 |
|------------------|-----|

|                        |         |
|------------------------|---------|
| – Deadbolt.....        | 126     |
| – Knob.....            | 125,126 |
| – Latch.....           | 128     |
| – Lever.....           | 125     |
| Prentice Drills.....   | 72      |
| Pruning Saws.....      | 79-82   |
| Pry Bars.....          | 112     |
| Pulaski Fire Axes..... | 99      |

### Pullers

|                    |         |
|--------------------|---------|
| – Cable.....       | 144     |
| – Lever chain..... | 143,144 |
| – Ratchet.....     | 143,144 |
| – Rope.....        | 144,145 |

|                  |     |
|------------------|-----|
| Pulley Yoke..... | 147 |
|------------------|-----|

### Pulleys

|                       |         |
|-----------------------|---------|
| – Malleable iron..... | 147,148 |
| – Stainless.....      | 148,149 |

|                  |     |
|------------------|-----|
| Pump Oilers..... | 140 |
|------------------|-----|

### Pumps

|                              |         |
|------------------------------|---------|
| – Lever pail.....            | 143     |
| – Lever, rotary, syphon..... | 141,142 |
| – Lever barrel.....          | 142     |
| – Air, hand.....             | 141,142 |
| – Submersible.....           | 141     |
| – Syphon.....                | 142     |

|                          |    |
|--------------------------|----|
| Punch & Chisel Sets..... | 61 |
|--------------------------|----|

### Punch

|                       |    |
|-----------------------|----|
| – Revolving belt..... | 57 |
| – Wad punch.....      | 61 |

|                           |    |
|---------------------------|----|
| PVC Pipe Cutter, MCC..... | 45 |
|---------------------------|----|

### Q Quick Links

|                                       |     |
|---------------------------------------|-----|
| – Plated steel & stainless steel..... | 157 |
|---------------------------------------|-----|

|                 |     |
|-----------------|-----|
| Quick Pins..... | 155 |
|-----------------|-----|

### R Rain Suits.....

### Rakes

|            |     |
|------------|-----|
| – Bow..... | 108 |
|------------|-----|

|                           |     |
|---------------------------|-----|
| Ratchet Cable Puller..... | 144 |
|---------------------------|-----|

### Rebar Cutter

|               |    |
|---------------|----|
| – Bender..... | 44 |
|---------------|----|

|                 |     |
|-----------------|-----|
| Rebar Wire..... | 182 |
|-----------------|-----|

|                                  |    |
|----------------------------------|----|
| Rescue Tools, Channel Locks..... | 56 |
|----------------------------------|----|

|                               |     |
|-------------------------------|-----|
| Retainer Ring Assortment..... | 169 |
|-------------------------------|-----|

|                   |     |
|-------------------|-----|
| Rifle Scopes..... | 212 |
|-------------------|-----|

|                 |     |
|-----------------|-----|
| Ring Bolts..... | 161 |
|-----------------|-----|

|                   |     |
|-------------------|-----|
| Rings Welded..... | 157 |
|-------------------|-----|

|                  |     |
|------------------|-----|
| Rope Hoists..... | 144 |
|------------------|-----|

|                            |         |
|----------------------------|---------|
| Ratchet Chain Pullers..... | 143,144 |
|----------------------------|---------|

|             |    |
|-------------|----|
| Rivets..... | 90 |
|-------------|----|

|                 |    |
|-----------------|----|
| Rivet Guns..... | 91 |
|-----------------|----|

|                          |     |
|--------------------------|-----|
| Rope Ratchet Puller..... | 145 |
|--------------------------|-----|

Rubber Tie-Downs.....25,26

**S** "S" Hooks.....156

### Safety

- Fence.....197
- Flashing emergency lights.....7
- Glasses & goggles.....195,196
- Pins.....155
- Vests.....194

### Saws

- Bandsaw blades.....87
- Bow saws & blades.....79,80
- Circular saw blades.....76
- Hacksaws & blades.....79,82,83
- Handsaws.....83
- Holesaws & arbors.....84,85,86
- Jigsaw blades.....86
- Meat saws & blades.....83
- Pruning saw.....79,80,81,82
- Reciprocating blades.....87
- Pull saw.....80
- Pruning saw.....82
- Extension pole.....82

### Scopes

- Rifle.....212

### Scrapers

- Heavy duty cast.....101
- Auto, ice.....15

Scratch Brushes.....187,188

### Screwdrivers

- Drywall screwdriver bit.....62
- Open stock.....62

### Screw Extractors

- Spiral & square.....71

Seal-All.....36

### Shackles

- Anchor.....158,159
- D.....159
- Trawling.....159

### Sharpening

- Steels.....211
- Stone.....211
- Wet stone.....94

Sheaths Axe.....100

### Sheaves

- Stainless.....148,149
- Cast Iron.....147,148,150

Shock Cords.....26,27

Shovels.....109-111

Silicone Gasket Makers & Adhesives.....33

Sledge Hammers & Hammers.....101-104

Shoe Goo.....38

## Snap

- Bolt.....165
- Hooks.....164
- Leash.....165
- Swivel.....165,166
- Trigger.....165

Snatch Blocks.....150

Snap Ring Assortment.....169

Snow Brush & Ice Scraper.....15

Snow Fence.....197

Snow Shovels.....110

Sockets Sets – 3/4" drive.....60

Spacer Rings.....125

Splitting Mauls.....94,96,100,102

Split Pin Assortment.....169

Split Rings.....130

### Spring Hooks

- Plated steel & stainless steel.....160

Squeegees.....16, 179

### Stamps

- Number & Letter.....62

Starrett.....84-87

### Splice Kit

- Quick.....14

### Steels

- Sharpening.....211

Stop, Turn & Tail Light.....6

Strap Cutter.....44

Strap Wrench.....48

Stripping Bar.....113

Stub Drills.....72

Submersible Pumps.....141

SuperEgo.....47-55

Swagger Tool.....46

Swivels.....161,162,165,166

**T** Tap & Die Sets.....68,69,70

### Tape

- Barricade.....184
- Flagging.....185
- Packing.....184
- PVC electrical.....183
- FiberFix.....34,35,36
- Reflective, trailer.....183
- Reflective, pet solas.....183
- FiberFix.....35,36
- Teflon.....184

### Tapes

- Measuring.....88

Tarps, Blue, Camo, White.....199

Teflon Tape.....184

Test Equipment - Battery.....8,9

|                                      |         |
|--------------------------------------|---------|
| Threaded Rod Cutter.....             | 45      |
| Threader Kits & Parts, SuperEgo..... | 51      |
| <b>Tie Downs</b>                     |         |
| – Cargo lashes.....                  | 28      |
| – Shock cord fabric covered.....     | 26,27   |
| – Ratchet.....                       | 28      |
| – Rubber, Snappi-Hooker.....         | 25,26   |
| – Sport quick release.....           | 27      |
| Tie Wire & Dispenser.....            | 182     |
| Tire Valve Stems.....                | 17      |
| Tove Bar.....                        | 112     |
| Tow Straps                           |         |
| – Nylon.....                         | 27      |
| Towing Lights.....                   | 6       |
| Tractor Lights.....                  | 2,3,4   |
| <b>Trailer</b>                       |         |
| – Balls, couplers & bushings.....    | 21,22   |
| – Bearing kits.....                  | 154     |
| – Couplers.....                      | 24      |
| – Draw bars.....                     | 22      |
| – Jacks & accessories.....           | 23      |
| – Ball moont triple.....             | 21      |
| – Light adaptors.....                | 9       |
| – Lighting kit.....                  | 6,7     |
| – Locks.....                         | 24,25   |
| – Tape, reflective.....              | 183     |
| Tramontina Knives.....               | 207-210 |
| Traffic Warning Triangles.....       | 197     |
| Trigger Locks.....                   | 212     |
| Trouble Lights.....                  | 7       |
| Tube Cutters.....                    | 50      |
| Turn, Stop, Tail Light.....          | 6       |
| Turnbuckles.....                     | 160     |
| Twist Drills & Kits.....             | 71      |

|                                    |       |
|------------------------------------|-------|
| <b>U</b> Utility Chain Wrench..... | 49    |
| Utility Knives - Blades.....       | 65-67 |

|                           |     |
|---------------------------|-----|
| <b>V</b> Valve Stems..... | 17  |
| Vests - Traffic.....      | 194 |

### Vises

|                      |    |
|----------------------|----|
| – Bench.....         | 41 |
| – Chain.....         | 50 |
| – Drill-press.....   | 41 |
| – Multi-purpose..... | 41 |
| – Pipe.....          | 50 |

|                              |     |
|------------------------------|-----|
| <b>W</b> Wad Punch Kits..... | 61  |
| Waders Chest & Hip.....      | 213 |

### Wedges

|                  |     |
|------------------|-----|
| – Plastic.....   | 100 |
| – Splitting..... | 100 |

|                                      |       |
|--------------------------------------|-------|
| – Wood & metal for axe handling..... | 108   |
| Welded Steel Rings.....              | 157   |
| Welding Compound.....                | 29-35 |
| Wheel Lug Nuts.....                  | 16    |
| Winch Bar.....                       | 164   |

### Winches

|                     |    |
|---------------------|----|
| – Boat.....         | 21 |
| – Electric 12V..... | 20 |

### Wire

|                                |     |
|--------------------------------|-----|
| – Black annealed tie wire..... | 182 |
| – Brass snare wire.....        | 214 |
| – Dispenser.....               | 182 |

|                   |       |
|-------------------|-------|
| Wire Nippers..... | 43,48 |
|-------------------|-------|

### Wire Rope.....

|                    |         |
|--------------------|---------|
| – Accessories..... | 146,147 |
| – Cutters.....     | 43,44   |

### Wire Wheel Brushes

|              |    |
|--------------|----|
| – Steel..... | 76 |
|--------------|----|

|                         |         |
|-------------------------|---------|
| Wiring Accessories..... | 9,10,11 |
|-------------------------|---------|

|                  |       |
|------------------|-------|
| Work Lights..... | 2,3,4 |
|------------------|-------|

### Wrecking Bars

|                            |     |
|----------------------------|-----|
| – Goose neck.....          | 111 |
| – Tove, svedbro smide..... | 112 |

### Wrenches

|                      |             |
|----------------------|-------------|
| – Adjustable.....    | 57          |
| – Chain & strap..... | 48,49       |
| – Combination.....   | 58,59,60,61 |
| – Pipe.....          | 47,48       |
| – Strap.....         | 48          |
| – Tongue chain.....  | 49          |
| – 4 way wheel.....   | 17          |
| – Ratcheting.....    | 61          |

|                              |     |
|------------------------------|-----|
| <b>Y</b> Yarding Blocks..... | 150 |
|------------------------------|-----|



## **Acknowledgment**

- Cover pages were inspired by an art piece designed by new7ducks/Freepik

# G. HJUKSTROM LTD.

WHOLESALE AUTOMOTIVE, INDUSTRIAL,  
HARDWARE, SAFETY, SECURITY &  
SPORTING PRODUCTS



## 2026 CATALOGUE

### Head Office:



19114, 95A Avenue, Surrey, BC, Canada

V4N 4P2

### Winnipeg Warehouse:



1510 Wall Street, Winnipeg, MB, Canada

R3E 2S4

### Division Office:



2, 71 Ilsley Avenue, Dartmouth, NS, Canada

B3B 1L5